

| | | |
|---------------------|-------------|--|
| WASTE STREAM | 2C01 | Ion Exchange Resins AW500 (Zeolite) |
|---------------------|-------------|--|

SITE Chapelcross
SITE OWNER Nuclear Decommissioning Authority
WASTE CUSTODIAN Magnox Limited
WASTE TYPE ILW

WASTE VOLUMES

| | | Reported |
|------------------------|------------------|---------------------|
| Stocks: | At 1.4.2019..... | 39.4 m ³ |
| Total future arisings: | | 0 m ³ |
| Total waste volume: | | 39.4 m ³ |

Comment on volumes: The four reactors at Chapelcross ceased generating in the period from August 2001 (R1) to February 2004 (R2). There are 45 depleted skips, 2 live skips and 7 new skips.

Uncertainty factors on volumes: Stock (upper): x 1.2 Arisings (upper) x
 Stock (lower): x 0.8 Arisings (lower) x

WASTE SOURCE In situ treatment of fuel storage pond water.

PHYSICAL CHARACTERISTICS

General description: The waste consists of zeolite ion exchange material. No large items require special handling.

Physical components (%vol): Zeolite AW500 (100%).

Sealed sources: -

Bulk density (t/m³): 1

Comment on density: The average density refers to the mass of the components divided by the volume as stored.

CHEMICAL COMPOSITION

General description and components (%wt): Zeolite; aluminium (as Al₂O₃); silicon (as SiO₂); caesium contamination.

Chemical state: Neutral

Chemical form of radionuclides: H-3: Most tritium is expected to be present as water but some may be in the form of other inorganic compounds.
 C-14: Traces of carbon 14 may be present as graphite.
 Cl-36: Chlorine-36 content is insignificant.
 Se-79: The selenium content is insignificant.
 Tc-99: The chemical form of technetium has not been assessed.
 Ra: Radium isotope content is insignificant.
 Th: Thorium isotope content is insignificant.
 U: The chemical form of uranium isotopes has not been assessed.
 Np: The neptunium content is insignificant.
 Pu: The chemical form of plutonium isotopes has not been assessed.

Metals and alloys (%wt): -

| | |
|---------------------------|---|
| Stainless steel..... | 0 |
| Other ferrous metals..... | 0 |
| Iron..... | |
| Aluminium..... | 0 |
| Beryllium..... | 0 |
| Cobalt..... | |
| Copper..... | 0 |
| Lead..... | 0 |
| Magnox/Magnesium..... | 0 |
| Nickel..... | |
| Titanium..... | |

WASTE STREAM

2C01

Ion Exchange Resins AW500 (Zeolite)

| | | | |
|-------------------------|--|-------|---------------|
| | Uranium..... | 0 | |
| | Zinc..... | 0 | |
| | Zircaloy/Zirconium..... | 0 | |
| | Other metals..... | 0 | |
| Organics (%wt): | No organic materials are present. The waste is unlikely to contain metals. | | |
| | Total cellulose..... | 0 | |
| | Paper, cotton..... | 0 | |
| | Wood..... | 0 | |
| | Halogenated plastics | 0 | |
| | Total non-halogenated plastics..... | 0 | |
| | Condensation polymers..... | 0 | |
| | Others..... | 0 | |
| | Organic ion exchange materials.... | 0 | |
| | Total rubber..... | 0 | |
| | Halogenated rubber | 0 | |
| | Non-halogenated rubber..... | 0 | |
| | Hydrocarbons..... | | |
| | Oil or grease | | |
| | Fuel..... | | |
| | Asphalt/Tarmac (cont.coal tar)... | | |
| | Asphalt/Tarmac (no coal tar).... | | |
| | Bitumen..... | | |
| | Others..... | | |
| | Other organics..... | 0 | |
| Other materials (%wt): | - | | |
| | Inorganic ion exchange materials. | 100.0 | Zeolite AW500 |
| | Inorganic sludges and flocs..... | TR | |
| | Soil..... | 0 | |
| | Brick/Stone/Rubble..... | 0 | |
| | Cementitious material..... | 0 | |
| | Sand..... | | |
| | Glass/Ceramics..... | 0 | |
| | Graphite..... | 0 | |
| | Desiccants/Catalysts..... | | |
| | Asbestos..... | 0 | |
| | Non/low friable..... | | |
| | Moderately friable..... | | |
| | Highly friable..... | | |
| | Free aqueous liquids..... | P | |
| | Free non-aqueous liquids..... | 0 | |
| | Powder/Ash..... | 0 | |
| Inorganic anions (%wt): | Silicates are present and there are probably other anions in trace quantities. | | |

WASTE STREAM

2C01

Ion Exchange Resins AW500 (Zeolite)

| | |
|----------------|----|
| Fluoride..... | TR |
| Chloride..... | TR |
| Iodide..... | TR |
| Cyanide..... | 0 |
| Carbonate..... | TR |
| Nitrate..... | TR |
| Nitrite..... | TR |
| Phosphate..... | TR |
| Sulphate..... | TR |
| Sulphide..... | TR |

Materials of interest for waste acceptance criteria:

| | |
|--|---|
| - | |
| Combustible metals..... | 0 |
| Low flash point liquids..... | 0 |
| Explosive materials..... | 0 |
| Phosphorus..... | 0 |
| Hydrides..... | 0 |
| Biological etc. materials..... | 0 |
| Biodegradable materials..... | |
| Putrescible wastes..... | 0 |
| Non-putrescible wastes..... | |
| Corrosive materials..... | 0 |
| Pyrophoric materials..... | 0 |
| Generating toxic gases..... | 0 |
| Reacting with water..... | 0 |
| Active particles..... | |
| Soluble solids as bulk chemical compounds..... | |

Hazardous substances / non hazardous pollutants:

| | |
|--------------------------------|--|
| Toxic metals are not expected. | |
| Acrylamide..... | |
| Benzene..... | |
| Chlorinated solvents..... | |
| Formaldehyde..... | |
| Organometallics..... | |
| Phenol..... | |
| Styrene..... | |
| Tri-butyl phosphate..... | |
| Other organophosphates..... | |
| Vinyl chloride..... | |
| Arsenic..... | |
| Barium..... | |
| Boron..... | |

| | | |
|---------------------|-------------|--|
| WASTE STREAM | 2C01 | Ion Exchange Resins AW500 (Zeolite) |
|---------------------|-------------|--|

Cadmium.....
 Caesium.....
 Selenium.....
 Chromium.....
 Molybdenum.....
 Thallium.....
 Tin.....
 Vanadium.....
 Mercury compounds.....
 Others.....
 Electronic Electrical Equipment (EEE)
 EEE Type 1.....
 EEE Type 2.....
 EEE Type 3.....
 EEE Type 4.....
 EEE Type 5.....

Complexing agents (%wt): No
 EDTA.....
 DPTA.....
 NTA.....
 Polycarboxylic acids.....
 Other organic complexants.....
 Total complexing agents..... 0

PACKAGING AND CONDITIONING

Conditioning method: Zeolite skips to be retrieved underwater into 120mm thick steel overpack, removed from ponds, drained and placed in Normal Density RCB.
 Plant Name: -
 Location: -
 Plant startup date: -
 Total capacity (m³/y incoming waste): ~500.0
 Target start date for packaging this stream: -
 Throughput for this stream (m³/y incoming waste): ~16.5
 Other information: -

| | | | | | |
|------------------------|-----------------------------------|-----------------------|---------------------------------|---------------------------|--------------------|
| Likely container type: | Container | Waste packaged (%vol) | Waste loading (m ³) | Payload (m ³) | Number of packages |
| | 6m ³ concrete box (SD) | 100.0 | 0.788 | 5.8 | 50 |

WASTE STREAM**2C01****Ion Exchange Resins AW500 (Zeolite)**

Likely container type comment: -

Range in container waste volume: -

Other information on containers: -

Likely conditioning matrix: Other information: -

Conditioned density (t/m³): 1.0

Conditioned density comment: -

Other information on conditioning: -

Opportunities for alternative disposal routing:

| Treatment | Stream volume (%) | Comment |
|-----------|-------------------|---------|
| - | - | - |

RADIOACTIVITY

Source: Ion Exchange material used for cleaning fuel pond water. The waste is contaminated mainly with Cs-134 and Cs-137.

Uncertainty: The waste stream has not yet been characterised. Activities are indicative only.

Definition of total alpha and total beta/gamma: The total beta/gamma activity is the sum of the listed beta/gamma emitting radionuclides. Total alpha activity is not estimated.

Measurement of radioactivities: -

Other information: -

WASTE STREAM 2C01 Ion Exchange Resins AW500 (Zeolite)

| Nuclide | Mean radioactivity, TBq/m ³ | | | | Nuclide | Mean radioactivity, TBq/m ³ | | | |
|---------|--|----------------|-----------------|----------------|------------------|--|----------------|-----------------|----------------|
| | Waste at 1.4.2019 | Bands and Code | Future arisings | Bands and Code | | Waste at 1.4.2019 | Bands and Code | Future arisings | Bands and Code |
| H 3 | 3.62E-05 | C C 2 | | | Gd 153 | | | 8 | |
| Be 10 | | 4 | | | Ho 163 | | | 8 | |
| C 14 | | 5 | | | Ho 166m | | | 8 | |
| Na 22 | | 8 | | | Tm 170 | | | 8 | |
| Al 26 | | 8 | | | Tm 171 | | | 8 | |
| Cl 36 | | 8 | | | Lu 174 | | | 8 | |
| Ar 39 | | 8 | | | Lu 176 | | | 8 | |
| Ar 42 | | 8 | | | Hf 178n | | | 8 | |
| K 40 | | 8 | | | Hf 182 | | | 8 | |
| Ca 41 | | 5 | | | Pt 193 | | | 8 | |
| Mn 53 | | 8 | | | Tl 204 | | | 8 | |
| Mn 54 | | 5 | | | Pb 205 | | | 8 | |
| Fe 55 | | 5 | | | Pb 210 | | | 4 | |
| Co 60 | 9.17E-05 | C C 2 | | | Bi 208 | | | 8 | |
| Ni 59 | | 8 | | | Bi 210m | | | 8 | |
| Ni 63 | | 8 | | | Po 210 | | | 4 | |
| Zn 65 | | 5 | | | Ra 223 | | | 8 | |
| Se 79 | | 8 | | | Ra 225 | | | 8 | |
| Kr 81 | | 8 | | | Ra 226 | | | 8 | |
| Kr 85 | | 8 | | | Ra 228 | | | 8 | |
| Rb 87 | | 8 | | | Ac 227 | | | 8 | |
| Sr 90 | 6.45E-01 | A C 2 | | | Th 227 | | | 8 | |
| Zr 93 | | 8 | | | Th 228 | | | 8 | |
| Nb 91 | | 8 | | | Th 229 | | | 4 | |
| Nb 92 | | 8 | | | Th 230 | | | 4 | |
| Nb 93m | | 8 | | | Th 232 | | | 4 | |
| Nb 94 | | 8 | | | Th 234 | | | 8 | |
| Mo 93 | | 8 | | | Pa 231 | | | 4 | |
| Tc 97 | | 8 | | | Pa 233 | | | 8 | |
| Tc 99 | 2E-04 | A C 2 | | | U 232 | | | 8 | |
| Ru 106 | | 5 | | | U 233 | | | 4 | |
| Pd 107 | | 8 | | | U 234 | | | 8 | |
| Ag 108m | | 8 | | | U 235 | | | 8 | |
| Ag 110m | | 8 | | | U 236 | | | 8 | |
| Cd 109 | | 8 | | | U 238 | | | 8 | |
| Cd 113m | | 8 | | | Np 237 | | | 8 | |
| Sn 119m | | 8 | | | Pu 236 | | | 8 | |
| Sn 121m | | 8 | | | Pu 238 | | | 5 | |
| Sn 123 | | 8 | | | Pu 239 | | | 5 | |
| Sn 126 | | 4 | | | Pu 240 | | | 5 | |
| Sb 125 | | 8 | | | Pu 241 | | | 5 | |
| Sb 126 | | 8 | | | Pu 242 | | | 8 | |
| Te 125m | | 8 | | | Am 241 | | | 5 | |
| Te 127m | | 8 | | | Am 242m | | | 8 | |
| I 129 | | 8 | | | Am 243 | | | 8 | |
| Cs 134 | 4.86E-03 | A C 2 | | | Cm 242 | | | 8 | |
| Cs 135 | 1E-04 | A C 2 | | | Cm 243 | | | 8 | |
| Cs 137 | 6.50E+00 | A C 2 | | | Cm 244 | | | 8 | |
| Ba 133 | | 8 | | | Cm 245 | | | 8 | |
| La 137 | | 8 | | | Cm 246 | | | 8 | |
| La 138 | | 8 | | | Cm 248 | | | 8 | |
| Ce 144 | | 5 | | | Cf 249 | | | 8 | |
| Pm 145 | | 8 | | | Cf 250 | | | 8 | |
| Pm 147 | | 5 | | | Cf 251 | | | 8 | |
| Sm 147 | | 8 | | | Cf 252 | | | 8 | |
| Sm 151 | | 8 | | | Other a | | | | |
| Eu 152 | | 8 | | | Other b/g | | | | |
| Eu 154 | | 5 | | | Total a | 0 | | 0 | |
| Eu 155 | | 5 | | | Total b/g | 7.15E+00 | A C 2 | 0 | |

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity