

WASTE STREAM	2C23	Desiccant
---------------------	-------------	------------------

SITE Chapelcross
SITE OWNER Nuclear Decommissioning Authority
WASTE CUSTODIAN Magnox Limited
WASTE TYPE ILW

WASTE VOLUMES

		Reported
Stocks:	At 1.4.2019.....	15.0 m ³
Total future arisings:		0 m ³
Total waste volume:		15.0 m ³
Comment on volumes:	There will be no further arisings. 2.2m ³ of the desiccant has now been transferred to a Type VI DCIC	
Uncertainty factors on volumes:	Stock (upper): x 1.2	Arisings (upper) x
	Stock (lower): x 0.8	Arisings (lower) x

WASTE SOURCE Aluminium Oxide Pellets

PHYSICAL CHARACTERISTICS

General description: Granules, thought to be aluminium oxide pellets. None.
 Physical components (%wt): Desiccant (100%)
 Sealed sources: -
 Bulk density (t/m³): ~0.6
 Comment on density: -

CHEMICAL COMPOSITION

General description and components (%wt): Aluminium Oxide Pellets
 Chemical state: Neutral
 Chemical form of radionuclides: H-3: The tritium will be present as tritiated water.
 C-14: Content is insignificant.
 Cl-36: Not significant
 Se-79: Content is insignificant.
 Tc-99: Content is insignificant.
 Ra: Content is insignificant.
 Th: Content is insignificant.
 U: Content is insignificant.
 Np: Content is insignificant.
 Pu: Content is insignificant.

Metals and alloys (%wt): -

Stainless steel.....	0
Other ferrous metals.....	0
Iron.....	
Aluminium.....	P
Beryllium.....	0
Cobalt.....	
Copper.....	0
Lead.....	0
Magnox/Magnesium.....	0
Nickel.....	
Titanium.....	
Uranium.....	

WASTE STREAM**2C23 Desiccant**

	Zinc.....	0	
	Zircaloy/Zirconium.....	0	
	Other metals.....	0	None.
Organics (%wt):	No metallic material is expected. No organic materials are present.		
	Total cellulose.....	0	
	Paper, cotton.....	0	
	Wood.....	0	
	Halogenated plastics	0	
	Total non-halogenated plastics.....	0	
	Condensation polymers.....	0	
	Others.....	0	
	Organic ion exchange materials....	0	
	Total rubber.....	0	
	Halogenated rubber	0	
	Non-halogenated rubber.....	0	
	Hydrocarbons.....		
	Oil or grease		
	Fuel.....		
	Asphalt/Tarmac (cont.coal tar)...		
	Asphalt/Tarmac (no coal tar)....		
	Bitumen.....		
	Others.....		
	Other organics.....	0	
Other materials (%wt):	-		
	Inorganic ion exchange materials.	0	
	Inorganic sludges and flocs.....	0	
	Soil.....	0	
	Brick/Stone/Rubble.....	0	
	Cementitious material.....	0	
	Sand.....		
	Glass/Ceramics.....	0	
	Graphite.....	0	
	Desiccants/Catalysts.....	100.0	Aluminium Oxide Pellets
	Asbestos.....	0	
	Non/low friable.....		
	Moderately friable.....		
	Highly friable.....		
	Free aqueous liquids.....	0	
	Free non-aqueous liquids.....	0	
	Powder/Ash.....	TR	
Inorganic anions (%wt):	-		

WASTE STREAM**2C23 Desiccant**

Fluoride.....	0
Chloride.....	0
Iodide.....	0
Cyanide.....	0
Carbonate.....	0
Nitrate.....	0
Nitrite.....	0
Phosphate.....	0
Sulphate.....	0
Sulphide.....	0

Materials of interest for
waste acceptance criteria:

None.	
Combustible metals.....	0
Low flash point liquids.....	0
Explosive materials.....	0
Phosphorus.....	0
Hydrides.....	0
Biological etc. materials.....	0
Biodegradable materials.....	
Putrescible wastes.....	0
Non-putrescible wastes.....	
Corrosive materials.....	0
Pyrophoric materials.....	0
Generating toxic gases.....	0
Reacting with water.....	0
Active particles.....	
Soluble solids as bulk chemical compounds.....	

Hazardous substances /
non hazardous pollutants:

-	
Acrylamide.....	
Benzene.....	
Chlorinated solvents.....	
Formaldehyde.....	
Organometallics.....	
Phenol.....	
Styrene.....	
Tri-butyl phosphate.....	
Other organophosphates.....	
Vinyl chloride.....	
Arsenic.....	
Barium.....	
Boron.....	

WASTE STREAM**2C23 Desiccant**

- Cadmium.....
 - Caesium.....
 - Selenium.....
 - Chromium.....
 - Molybdenum.....
 - Thallium.....
 - Tin.....
 - Vanadium.....
 - Mercury compounds.....
 - Others.....
 - Electronic Electrical Equipment (EEE)
 - EEE Type 1.....
 - EEE Type 2.....
 - EEE Type 3.....
 - EEE Type 4.....
 - EEE Type 5.....
- Complexing agents (%wt):
- No
 - EDTA.....
 - DPTA.....
 - NTA.....
 - Polycarboxylic acids.....
 - Other organic complexants.....
 - Total complexing agents..... 0

LAW TREATMENT, PACKAGING AND DISPOSAL**Waste that is currently ILW:** This waste stream will be decay stored.

Planned on-site / off-site treatments(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)		
Incineration		
Solidification		
Decontamination		
Metal treatment		
Size reduction		
Decay storage		
Recycling / reuse		
Other / various		
None		100.0

Comment on planned treatments:

Waste will be decayed stored.

WASTE STREAM**2C23 Desiccant****Disposal Routes:**

Disposal Route	Stream volume %
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0

Upcoming (2019/20-2021/22) waste routing (if expected to change from above)

Disposal Route	Stream volume %		
	2019/20	2020/21	2021/22
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known			

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	100.0	6	3

Other information:

Once decayed to LLW, the waste will be transferred into 200 litre drums and placed inside a HHISO. Expect between 30 and 36 drums per HHISO. For this Inventory a loading of 30 drums per HHISO has been assumed.

Waste Consigned to the LLW Repository:

Container voidage: -

Waste Characterisation Form (WCH):

The waste does not meet the LLWR's Waste Acceptance Criteria (WAC).

Waste will be decay stored until it meets WAC.

Waste consigned for disposal to LLWR in year of generation:

No. Waste will be decay stored until it meets WAC.

Potential for the waste to contain discrete items: -

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

WASTE STREAM**2C23 Desiccant**

Other information:

-

RADIOACTIVITY

Source:

Contamination by tritiated water from gas circuit drying.

Uncertainty:

The desiccant is still in-situ and has not been sampled. Activities are indicative only.

Definition of total alpha
and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of
radioactivities:

Activities are based on similar material at other reactor sites.

Other information:

-

WASTE STREAM 2C23 Desiccant

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code
H 3	1.21E-01	CC 2			Gd 153		8		
Be 10		8			Ho 163		8		
C 14		8			Ho 166m		8		
Na 22		8			Tm 170		8		
Al 26		8			Tm 171		8		
Cl 36	1E-04	CC 2			Lu 174		8		
Ar 39		8			Lu 176		8		
Ar 42		8			Hf 178n		8		
K 40		8			Hf 182		8		
Ca 41		8			Pt 193		8		
Mn 53		8			Tl 204		8		
Mn 54		6			Pb 205		8		
Fe 55		6			Pb 210		8		
Co 60	2.14E-06	CC 2			Bi 208		8		
Ni 59		8			Bi 210m		8		
Ni 63		8			Po 210		8		
Zn 65		8			Ra 223		8		
Se 79		8			Ra 225		8		
Kr 81		8			Ra 226		8		
Kr 85		8			Ra 228		8		
Rb 87		8			Ac 227		8		
Sr 90		8			Th 227		8		
Zr 93		8			Th 228		8		
Nb 91		8			Th 229		8		
Nb 92		8			Th 230		8		
Nb 93m		8			Th 232		8		
Nb 94		8			Th 234		8		
Mo 93		8			Pa 231		8		
Tc 97		8			Pa 233		8		
Tc 99		8			U 232		8		
Ru 106		8			U 233		8		
Pd 107		8			U 234		8		
Ag 108m		8			U 235		8		
Ag 110m		8			U 236		8		
Cd 109		8			U 238		8		
Cd 113m		8			Np 237		8		
Sn 119m		8			Pu 236		8		
Sn 121m		8			Pu 238		8		
Sn 123		8			Pu 239		8		
Sn 126		8			Pu 240		8		
Sb 125		8			Pu 241		8		
Sb 126		8			Pu 242		8		
Te 125m		8			Am 241	<4.94E-08	C 3		
Te 127m		8			Am 242m		8		
I 129		8			Am 243		8		
Cs 134		6			Cm 242		8		
Cs 135		8			Cm 243		8		
Cs 137	6.50E-08	CC 2			Cm 244		8		
Ba 133		8			Cm 245		8		
La 137		8			Cm 246		8		
La 138		8			Cm 248		8		
Ce 144		8			Cf 249		8		
Pm 145		8			Cf 250		8		
Pm 147		8			Cf 251		8		
Sm 147		8			Cf 252		8		
Sm 151		8			Other a				
Eu 152		8			Other b/g				
Eu 154		8			Total a	4.94E-08	CC 2		0
Eu 155		8			Total b/g	1.21E-01	CC 2		0

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity