

WASTE STREAM	2F35	Tn 17 and NTL 11 Flasks
---------------------	-------------	--------------------------------

SITE	Sellafield	
SITE OWNER	Nuclear Decommissioning Authority	
WASTE CUSTODIAN	Sellafield Limited	
WASTE TYPE	LLW; SPD1	
WASTE VOLUMES		Reported
Stocks:	At 1.4.2019.....	128.2 m ³
Total future arisings:		0 m ³
Total waste volume:		128.2 m ³
Comment on volumes:	Assumes a medium term strategy for decommissioning the NTL flasks. The total number of flasks identified is 10. The flasks are presently stored both dry inside buildings and outdoors with covers on at Sellafield. They are currently considered to be redundant and unlicensable. The volume declared is the volume of the flasks, however, it is planned to decontaminate and recycle the metal. If this is successful only small amounts of residues will arise for disposal. A study is currently being carried out to consider options for decommissioning the Japanese owned flasks on the Sellafield site, which may influence the overall decommissioning strategy for the other flasks.	
Uncertainty factors on volumes:	Stock (upper): x 1.5	Arisings (upper) x
	Stock (lower): x 0.5	Arisings (lower) x
WASTE SOURCE	Flasks become contaminated when used for the transport of irradiated fuel from European reactors.	

PHYSICAL CHARACTERISTICS

General description:	Steel and lead containers internally contaminated with fission and activation products and with some actinides possibly present. Flasks weigh between 23.6 and 62.9 tonnes. The waste has not undergone any changes since it was generated and is stored dry and inside a building. Flasks sometimes undergo chemical decontamination as part of routine maintenance.
Physical components (%vol):	Irradiated fuel transport flasks (100%). Flask surfaces are painted with CEGB System 6 epoxy paint (~0.1% wt) and there is a rubber viton seal (<0.01% wt).
Sealed sources:	The waste does not contain sealed sources.
Bulk density (t/m ³):	2.92
Comment on density:	Density ranges from 2.65 to 3.2 te/m ³ . The weighted average density is 2.92 te/m ³ .

CHEMICAL COMPOSITION

General description and components (%wt):	Stainless steel (2.85%), other ferrous metals (38.9%), lead (53.63%), resin (2.85%), cement (0.32%) and copper (1.45%).
Chemical state:	Neutral
Chemical form of radionuclides:	H-3: Trace quantities likely to be present in some part of the waste, but chemical composition unknown. C-14: Trace quantities likely to be present in some part of the waste, but chemical composition unknown. Se-79: Unknown if present. Tc-99: Trace quantities likely to be present in some part of the waste, but chemical composition unknown. Ra: Not anticipated to be present. Th: Unknown if present. U: Not anticipated to be present. Np: Unknown if present. Pu: Trace quantities likely to be present in some part of the waste, but chemical composition unknown.
Metals and alloys (%wt):	Excellox flasks - 100% bulk metal. French flasks - 96% bulk metal. Ferritic metal typically 305 & 100 mm thick. Stainless steel is 5 & 27 mm thick. Lead in rings are 152 mm thick. This waste stream comprises various flasks with different specifications. Some flask specifications are as follows: Lid and base forging spec. BS 1503-224-28A-4T-50. Plate spec. BS 1501-224. Lead BS 3909/2 - 4% antimony content lead alloy. Lead liner spec. BS 1449-321-512. TN type flasks are ASTM A350 forgings. Other material 304L stainless steel sheet.

WASTE STREAM

2F35

Tn 17 and NTL 11 Flasks

Stainless steel.....	2.9	304L sheet.
Other ferrous metals.....	38.9	BS 1503-224-28A-4T-50, BS 1501-224, ASTM A350.
Iron.....		
Aluminium.....		
Beryllium.....		
Cobalt.....	0	
Copper.....	1.5	
Lead.....	53.6	BS 3909/2 - 4% antimony content lead alloy. Lead liner spec. BS 1449-321-512.
Magnox/Magnesium.....	0	
Nickel.....		
Titanium.....		
Uranium.....		
Zinc.....	0	
Zircaloy/Zirconium.....	0	
Other metals.....	0	

Organics (%wt):

Viton "O" ring seals between flask lid and flask body, and around valves, are made of Viton B rubber. The majority of the flasks are coated with CEGB System 6 epoxy based. Some flasks contain Bisco neutron shielding material NS-4_FR. Viton 'O' rings seals fluorocarbon elastomer << 0.01%.

Total cellulose.....	0
Paper, cotton.....	0
Wood.....	0
Halogenated plastics	0
Total non-halogenated plastics.....	0
Condensation polymers.....	0
Others.....	0
Organic ion exchange materials....	0
Total rubber.....	TR
Halogenated rubber	TR
Non-halogenated rubber.....	0
Hydrocarbons.....	
Oil or grease	
Fuel.....	
Asphalt/Tarmac (cont.coal tar)...	
Asphalt/Tarmac (no coal tar)....	
Bitumen.....	
Others.....	
Other organics.....	TR

Other materials (%wt):

-

WASTE STREAM**2F35****Tn 17 and NTL 11 Flasks**

Inorganic ion exchange materials.....	0
Inorganic sludges and flocs.....	0
Soil.....	0
Brick/Stone/Rubble.....	0
Cementitious material.....	0.32
Sand.....	
Glass/Ceramics.....	
Graphite.....	0
Desiccants/Catalysts.....	
Asbestos.....	TR
Non/low friable.....	
Moderately friable.....	
Highly friable.....	
Free aqueous liquids.....	0
Free non-aqueous liquids.....	0
Powder/Ash.....	0

Inorganic anions (%wt):

No inorganic anions are present.	
Fluoride.....	0
Chloride.....	0
Iodide.....	0
Cyanide.....	0
Carbonate.....	0
Nitrate.....	0
Nitrite.....	0
Phosphate.....	0
Sulphate.....	0
Sulphide.....	0

Materials of interest for waste acceptance criteria:

No materials likely to pose a fire or other non-radiological hazard have been identified. There may be minute quantities of asbestos in the form of valve gaskets.

Combustible metals.....	0
Low flash point liquids.....	0
Explosive materials.....	0
Phosphorus.....	0
Hydrides.....	0
Biological etc. materials.....	0
Biodegradable materials.....	0
Putrescible wastes.....	0
Non-putrescible wastes.....	0
Corrosive materials.....	0
Pyrophoric materials.....	0
Generating toxic gases.....	0
Reacting with water.....	0
Active particles.....	

WASTE STREAM**2F35****Tn 17 and NTL 11 Flasks**Hazardous substances /
non hazardous pollutants:Soluble solids as bulk chemical
compounds.....
Cadmium is present in trace amounts in the bolts.

Acrylamide.....

Benzene.....

Chlorinated solvents.....

Formaldehyde.....

Organometallics.....

Phenol.....

Styrene.....

Tri-butyl phosphate.....

Other organophosphates.....

Vinyl chloride.....

Arsenic.....

Barium.....

Boron.....

Cadmium.....

Caesium.....

Selenium.....

Chromium.....

Molybdenum.....

Thallium.....

Tin.....

Vanadium.....

Mercury compounds.....

Others.....

Electronic Electrical Equipment (EEE)

EEE Type 1.....

EEE Type 2.....

EEE Type 3.....

EEE Type 4.....

EEE Type 5.....

Complexing agents (%wt):

No

EDTA.....

DPTA.....

NTA.....

Polycarboxylic acids.....

Other organic complexants.....

Total complexing agents..... 0

WASTE STREAM**2F35****Tn 17 and NTL 11 Flasks****TREATMENT, PACKAGING AND DISPOSAL**

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction Supercompaction (HFC) Incineration Solidification Decontamination Metal treatment Size reduction Decay storage Recycling / reuse Other / various None		100.0

Comment on planned treatments:

Treatment will be via size reduction and decontamination, with an anticipated maximum of 5% of the flask assumed to then be disposed of to the LLWR as LLW. The remainder is anticipated to be free release scrap.

Disposal Routes:

Disposal Route	Stream volume %
Expected to be consigned to the LLW Repository	5.0
Expected to be consigned to a Landfill Facility	
Expected to be consigned to an On-Site Disposal Facility	
Expected to be consigned to an Incineration Facility	
Expected to be consigned to a Metal Treatment Facility	95.0
Expected to be consigned as Out of Scope	
Expected to be recycled / reused	
Disposal route not known	

Upcoming (2019/20-2021/22) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %		
	2019/20	2020/21	2021/22
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known			

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	5.0	10	< 1

Other information: -

Waste Planned for Disposal at the LLW Repository:

Container voidage: -

WASTE STREAM**2F35****Tn 17 and NTL 11 Flasks**

Waste Characterisation Form (WCH):

It is not yet determined if the waste meets LLWR's Waste Acceptance Criteria (WAC).
The waste does not have a current WCH.

No WCH currently in place for this waste. It will be developed at the time for disposal of the flasks.

Waste consigned for disposal to LLWR in year of generation:

No. The waste from the remaining flasks will arise when the flasks are prepared for disposal. This is dependent upon work load and NDA strategy.

Potential for the waste to contain discrete items:

-

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

-

Waste stream variation:

-

Bounding cuboidal volume:

Inaccessible voidage:

-

Other information:

-

RADIOACTIVITY

Source:

Fission and activation product contamination with some actinides possibly present arising from contact with spent fuel or cross contamination from items that have been in contact with spent fuel.

Uncertainty:

-

Definition of total alpha and total beta/gamma:

Total activity has not been estimated.

Measurement of radioactivities:

-

Other information:

-

WASTE STREAM

2F35

Tn 17 and NTL 11 Flasks

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code
H 3					Gd 153				
Be 10					Ho 163				
C 14					Ho 166m				
Na 22					Tm 170				
Al 26					Tm 171				
Cl 36					Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
Mn 53					Tl 204				
Mn 54					Pb 205				
Fe 55					Pb 210				
Co 60					Bi 208				
Ni 59					Bi 210m				
Ni 63					Po 210				
Zn 65					Ra 223				
Se 79					Ra 225				
Kr 81					Ra 226				
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90					Th 227				
Zr 93					Th 228				
Nb 91					Th 229				
Nb 92					Th 230				
Nb 93m					Th 232				
Nb 94					Th 234				
Mo 93					Pa 231				
Tc 97					Pa 233				
Tc 99					U 232				
Ru 106					U 233				
Pd 107					U 234				
Ag 108m					U 235				
Ag 110m					U 236				
Cd 109					U 238				
Cd 113m					Np 237				
Sn 119m					Pu 236				
Sn 121m					Pu 238				
Sn 123					Pu 239				
Sn 126					Pu 240				
Sb 125					Pu 241				
Sb 126					Pu 242				
Te 125m					Am 241				
Te 127m					Am 242m				
I 129					Am 243				
Cs 134					Cm 242				
Cs 135					Cm 243				
Cs 137					Cm 244				
Ba 133					Cm 245				
La 137					Cm 246				
La 138					Cm 248				
Ce 144					Cf 249				
Pm 145					Cf 250				
Pm 147					Cf 251				
Sm 147					Cf 252				
Sm 151					Other a				
Eu 152					Other b/g				
Eu 154					Total a	NE			0
Eu 155					Total b/g	<3.00E-02			0

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity