SITE Chapelcross SITE OWNER **Nuclear Decommissioning Authority WASTE CUSTODIAN** Magnox Limited **ILW WASTE TYPE** Is the waste subject to Yes Scottish Policy: **WASTE VOLUMES** Reported Stocks: At 1.4.2022..... $0 \, \text{m}^3$ 1.4.2089 - 31.3.2095....... 21.0 m³ Future arisings -Total future arisings: 21.0 m³ 21.0 m³ Total waste volume: Comment on volumes: For inventory purposes the arisings are assumed to arise at a uniform rate over six years. Final Dismantling & Site Clearance is assumed to commence in 2085 with reactor dismantling commencing in 2089 and lasting for 6 years. The volumes and radioactivity have been calculated for 85 years after reactor shutdown, i.e. 2089 Uncertainty factors on Stock (upper): Arisings (upper) x 1.2 volumes: Stock (lower): Arisings (lower) x 0.8 A variety of miscellaneous metallic wastes resulting from reactor dismantling. **WASTE SOURCE** PHYSICAL CHARACTERISTICS General description: Reactor components including channel sleeves, control rods, tie rods, zirconium pins, CGO thermocouples, core thermocouples and thermocouple ducts. Physical components (%vol): Boron Steel control rods (~21%wt), support struts (~78%wt) and thermocouples (~1%). Sealed sources: The waste does not contain sealed sources. Bulk density (t/m3): Comment on density: The density is of the waste as prepared for packaging. **CHEMICAL COMPOSITION** General description and Boron steel (21%wt), Magnox alloy (~78% wt), alumel (0.46% wt), chromel (0.45%wt) and components (%wt): invar (<0.1%). Chemical state: Neutral Chemical form of H-3: The tritium content is insignificant. radionuclides: C-14: The carbon 14 is incorporated in the metal. There may also be some contamination as graphite. Se-79: The selenium content is insignificant. Tc-99: The chemical form of technetium has not been determined. Ra: The radium content is insignificant. Th: The thorium content is insignificant. U: The uranium content is insignificant. Np: The neptunium content is insignificant. Pu: The plutonium content is insignificant. All of the waste will have been cut to fit a standard ILW box. Metals and alloys (%wt): (%wt) Type(s) / Grade(s) with proportions % of total C14 activity Stainless steel..... Other ferrous metals..... 21.0 All of the waste included in this waste stream is from a wide range of miscellaneous metals.

 Iron......
 0

 Beryllium.....
 0

Cobalt			
Copper	0		
Lead	0		
Magnox/Magnesium	78.0		
Nickel	~1.0	Chromel and alumel are present at 0.45% wt and 0.45% wt respectively. Invar is present at <0.1% wt.	
Titanium		·	
Uranium			
Zinc	0		
Zircaloy/Zirconium	0		
Other metals			
Organics (%wt): None expected. No	halogenate	ed plastics or rubbers will be present.	
	(%wt)	Type(s) and comment	% of total C14
Total cellulosics	0		activity
Paper, cotton	0		
Wood	0		
Halogenated plastics	0		
Total non-halogenated plastics	0		
Condensation polymers	0		
Others	0		
Organic ion exchange materials	0		
Total rubber	0		
Halogenated rubber	0		
Non-halogenated rubber	0		
Hydrocarbons			
Oil or grease			
Fuel			
Asphalt/Tarmac (cont.coal tar)			
Asphalt/Tarmac (no coal tar)			
Bitumen			
Others			
Other organics	0		
Other materials (%wt): Some graphite dust	may be as	ssociated with reactor materials.	
	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	0		,
Inorganic sludges and flocs	0		
Soil	0		
Brick/Stone/Rubble	0		
Cementitious material	0		
Sand			
Glass/Ceramics	0		

G	raphite	TR	
De	esiccants/Catalysts		
As	sbestos	0	
	Non/low friable		
	Moderately friable		
	Highly friable		
Fr	ee aqueous liquids	0	
Fr	ee non-aqueous liquids	0	
Po	owder/Ash	0	
Inorganic anions	(%wt): Trace quantities of cl	hloride ma	y be present.
		(%wt)	Type(s) and comment
FI	uoride	0	
CI	nloride	TR	
lo	dide	0	
C	/anide	0	
Ca	arbonate	0	
Ni	trate	0	
Ni	trite	0	
Pl	nosphate	0	
Sı	ulphate	0	
Sı	ulphide	0	
Materials of inte	5 5	der appro	priate conditions.
·		(%wt)	Type(s) and comment
Co	ombustible metals	78.0	
Lo	ow flash point liquids	0	
Ex	plosive materials	0	
Pl	nosphorus	0	
Hy	/drides	0	
Bi	ological etc. materials	0	
Bi	odegradable materials		
	Putrescible wastes	0	
	Non-putrescible wastes		
Co	orrosive materials	0	
Py	rophoric materials	0	
G	enerating toxic gases	0	
Re	eacting with water	78.0	
Hi	gher activity particles		
_	oluble solids as bulk chemical ompounds		

Hazardous substances / non hazardous pollutants:

Complexing

None expected

	(%wt)	Type(s) and comment
Acrylamide		
Benzene		
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic		
Barium		
Boron		
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum		
Thallium		
Tin		
Vanadium		
Mercury compounds		
Others		
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		
agents (%wt): Yes		
	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		
Polycarboxylic acids		
Other organic complexants		
Total complexing agents	TR	

Potential for the waste to contain discrete items:

Yes. Large Metal Items (LMIs)/"substantial" thickness items considered

"durable" assumed DIs.

PACKAGING AND CONDITIONING

Conditioning method: The waste is not expected to be supercompacted. It will be placed in baskets in the

waste packages, and is now assumed to be encapsulated.

Plant Name: -

Location: Chapelcross Power Station

~3.0

Plant startup date: 2089

Total capacity ~5000.0

(m³/y incoming waste):

Target start date for 2089

packaging this stream:

Throughput for this stream

(m³/y incoming waste):

Other information: -

Likely container

type:

Container	Waste packaged (%vol)	Waste loading (m³)	Payload (m³)	Number of packages
4m box (200mm concrete shielding)	100.0	9.4	10.9	3

Likely container type

comment:

The waste is assumed to be in baskets in the waste package so the occupied volume in

the package is greater than the original waste volume.

Range in container waste

volume:

Not yet determined. No significant variability is expected.

Other information on

containers:

The container material is expected to be stainless steel. Container choice may be

influenced by Transport Regulations at the time of final site clearance.

Likely conditioning matrix:

Other information:

Blast Furnace Slag / Ordinary Portland Cement

The waste is now assumed to be encapsulated.

Conditioned density (t/m³):

Conditioned density

comment:

The conditioned waste density assumes the waste will be encapsulated.

Other information on

conditioning:

The container waste deficitly accumed the waste this be cheapediated.

The waste will be in baskets placed in the waste packages. Baskets of different Final Dismantling & Site Clearance ILW wastes may be in the same waste package. Should encapsulation not be required the density of the waste product would be about 1.2 t/m3.

Opportunities for alternative

disposal routing:

-

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment

RADIOACTIVITY

Source: Activation of the materials and impurities. There may be some contamination.

Uncertainty: The values quoted were derived by calculation from available material specification and

are indicative of the activities that are expected. The major source of uncertainty is the

impurity levels.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

2022 Inventory

Measurement of radioactivities:

The specific activities have been estimated using a neutron activation calculation using available material specifications. The major source of uncertainty is the impurity levels.

Other information:

There may be some contamination by Cs137. The activities quoted are those at 85 years after reactor shutdown, i.e. in 2089.

	Mean radioactivity, TBq/m³			Mean radioactivity, TBq/m³					
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	1.4.2022	0000	a.io.i.igo	8	Gd 153	1.4.2022	Codo	anomigo	8
Be 10				8	Ho 163				8
C 14			2.82E-03	CC 2	Ho 166m				8
Na 22			2.02L-03	8	Tm 170				8
Al 26			3.4E-07	CC 2	Tm 170				8
Cl 36	-		3.4E-07		Lu 174				8
				8	Lu 174 Lu 176				
Ar 39 Ar 42				8 8	Hf 178n				8 8
K 40				8	Hf 182				8
Ca 41				8	Pt 193				8
Mn 53				8	TI 204			1.2E-08	CC 2
Mn 54				8	Pb 205			1.22 00	8
Fe 55			1.84E-09	CC 2	Pb 210				8
Co 60			1.65E-03	CC 2	Bi 208				8
Ni 59			9.18E-02	CC 2	Bi 210m				8
Ni 63			9.16E-02 6.74E+00	CC 2	Po 210				8
Zn 65			6.74E+00	8	Ra 223				8
Se 79					Ra 225				8
				8	Ra 226				8
Kr 81				8	Ra 228				8
Kr 85				8	Ac 227				8
Rb 87				8	Th 227				8
Sr 90				8	Th 228				8
Zr 93				8	Th 229				8
Nb 91				8	Th 230				8
Nb 92 Nb 93m				8	Th 232				8
			4 505 02	8	Th 234				8
Nb 94			1.58E-03	CC 2	Pa 231				8
Mo 93			1E-03	CC 2	Pa 233				8
Tc 97			4 42E 0E	8	U 232				8
Tc 99			1.13E-05	CC 2	U 233				8
Ru 106 Pd 107				8	U 234				8
			9.94E-05	8 CC 2	U 235				8
Ag 108m			9.94E-03		U 236				8
Ag 110m Cd 109				8 8	U 238				8
Cd 109 Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m				8	Pu 238				8
Sn 121111				8	Pu 239				8
Sn 126				8	Pu 240				8
Sb 125				8	Pu 241				8
Sb 126				8	Pu 242				8
Te 125m				8	Am 241				8
Te 125m				8	Am 242m				8
I 129				8	Am 243				8
Cs 134				8	Cm 242				8
Cs 134 Cs 135				8	Cm 243				8
Cs 135				6	Cm 244				8
Ba 133				8	Cm 245				8
La 137				8	Cm 246				8
La 137				8	Cm 248				8
Ce 144				8	Cf 249				8
Pm 145				8	Cf 250				8
Pm 147				8	Cf 251				8
Sm 147				8	Cf 252				8
Sm 151				8	Other a				Č
Eu 152				8	Other b/g				
Eu 152 Eu 154				8	Total a	0		0	
Eu 154 Eu 155				8	Total b/g	0		6.84E+00	CC 2
Lu 133	I			0		ľ	ļ	5.5 .2 .00	

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10

D a factor of 100

E a factor of 1000

Bands quantify uncertainty in Note: mean radioactivity.

- Measured activity
 Derived activity (best estimate)
 Derived activity (upper limit)
- 4 Not present 5 Present but not significant
- 6 Likely to be present but not assessed 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity