

WASTE STREAM**2F34****Plutonium Contaminated Materials; Drums**

SITE Sellafield
SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Sellafield Limited

WASTE TYPE ILW

Is the waste subject to Scottish Policy: No

WASTE VOLUMES

		Reported
Stocks:	At 1.4.2022.....	14.2 m ³
Future arisings -	1.4.2022 - 31.3.2023.....	7.8 m ³
	1.4.2023 - 31.3.2024.....	6.4 m ³
	1.4.2024 - 31.3.2025.....	3.2 m ³
	1.4.2025 - 31.3.2026.....	3.2 m ³
	1.4.2026 - 31.3.2027.....	1.8 m ³
	1.4.2027 - 31.3.2028.....	1.8 m ³
	1.4.2028 - 31.3.2029.....	1.8 m ³
	1.4.2029 - 31.3.2030.....	1.8 m ³
	1.4.2030 - 31.3.2031.....	1.8 m ³
	1.4.2031 - 31.3.2032.....	1.8 m ³
Total future arisings:		31.4 m ³
Total waste volume:		45.6 m ³

Comment on volumes: Arisings are based upon an element of routine arising and programmed events such as a refurbishment occurring in a particular year and sampling operations. The stock level provided reflects the current volume held at Sellafield in designated PCM stores, these items are tracked and hence known to a good level of accuracy. Prediction of future arisings are updated annually by consignors however experience of actual receipts has shown that these predictions typically have a high level of uncertainty associated with them.

Uncertainty factors on volumes: Stock (upper): x 1.1 Arisings (upper) x 1.5
 Stock (lower): x 0.9 Arisings (lower) x 0.5

WASTE SOURCE PCM has arisen from the production of MOX fuel and from maintenance work and sampling operations. As the facility enters Post Operational Clean Out (POCO) waste will also arise from the associated activities

PHYSICAL CHARACTERISTICS

General description: Plutonium contaminated solid material which has arisen from MOX fuel production, including PVC gloves, filters, paper towels, process residues and plant items. Waste has also arisen from POCO activities following the end of operations. No physical or chemical changes.

Physical components (%wt): PVC gloves, PVC suits, filters, paper towels, process residues and plant items. Material breakdown: Metal (60%), Rubber (35%) and Soft Organics (5%). This percentage composition includes the sacrificial 200 litre drum.

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): 0.3

Comment on density: The density will range from 0.2 t/m³ to approx. 0.5t/m³.

CHEMICAL COMPOSITION

General description and components (%wt): PVC, cellulose, mild steel, stainless steel, other metals and alloys, rubber, aluminium, fibre glass and ceramics. The relative percentages of each constituent will vary substantially from package to package. Overall material breakdown: metal (60%), rubber (35%) and soft organics (5%). The composition includes the sacrificial 200 litre drum.

WASTE STREAM	2F34	Plutonium Contaminated Materials; Drums
---------------------	-------------	--

Chemical state: Neutral

Chemical form of radionuclides: U: Metal, oxide.
Pu: Metal, oxide.

Metals and alloys (%wt): Both sheet and bulk metal likely to be present, proportions not estimated.

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....	6.0		
Other ferrous metals.....	<51.0		
Iron.....			
Aluminium.....	<3.1		
Beryllium.....	0		
Cobalt.....	TR	Potentially associated with alloy hand tools.	
Copper.....	0		
Lead.....	P		
Magnox/Magnesium.....	0		
Nickel.....	TR	Potentially associated with alloy hand tools.	
Titanium.....	TR	Potentially associated with alloy hand tools.	
Uranium.....	0		
Zinc.....	P		
Zircaloy/Zirconium.....	P		
Other metals.....	0		

Organics (%wt): The organics included in the waste are cellulosics, rubber, and plastics. The total organics content is about 40%.

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulosics.....	1.9		
Paper, cotton.....	1.9		
Wood.....	0		
Halogenated plastics	2.8	PVC.	
Total non-halogenated plastics.....	0.10		
Condensation polymers.....	0		
Others.....	0.10		
Organic ion exchange materials....	0		
Total rubber.....	34.9		
Halogenated rubber	0		
Non-halogenated rubber.....	34.9		
Hydrocarbons.....	0		
Oil or grease	0		
Fuel.....	0		
Asphalt/Tarmac (cont.coal tar)...	0		
Asphalt/Tarmac (no coal tar)....	0		
Bitumen.....	0		
Others.....	0		

WASTE STREAM

2F34

Plutonium Contaminated Materials; Drums

Other organics..... <0

Other materials (%wt): -

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..	0		
Inorganic sludges and flocs.....	0		
Soil.....	0		
Brick/Stone/Rubble.....	0		
Cementitious material.....	TR		
Sand.....	0		
Glass/Ceramics.....	0.20		
Graphite.....	0		
Desiccants/Catalysts.....	0		
Asbestos.....	P		
Non/low friable.....			
Moderately friable.....			
Highly friable.....			
Free aqueous liquids.....	0		
Free non-aqueous liquids.....	0		
Powder/Ash.....	0		

Inorganic anions (%wt): Most inorganic anions may be present in trace quantities.

	(%wt)	Type(s) and comment
Fluoride.....	<0.10	
Chloride.....	<0.10	
Iodide.....	<0.10	
Cyanide.....	0	
Carbonate.....	<0.10	
Nitrate.....	<0.10	
Nitrite.....	NE	
Phosphate.....	<0.10	
Sulphate.....	<0.10	
Sulphide.....	<0.10	

Materials of interest for waste acceptance criteria: Chemical contaminants may be present.

	(%wt)	Type(s) and comment
Combustible metals.....	0	
Low flash point liquids.....	0	
Explosive materials.....	0	
Phosphorus.....	0	
Hydrides.....	0	
Biological etc. materials.....	0	
Biodegradable materials.....	0	

WASTE STREAM	2F34	Plutonium Contaminated Materials; Drums
---------------------	-------------	--

Putrescible wastes.....	0
Non-putrescible wastes.....	NE
Corrosive materials.....	0
Pyrophoric materials.....	0
Generating toxic gases.....	0
Reacting with water.....	0
Higher activity particles.....	0
Soluble solids as bulk chemical compounds.....	0

Hazardous substances / non hazardous pollutants: Lead is present. Others may be present in small or trace quantities. Laboratory chemicals and asbestos - small amounts.

	(%wt)	Type(s) and comment
Acrylamide.....	NE	
Benzene.....	NE	
Chlorinated solvents.....	NE	
Formaldehyde.....	NE	
Organometallics.....	NE	
Phenol.....	NE	
Styrene.....	NE	
Tri-butyl phosphate.....	NE	
Other organophosphates.....	NE	
Vinyl chloride.....	NE	
Arsenic.....	NE	
Barium.....	NE	
Boron.....	NE	
Boron (in Boral).....		
Boron (non-Boral).....		
Cadmium.....	NE	
Caesium.....	NE	
Selenium.....	NE	
Chromium.....	TR	Potentially associated with alloy hand tools.
Molybdenum.....	NE	
Thallium.....	NE	
Tin.....	NE	
Vanadium.....	TR	Potentially associated with alloy hand tools.
Mercury compounds.....	NE	
Others.....	NE	
Electronic Electrical Equipment (EEE)		
EEE Type 1.....	NE	
EEE Type 2.....	NE	
EEE Type 3.....	NE	
EEE Type 4.....	NE	

WASTE STREAM	2F34	Plutonium Contaminated Materials; Drums
---------------------	-------------	--

EEE Type 5..... NE

Complexing agents (%wt): Yes

(%wt) Type(s) and comment

EDTA.....

DPTA.....

NTA.....

Polycarboxylic acids..... 0

Other organic complexants..... TR Various decontamination chemicals may be present.

Total complexing agents..... TR

Potential for the waste to contain discrete items: Yes. Waste likely to contain hand tools and metal plant items.

PACKAGING AND CONDITIONING

Conditioning method: The current conditioning method for 2F02 is processing through the Waste Treatment Complex (WTC), where 200 litre drums of waste are supercompacted and the pucks loaded into a basket within a 500 litre drum (such that there is a cement annulus between the basket and the drum skin). Replacement WTC facilities are currently projected to use a similar treatment method.

Plant Name: Waste Treatment Complex (future capabilities are anticipated to be titled WTC2 & WTC3).

Location: Sellafield.

Plant startup date: 1997 (It is anticipated that WTC2 will become operational in ~2034 and WTC3 in ~2061).

Total capacity (m³/y incoming waste): 500.0

Target start date for packaging this stream: -

Throughput for this stream (m³/y incoming waste): NE

Other information: Backlog and fresh arisings will be conditioned concurrently. Stream throughput is variable and cannot be estimated, this is due to waste streams 2D03, 2D90, 2F02 and 2F34 being processed concurrently in WTC.

Likely container type:	Container	Waste packaged (%vol)	Waste loading (m³)	Payload (m³)	Number of packages
	500 l drum (basket for waste)	100.0	~1.071	~0.504	43

Likely container type comment: -

Range in container waste volume: 99% of waste is assumed to be compatible with the current WTC supercompaction and grout process. Typically between 1 and 10 compacted 200 litre drums will be loaded into a 500 litre drum, with an average of 5.6. The range and variability for WTC2 & WTC3 have yet to be assessed, although it is assumed that the values will be similar to those for the current WTC facility. 1% of the waste is estimated to be incompatible with supercompaction. It is assumed that such wastes will be grouted directly into 500 litre drums with no volume reduction attempted.

Other information on containers: Stainless Steel

Likely conditioning matrix: Other

Other information: GGBS/CEM I

Conditioned density (t/m³): 2.1

WASTE STREAM**2F34****Plutonium Contaminated Materials; Drums**

Conditioned density comment:

Conditioned density calculated using data from current WTC product drum stock. The density is typically between 1.8 and 2.6 t/m³, although values outside of this range are possible.

Other information on conditioning:

-

Opportunities for alternative disposal routing:

Yes

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
Disposal at a Geological Disposal Facility	Disposal at LLWR	~9.0	2025	High	It is estimated that ~20 drums will be consigned as LLW from 2F34 under the 2X40/1 waste stream. The work to introduce this new LLW waste stream is well advanced.
Disposal at a Geological Disposal Facility	Disposal at LLWR	~14.0	2032	Medium	It is estimated that 20% of arisings will be consigned as LLW (either directly from the point of arising or from the PCM Stores)
Disposal at a Geological Disposal Facility	Disposal at a Geological Disposal Facility		N/A	Low	Potential for further stream volume reduction if one of the planned future treatment plants utilises thermal treatment

RADIOACTIVITY

Source:

The principal nuclides are Pu-238, Pu-239, Pu-240, Pu-241, Pu-242 and Am-241.

Uncertainty:

The activity accuracy is based on records of arisings.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

The specific activities were calculated using an average fingerprint for the stream (determined through measurements of several thousand drums through the WTC assay suite) and the total Pu mass of the current stocks.

Other information:

-

WASTE STREAM

2F34

Plutonium Contaminated Materials; Drums

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3					Gd 153				
Be 10					Ho 163				
C 14					Ho 166m				
Na 22					Tm 170				
Al 26					Tm 171				
Cl 36					Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
Mn 53					Tl 204				
Mn 54					Pb 205				
Fe 55					Pb 210				
Co 60					Bi 208				
Ni 59					Bi 210m				
Ni 63					Po 210				
Zn 65					Ra 223				
Se 79					Ra 225				
Kr 81					Ra 226				
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90					Th 227				
Zr 93					Th 228				
Nb 91					Th 229				
Nb 92					Th 230				
Nb 93m					Th 232				
Nb 94					Th 234				
Mo 93					Pa 231				
Tc 97					Pa 233				
Tc 99					U 232				
Ru 106					U 233				
Pd 107					U 234				
Ag 108m					U 235	1.63E-07	BB 2	1.63E-07	CC 2
Ag 110m					U 236				
Cd 109					U 238	7.53E-06	BB 2	7.53E-06	CC 2
Cd 113m					Np 237	7.17E-07	BB 2	7.17E-07	CC 2
Sn 119m					Pu 236				
Sn 121m					Pu 238	1.19E+00	BB 2	1.19E+00	CC 2
Sn 123					Pu 239	2.60E-01	BB 2	2.60E-01	CC 2
Sn 126					Pu 240	3.77E-01	BB 2	3.77E-01	CC 2
Sb 125					Pu 241	1.95E+01	BB 2	1.95E+01	CC 2
Sb 126					Pu 242	6.53E-04	BB 2	6.53E-04	CC 2
Te 125m					Am 241	2.43E-01	BB 2	2.43E-01	CC 2
Te 127m					Am 242m				
I 129					Am 243				
Cs 134					Cm 242				
Cs 135					Cm 243				
Cs 137					Cm 244				
Ba 133					Cm 245				
La 137					Cm 246				
La 138					Cm 248				
Ce 144					Cf 249				
Pm 145					Cf 250				
Pm 147					Cf 251				
Sm 147					Cf 252				
Sm 151					Other a				
Eu 152					Other b/g				
Eu 154					Total a	2.07E+00	BB 2	2.07E+00	CC 2
Eu 155					Total b/g	1.95E+01	BB 2	1.95E+01	CC 2

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity