

SITE Dungeness B

SITE OWNER EDFE NGL

WASTE CUSTODIAN EDFE NGL

WASTE TYPE ILW

Is the waste subject to
Scottish Policy:

WASTE VOLUMES

Reported

Stocks:	At 1.4.2022.....	0 m ³
Future arisings -	1.4.2022 - 31.3.2108.....	0 m ³
	1.4.2108 - 31.3.2109.....	< 0.1 m ³
	1.4.2109 - 31.3.2110.....	6.0 m ³
	1.4.2110 - 31.3.2111.....	6.0 m ³
	1.4.2111 - 31.3.2112.....	4.0 m ³
Total future arisings:		16.0 m ³
Total waste volume:		16.0 m ³

Comment on volumes:

Waste volumes will be variable depending on station operating conditions. Volumes based on Back to Bio Shield strategy. Work is ongoing looking at optimising the strategy which could lead to a change in volume and timings of arisings across Final Site Clearance wastes (300s) and Pre C&M wastes (100s), in future submissions.

Uncertainty factors on
volumes:

Stock (upper):	x	Arisings (upper)	x 1.5
Stock (lower):	x	Arisings (lower)	x 0.5

WASTE SOURCE Stainless steel items (including Control rods) from reactor dismantling.

PHYSICAL CHARACTERISTICS

General description: A variety of stainless steel items. Waste can be packaged in standard NDA packages.

Physical components (%vol): Stainless steel items (100%).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~1.4

Comment on density: The density is of the waste as cut for packaging.

CHEMICAL COMPOSITION

General description and
components (%wt): Stainless steels (100%). Possibly a trace of other metals.

Chemical state: -

Chemical form of
radionuclides: H-3: Diffused into matrix
C-14: Incorporated in the steel. There may also be some surface contamination as graphite.

Cl-36: The chlorine will be incorporated in the steel

Se-79: Selenium content not expected to be significant

Tc-99: Not determined

I-129: Not determined

Ra: Radium content is insignificant

Th: Thorium content is Insignificant

U: Not determined

Np: The neptunium content is insignificant

Pu: Not determined

Metals and alloys (%wt): The waste will be bulk metal items which have been cut for packaging. Metal thicknesses will range from a few mm to about 50mm.

WASTE STREAM	3J311	Decommissioning Stage 3: Stainless Steel (Reactor) ILW
---------------------	--------------	---

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....	100.0	316SS (52.3%), 304SS(31.4%), 321SS(16.3%).316SS (52.3%), 304SS(31.4%), 321SS(16.3%)	100.0
Other ferrous metals.....	0		
Iron.....	0		
Aluminium.....	0		
Beryllium.....	0		
Cobalt.....	0		
Copper.....	0		
Lead.....	0		
Magnox/Magnesium.....	0		
Nickel.....	0		
Titanium.....	0		
Uranium.....	0		
Zinc.....	0		
Zircaloy/Zirconium.....	0		
Other metals.....	0		
Organics (%wt):	None expected.		
	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulosics.....	0		
Paper, cotton.....	0		
Wood.....	0		
Halogenated plastics	0		
Total non-halogenated plastics....	0		
Condensation polymers.....	0		
Others.....	0		
Organic ion exchange materials....	0		
Total rubber.....	0		
Halogenated rubber	0		
Non-halogenated rubber.....	0		
Hydrocarbons.....	0		
Oil or grease			
Fuel.....			
Asphalt/Tarmac (cont.coal tar)...			
Asphalt/Tarmac (no coal tar)....			
Bitumen.....			
Others.....			
Other organics.....	0		
Other materials (%wt):	-		

WASTE STREAM**3J311****Decommissioning Stage 3: Stainless Steel (Reactor) ILW**

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..	0		
Inorganic sludges and flocs.....	0		
Soil.....	0		
Brick/Stone/Rubble.....	0		
Cementitious material.....	0		
Sand.....	0		
Glass/Ceramics.....	0		
Graphite.....	0		
Desiccants/Catalysts.....	0		
Asbestos.....	0		
Non/low friable.....			
Moderately friable.....			
Highly friable.....			
Free aqueous liquids.....	0		
Free non-aqueous liquids.....	0		
Powder/Ash.....	0		

Inorganic anions (%wt): None likely to be present.

	(%wt)	Type(s) and comment
Fluoride.....	0	
Chloride.....	0	
Iodide.....	0	
Cyanide.....	0	
Carbonate.....	0	
Nitrate.....	0	
Nitrite.....	0	
Phosphate.....	0	
Sulphate.....	0	
Sulphide.....	0	

Materials of interest for waste acceptance criteria: No materials likely to pose a fire or other non-radiological hazard have been identified.

	(%wt)	Type(s) and comment
Combustible metals.....	0	
Low flash point liquids.....	0	
Explosive materials.....	0	
Phosphorus.....	0	
Hydrides.....	0	
Biological etc. materials.....	0	
Biodegradable materials.....	0	
Putrescible wastes.....	0	
Non-putrescible wastes.....	0	

WASTE STREAM	3J311	Decommissioning Stage 3: Stainless Steel (Reactor) ILW
---------------------	--------------	---

Corrosive materials.....	0
Pyrophoric materials.....	0
Generating toxic gases.....	0
Reacting with water.....	0
Higher activity particles.....	P May be present.
Soluble solids as bulk chemical compounds.....	0

Hazardous substances / -
non hazardous pollutants:

	(%wt)	Type(s) and comment
Acrylamide.....	NE	
Benzene.....	NE	
Chlorinated solvents.....	NE	
Formaldehyde.....	NE	
Organometallics.....	NE	
Phenol.....	NE	
Styrene.....	NE	
Tri-butyl phosphate.....	NE	
Other organophosphates.....	NE	
Vinyl chloride.....	NE	
Arsenic.....	NE	
Barium.....	NE	
Boron.....	NE	
Boron (in Boral).....	NE	
Boron (non-Boral).....	NE	
Cadmium.....	NE	
Caesium.....	NE	
Selenium.....	NE	
Chromium.....	NE	
Molybdenum.....	NE	
Thallium.....	NE	
Tin.....	NE	
Vanadium.....	NE	
Mercury compounds.....	NE	
Others.....	NE	
Electronic Electrical Equipment (EEE)		
EEE Type 1.....	0	
EEE Type 2.....	0	
EEE Type 3.....	0	
EEE Type 4.....	0	
EEE Type 5.....	0	

Complexing agents (%wt): Not yet determined

	(%wt)	Type(s) and comment
EDTA.....	NE	
DPTA.....	NE	
NTA.....	NE	
Polycarboxylic acids.....	NE	
Other organic complexants.....	NE	Only trace quantities, if any.
Total complexing agents.....	NE	

Potential for the waste to contain discrete items: Yes.

PACKAGING AND CONDITIONING

Conditioning method: The waste is not expected to be supercompacted. It will be placed in baskets in the waste packages, and is assumed to be encapsulated.

Plant Name: -

Location: -

Plant startup date: 85 years after reactor shutdown.

Total capacity (m³/y incoming waste): ~5000.0

Target start date for packaging this stream: -

Throughput for this stream (m³/y incoming waste): -

Other information: Waste will be conditioned when removed from the reactor.

Likely container type:	Container	Waste packaged (%vol)	Waste loading (m ³)	Payload (m ³)	Number of packages
	4m box (100mm concrete shielding)	100.0	~12.2	~14.3	2

Likely container type comment: -

Range in container waste volume: -

Other information on containers: Stainless Steel.

Likely conditioning matrix: BFS/OPC

Other information: -

Conditioned density (t/m³): ~3.06

Conditioned density comment: Assumes waste will be encapsulated, matrix would be likely to be BFS/OPC.

Other information on conditioning: The waste will be in baskets placed in the waste packages. Baskets of different Stage 3 ILW wastes may be in the same waste package.

Opportunities for alternative disposal routing: Not yet determined

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
-	-	-	-	-	-

RADIOACTIVITY

Source:	Activation of the stainless steel and impurities.
Uncertainty:	The values quoted were derived by calculation from available material specification and are indicative of the activities that are expected. A major source of uncertainty is the impurity levels.
Definition of total alpha and total beta/gamma:	Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.
Measurement of radioactivities:	Activation/decay calculations based on neutron flux and projected operating history.
Other information:	The activities quoted are for the time at which this waste will arise (i.e. ~85 years after end of generation). There may be some contamination by Cs137.

WASTE STREAM

3J311

Decommissioning Stage 3: Stainless Steel (Reactor) ILW

Nuclide	Mean radioactivity, TBq/m³				Nuclide	Mean radioactivity, TBq/m³			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3				8	Gd 153				
Be 10				8	Ho 163				
C 14					Ho 166m				
Na 22				4	Tm 170				
Al 26				4	Tm 171				
Cl 36				2E-06	CC 2	Lu 174			
Ar 39						Lu 176			
Ar 42						Hf 178n			
K 40						Hf 182			
Ca 41				8		Pt 193			
Mn 53						Tl 204			
Mn 54				8		Pb 205			
Fe 55				2.26E-09	CC 2	Pb 210			8
Co 60				1.17E-04	CC 2	Bi 208			
Ni 59				7.68E-03	CC 2	Bi 210m			
Ni 63				4.42E-01	CC 2	Po 210			8
Zn 65						Ra 223			
Se 79						Ra 225			
Kr 81						Ra 226			8
Kr 85						Ra 228			
Rb 87						Ac 227			
Sr 90				8		Th 227			
Zr 93				8		Th 228			
Nb 91						Th 229			8
Nb 92						Th 230			8
Nb 93m				8.81E-06	CC 2	Th 232			8
Nb 94				2.75E-05	CC 2	Th 234			
Mo 93				1.5E-05	CC 2	Pa 231			8
Tc 97						Pa 233			
Tc 99				3.16E-06	CC 2	U 232			
Ru 106						U 233			8
Pd 107						U 234			8
Ag 108m				1.13E-06	CC 2	U 235			8
Ag 110m						U 236			8
Cd 109						U 238			8
Cd 113m						Np 237			8
Sn 119m						Pu 236			
Sn 121m						Pu 238			8
Sn 123						Pu 239			8
Sn 126						Pu 240			8
Sb 125						Pu 241			8
Sb 126						Pu 242			8
Te 125m						Am 241			8
Te 127m						Am 242m			8
I 129						Am 243			8
Cs 134						Cm 242			8
Cs 135						Cm 243			8
Cs 137						Cm 244			8
Ba 133						Cm 245			8
La 137						Cm 246			8
La 138						Cm 248			
Ce 144						Cf 249			
Pm 145						Cf 250			
Pm 147						Cf 251			
Sm 147						Cf 252			
Sm 151						Other a			8
Eu 152						Other b/g			8
Eu 154						Total a	0		<1E-09
Eu 155						Total b/g	0		4.52E-01
									CC 2

Bands (Upper and Lower)

A a factor of 1.5

B a factor of 3

C a factor of 10

D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

1 Measured activity

2 Derived activity (best estimate)

3 Derived activity (upper limit)

4 Not present

5 Present but not significant

6 Likely to be present but not assessed

7 Present in significant quantities but not determined

8 Not expected to be present in significant quantity