SITE Hartlepool

SITE OWNER EDFE NGL

WASTE CUSTODIAN EDFE NGL

WASTE TYPE LLW

Is the waste subject to Scottish Policy:

No

**WASTE VOLUMES** 

WASTE VOLUMES		Reported
Stocks:	At 1.4.2022	7.5 m <sup>3</sup>
Future arisings -	1.4.2022 - 31.3.2024	53.0 m³
	1.4.2024 - 31.3.2026	53.0 m <sup>3</sup>
	1.4.2026 - 31.3.2027	32.0 m <sup>3</sup>
	1.4.2027 - 31.3.2028	58.0 m <sup>3</sup>
	1.4.2028 - 31.3.2029	63.0 m <sup>3</sup>
	1.4.2029 - 31.3.2032	8.7 m <sup>3</sup>
	1.4.2032 - 31.3.2033	8.0 m <sup>3</sup>
	1.4.2033 - 31.3.2034	1.0 m <sup>3</sup>
Total future arisings:		276.7 m³
Total waste volume:		284.2 m³

Comment on volumes: Waste volumes will be variable depending on station operating conditions.

Uncertainty factors on Stock (upper): x 1.25 Arisings (upper) x 1.5 Volumes: Stock (lower): x 0.75 Arisings (lower) x 0.5

olumes: Stock (lower): x 0.75 Arisings (lower) x 0.5

General solid LLW arising from wet fuel route areas. Solid waste arises mainly from maintenance and refurbishment work, and may include: items which have been contaminated in operation, materials that have been used to prevent spread of

contamination along with sampling and cleaning equipment.

### PHYSICAL CHARACTERISTICS

WASTE SOURCE

General description: Irradiated materials may be generated but these are expected to be small in volume. The

waste consists of mixed materials such as metal items, spent filters, redundant plant items, cabling, soft waste (e.g. broken/damaged clothing, paper cardboard, cloth etc), floor coverings, heavy duty plastic and rubber waste. Concrete/rubble, wood and powders and organic/ inorganic ion exchange materials may also be generated. The site does undertake volume reduction by low force compaction and shredding, this is principally to incinerable waste. Any free liquids present will be removed as far as practicable during the sorting

process.

Physical components (%wt): Metal (62%), biodegradable-non putresibles (10%) Concrete/Rubble (3%), Plastic/Rubber

(20%), Wood (1%), powders/ash (1%), other organic (2%) and other materials such as

man made fibres and glass fibre (1%)

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~0.3

Comment on density: Density based on raw volume and weight at arising as provided in WCH.

#### CHEMICAL COMPOSITION

General description and components (%wt):

Stainless Steel (~11%), Mild Steel (~44%), Iron (~2%) Aluminium (~1%), Copper (~3%), Chromium metal/alloy (~1%), Biodegradable-non putresibles (10%) Concrete/Rubble (3%), Plastic/Rubber (20%), Wood (1%), powders/ash (1%), Others (~2%) and other materials such as man made fibres and glass fibre (1%)

Chemical state: Neutral

Chemical form of radionuclides: H-3: Not yet determined C-14: Not yet determined

C-14: Not yet determined Cl-36: Not yet determined Se-79: Not yet determined Tc-99: Not yet determined I-129: Not yet determined Ra: Not yet determined

Th: Not yet determined U: Not yet determined Np: Not yet determined Pu: Not yet determined

Metals and alloys (%wt):

This waste stream is variable and may contain some bulk items which will be volume reduced by cutting, proportion of bulk items unknown.

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel	~11.0	metallic plant items/equipment	
Other ferrous metals	~44.0	mild steel	
Iron	~2.0	metallic plant items/equipment	
Aluminium	~1.00	metallic plant items/equipment	
Beryllium	NE		
Cobalt	NE		
Copper	~3.0	e.g.cabelling and piping	
Lead	NE		
Magnox/Magnesium	NE		
Nickel	NE		
Titanium	NE		
Uranium	NE		
Zinc	NE		
Zircaloy/Zirconium	NE		
Other metals	~1.00	Chromium metal/alloy	

Organics (%wt):

The waste contains halogenated and non-halogenated plastic and some rubber. Total organic content estimated  $\sim\!33\%$ 

organic content con	matca -55	70	
	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulosics	~11.0		
Paper, cotton	~10.0	Biodegradable- non putrescibles	
Wood	~1.0		
Halogenated plastics	~8.0		
Total non-halogenated plastics	~11.0		
Condensation polymers	NE		
Others	~		
Organic ion exchange materials	~1.4	incinerable solid	
Total rubber	~1.0		
Halogenated rubber	NE		
Non-halogenated rubber	NE		
Hydrocarbons	~0.40		
Oil or grease	~0.40		
Fuel	NE		
Asphalt/Tarmac (cont.coal tar)	NE		
Asphalt/Tarmac (no coal tar)	NE		
Bitumen	NE		
Others	NE		
Other organics	NE		

Other materials (%wt):

		(%wt)	Type(s) and comment	% of total C14 activity
	Inorganic ion exchange materials	NE		<b>,</b>
	Inorganic sludges and flocs	NE		
	Soil	NE		
	Brick/Stone/Rubble	NE		
	Cementitious material	~3.0		
	Sand	NE		
	Glass/Ceramics	NE		
	Graphite	NE		
	Desiccants/Catalysts	NE		
	Asbestos	~1.2		
	Non/low friable			
	Moderately friable			
	Highly friable	~1.2	Lagging-Could be highly friable asbestos or MMF	
	Free aqueous liquids	0		
	Free non-aqueous liquids	0		
	Powder/Ash	~1.0		
Inorganic a	anions (%wt): Not estimated.			
		(%wt)	Type(s) and comment	
	Fluoride	NE		
	Chloride	NE		
	lodide	NE		
	Cyanide	NE		
	Carbonate	NE		
	Nitrate	NE		
	Nitrite	NE		
	Phosphate	NE		
	Sulphate	NE		
	Sulphide	NE		
	of interest for No hazardous mate eptance criteria:	erials expe	cted.	
		(%wt)	Type(s) and comment	
	Combustible metals	0		
	Low flash point liquids	0		
	Explosive materials	0		
	Phosphorus	0		
	Hydrides	0		
	Biological etc. materials	0		
	Biodegradable materials	0		

4

Putrescible wastes	0	
Non-putrescible wastes	~10.0	
Corrosive materials	0	
Pyrophoric materials	0	
Generating toxic gases	0	
Reacting with water	0	
Higher activity particles	0	Not expected
Soluble solids as bulk chemical compounds	0	

Hazardous substances / non hazardous pollutants:

Listed substances are not expected in significant quantity.

us pollutants:		
	(%wt)	Type(s) and comment
Acrylamide	NE	
Benzene	NE	
Chlorinated solvents	NE	
Formaldehyde	NE	
Organometallics	NE	
Phenol	NE	
Styrene	NE	
Tri-butyl phosphate	NE	
Other organophosphates	NE	
Vinyl chloride	NE	
Arsenic	NE	
Barium	NE	
Boron	NE	
Boron (in Boral)	NE	
Boron (non-Boral)	NE	
Cadmium	NE	
Caesium	NE	
Selenium	NE	
Chromium	NE	
Molybdenum	NE	
Thallium	NE	
Tin	NE	
Vanadium	NE	
Mercury compounds	0	
Others	NE	
Electronic Electrical Equipment (EEE)		
EEE Type 1	NE	
EEE Type 2	NE	
EEE Type 3	NE	
EEE Type 4	NE	
EEE Type 5	NE	

Complexing agents (%wt): Not yet determined

(%wt) Type(s) and comment

EDTA..... NE

DPTA...... NE

NTA..... NE

Polycarboxylic acids...... NE

Other organic complexants...... ~0.20 Decon 90

Total complexing agents...... NE

Potential for the waste to contain discrete items:

Yes.

#### TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)	Off-site	~3.0
Incineration	Off-site	~31.0
Solidification		
Decontamination		
Metal treatment	Off-Site	~55.0
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None	Off-site	~11.0

Comment on planned treatments:

In line with the waste hierarchy, wastes will be treated preferentially by incineration, metal decontamination/melting, supercompaction, optimal packaging in HHISOs or immobilisation by encapsulation where necessary, prior to ultimate disposal at the LLW Repository. These treatments will be carried out off-site under contract with companies such as LLWR Ltd, Cyclife, Tradebe Inutec.

#### **Disposal Routes:**

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository	~14.0	
Expected to be consigned to a Landfill Facility		
Expected to be consigned to an On-Site Disposal Facility		
Expected to be consigned to an Incineration Facility	~31.0	
Expected to be consigned to a Metal Treatment Facility	~55.0	
Expected to be consigned as Out of Scope		
Expected to be recycled / reused		
Disposal route not known		

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %				
Disposal Noute	2022/23 2023/24		2024/25		
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known					

#### Opportunities for alternative disposal routing:

Baseline Opportunity Stream Opportunity Stream Opportunity Opportu	mated e that Opportunity ortunity Confidence realised
--	---

#### **Waste Packaging for Disposal:**

Container	Stream volume %	Waste loading m³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	~14.0	~21.8	2

Other information: Waste loading is representative of the raw waste following further planned

treatments. Supercompaction assumed to reduce volume to 20% of original. Solidification assumed to increase volume to 300% of original. No treatment

results in the same volume.

## Waste Planned for Disposal at the LLW Repository:

Container voidage: -

Container verdage.

Waste Characterisation Form (WCH):

The waste meets the LLWR's Waste Acceptance Criteria (WAC).

The waste has a current WCH.

Inventory information is consistent with the current WCH.

Waste consigned for disposal to LLWR in year of generation:

No. Efforts are made to dispose of waste during year of arising, but this is dependent on rate of arising throughout the year. This is also dependent on

consignment of waste to third parties.

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information:

## **RADIOACTIVITY**

Source: Contamination will be main source of activity with possibly some activation of certain

reactor or fuel route components.

Uncertainty: The total given in the WCH is pessimistic, but not considered overly conservative. The

waste for this stream is operational and on-going therefore the waste is variable.

Fingerprint has been based over the last three years, so there is uncertainty about future

arisings

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed beta/gamma emitting radionuclides plus 'other beta/gamma' not listed on the

datasheet.

Measurement of radioactivities:

Estimated based on arisings and data in WCH. The total activity has been estimated by applying the fingerprint for the date of arisings. For consignments this will be decayed, but

the decay time will vary depending on the storage time for the waste.

Other information:

	N	lean radioact	ivity, TBq/m³				Mean radioa	ctivity, TBq/m <sup>3</sup>	
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	1.12E-07	CC 2	1.12E-07	CC 2	Gd 153				
Be 10					Ho 163				
C 14	3.28E-08	CC 2	3.28E-08	CC 2	Ho 166m				
Na 22					Tm 170				
AI 26					Tm 171				
CI 36	8.27E-09	CC 2	8.27E-09	CC 2	Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
Mn 53					TI 204				
Mn 54	3.03E-06	CC 2	3.03E-06	CC 2	Pb 205				
Fe 55	3.46E-06	CC 2	3.46E-06	CC 2	Pb 210				
Co 60	1.16E-06	CC 2	1.16E-06	CC 2	Bi 208				
Ni 59					Bi 210m				
Ni 63	2.14E-06	CC 2	2.14E-06	CC 2	Po 210				
Zn 65	1.73E-08	CC 2	1.73E-08	CC 2	Ra 223				
Se 79					Ra 225				
Kr 81					Ra 226				
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90	2.96E-07	CC 2	2.96E-07	CC 2	Th 227				
Zr 93					Th 228				
Nb 91					Th 229				
Nb 92					Th 230 Th 232				
Nb 93m					Th 234				
Nb 94	4.93E-09	CC 2	4.93E-09	CC 2	Pa 231				
Mo 93					Pa 233				
Tc 97					U 232				
Tc 99	0.005.07	00.0	0.005.07	00.0	U 233				
Ru 106	8.63E-07	CC 2	8.63E-07	CC 2	U 234				
Pd 107	0.005.00	00.0	0.005.00	00.0	U 235				
Ag 108m	6.93E-09	CC 2	6.93E-09	CC 2	U 236				
Ag 110m	6.67E-09	CC 2	6.67E-09	CC 2	U 238				
Cd 109					Np 237				
Cd 113m Sn 119m					Pu 236				
Sn 121m					Pu 238	8E-09	CC 2	8E-09	CC 2
Sn 121111					Pu 239	4.53E-09	CC 2	4.53E-09	CC 2
Sn 126					Pu 240	1.09E-08	CC 2	1.09E-08	CC 2
Sb 125	2.57E-08	CC 2	2.57E-08	CC 2	Pu 241	6.09E-07	CC 2	6.09E-07	CC 2
Sb 126	2.07 £ 00	00 2	2.07 £ 00	00 2	Pu 242				
Te 125m					Am 241	3.67E-08	CC 2	3.67E-08	CC 2
Te 127m					Am 242m				
I 129					Am 243				
Cs 134	3.18E-07	CC 2	3.18E-07	CC 2	Cm 242	1.93E-08	CC 2	1.93E-08	CC 2
Cs 135	302 07		3GE 01		Cm 243				
Cs 137	1.58E-05	CC 2	1.58E-05	CC 2	Cm 244	1.6E-09	CC 2	1.6E-09	CC 2
Ba 133	3.43E-08	CC 2	3.43E-08	CC 2	Cm 245				
La 137		<u>-</u>			Cm 246				
La 138					Cm 248				
Ce 144	2.99E-07	CC 2	2.99E-07	CC 2	Cf 249				
Pm 145					Cf 250				
Pm 147	1.03E-07	CC 2	1.03E-07	CC 2	Cf 251				
Sm 147	0.		0.		Cf 252				
Sm 151					Other a				
Eu 152	2.28E-08	CC 2	2.28E-08	CC 2	Other b/g	1.20E-07	CC 2	1.20E-07	CC 2
Eu 154	1.13E-08	CC 2	1.13E-08	CC 2	Total a	8.11E-08	CC 2	8.11E-08	CC 2
Eu 155	1.13E-08	CC 2	1.32E-08	CC 2	Total b/g	2.85E-05	CC 2	2.85E-05	CC 2
24 100	1.026-00		1.021-00	30 2	<u> </u>	1		İ	

# Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

#### Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined 8 Not expected to be present in significant quantity