SITE Heysham 2

SITE OWNER **EDFE NGL** 

**WASTE CUSTODIAN EDFE NGL** 

LLW **WASTE TYPE** 

Is the waste subject to Scottish Policy:

Nο

**WASTE VOLUMES** 

Reported 10.5 m<sup>3</sup> Stocks: At 1.4.2022..... Future arisings -1.4.2022 - 31.3.2028...... 15.0 m<sup>3</sup> 1.4.2028 - 31.3.2030....... 4.9 m<sup>3</sup>

Total future arisings: 19.9 m<sup>3</sup> Total waste volume: 30.4 m<sup>3</sup>

Comment on volumes: Waste volumes will be variable depending on station operating conditions.

Uncertainty factors on Stock (upper): x 1.25 Arisings (upper) x 1.75

volumes: Stock (lower): x 0.75 Arisings (lower) x 0.25

**WASTE SOURCE** Waste stream covers general solid LLW arisings from the decontamination workshop,

operations and maintenance of the active effluent treatment plant and operation of the active laundry. The following areas are included in this process: Decontamination Workshop, Combined Active Waste Building incl. Active Effluent Treatment Plant and

Active Laundry.

#### PHYSICAL CHARACTERISTICS

General description: Wastes from these areas are mixed materials such as metal items, spent filters, redundant

plant items, cabels, soft waste, wood, heavy duty plastic and rubber waste. Other materials such as asbestos, dried paint, fibre glass, glass, grease, lagging, oily pads, and plaster may be generated. Any free liquids will be removed as far as practical during the sorting process and disposed via an appropriate effluent route. The site does undertake volume

reduction by low force compaction, but this is principally to incinerable waste.

Physical components (%wt): Metal (46%), Concrete/rubble (1%), Soil (1%), Biodegradable-non putrescibles (21%),

Plastics (halogenated) (5%), Plastics (non-halogenated) (6%), Rubber (13%), Wood (5%),

Others (2%)

The waste does not contain sealed sources. Sealed sources:

Bulk density (t/m3): 0.26

Comment on density: Density based on raw volume and weight at arising as provided in WCH.

#### **CHEMICAL COMPOSITION**

General description and

components (%wt):

Stainless steel (11%), mild steel (29%), Copper (3%), Alluminium (3%), Concrete/rubble (1%), Soil (1%), Biodegradable-non putrescibles (21%), Plastics (halogenated) (5%),

Plastics (non-halogenated) (6%), Rubber (13%), Wood (5%), Others (2%)

Chemical state: Neutral

Chemical form of H-3: Tritiated water

radionuclides: C-14: Contamination by activated graphiteand metallic particulate

CI-36: To be determined

Se-79: Not expected to be significant Tc-99: Not expected to be significant

I-129: To be determined

Ra: Not expected to be significant Th: Not expected to be significant U: To be determined

Np: Not expected to be significant

Pu: To be determined

Metals and alloys (%wt): Metal thicknesses will be variable.

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel	~11.0	Metallic plant items/ equipment	donvity
Other ferrous metals	~29.0	Mild steel-Metallic plant items/ equipment and drums	
Iron	NE		
Aluminium	~3.0	Metallic plant items/ equipment	
Beryllium	NE		
Cobalt	NE		
Copper	~3.0	e.g. cables and piping	
Lead	NE		
Magnox/Magnesium	. NE		
Nickel	NE		
Titanium	NE		
Uranium	NE		
Zinc	NE		
Zircaloy/Zirconium	NE		
Other metals	NE		
Organics (%wt): 51% organic materia	als		
	(%wt)	Type(s) and comment	% of total C14
Total cellulosics	~26.0		activity
Paper, cotton	~21.0		
Wood	~5.0		
Halogenated plastics	~5.0		
Total non-halogenated plastics	~6.0		
Condensation polymers	NE		
Others	NE		
Organic ion exchange materials	0		
Total rubber	~13.0		
Halogenated rubber	NE		
Non-halogenated rubber	NE		
Hydrocarbons	~1.0		
Oil or grease	~1.0		
Fuel			
Asphalt/Tarmac (cont.coal tar)			
Asphalt/Tarmac (no coal tar)			
Bitumen			
Others			
Other organics	NE		
Other materials (%wt): 2.6% other material	S		

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	0		
Inorganic sludges and flocs	0		
Soil	1.0		
Brick/Stone/Rubble	0		
Cementitious material	~1.0	Concrete/rubble	
Sand	0		
Glass/Ceramics	0		
Graphite	0		
Desiccants/Catalysts	0		
Asbestos	1.0		
Non/low friable			
Moderately friable			
Highly friable	1.0		
Free aqueous liquids	0		
Free non-aqueous liquids	0		
Powder/Ash	0		
Inorganic anions (%wt): Not assessed.			
	(%wt)	Type(s) and comment	
Fluoride	NE		
Chloride	NE		
lodide	NE		
Cyanide	NE		
Carbonate	NE		
Nitrate	NE		
Nitrite	NE		
Phosphate	NE		
Sulphate	NE		
Sulphide	NE		
Materials of interest for waste acceptance criteria: 21% biodegradable	non-putre	escible materials.	
	(%wt)	Type(s) and comment	
Combustible metals	0		
Low flash point liquids	0		
Explosive materials	0		
Phosphorus	0		
Hydrides	0		
Biological etc. materials	0		
Biodegradable materials	0		
Putrescible wastes	0		

ΝE

Non-putrescible wastes.....

	Corrosive materials	0	
	Pyrophoric materials	0	
	Generating toxic gases	0	
	Reacting with water	0	
	Higher activity particles	0	Not expected
	Soluble solids as bulk chemical compounds	0	
Hazardous s non hazardo	ubstances / - us pollutants:		
		(%wt)	Type(s) and comment
	Acrylamide	NE	
	Benzene	NE	
	Chlorinated solvents	NE	
	Formaldehyde	NE	
	Organometallics	NE	
	Phenol	NE	
	Styrene	NE	
	Tri-butyl phosphate	NE	
	Other organophosphates	NE	
	Vinyl chloride	NE	
	Arsenic	NE	
	Barium	NE	
	Boron	NE	
	Boron (in Boral)	NE	
	Boron (non-Boral)	NE	
	Cadmium	NE	
	Caesium	NE	
	Selenium	NE	
	Chromium	NE	
	Molybdenum	NE	
	Thallium	NE	
	Tin	NE	
	Vanadium	NE	
	Mercury compounds	0	
	Others	NE	
	Electronic Electrical Equipment (EEE)		
	EEE Type 1	NE	
	EEE Type 2	NE	
	EEE Type 3	NE	
	EEE Type 4	NE	
	EEE Type 5	NE	

Complexing agents (%wt): No

(%wt) Type(s) and comment

EDTA...... NE

DPTA...... NE

NTA..... NE

Polycarboxylic acids...... NE

Other organic complexants........ ~0.02 Decon 90

Total complexing agents...... 0.02

Potential for the waste to contain discrete items:

No.

#### TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)	Off-site	~10.0
Incineration	Off-site	~40.0
Solidification		
Decontamination		
Metal treatment	Off-site	40.0
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None	Off-site	~10.0

Comment on planned treatments:

In line with the waste hierarchy, wastes will be treated preferentially by incineration, metal decontamination/melting, supercompaction, optimal packaging in HHISOs or immobilisation by encapsulation where necessary, prior to ultimate disposal at the LLW Repository. These treatments will be carried out off-site under contract with companies such as LLWR Ltd, Cyclife, Tradebe Inutec.

#### **Disposal Routes:**

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository	~20.0	
Expected to be consigned to a Landfill Facility		
Expected to be consigned to an On-Site Disposal Facility		
Expected to be consigned to an Incineration Facility	~40.0	
Expected to be consigned to a Metal Treatment Facility	~40.0	
Expected to be consigned as Out of Scope		
Expected to be recycled / reused		
Disposal route not known		

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %				
Disposal Noute	2022/23	2023/24	2024/25		
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known					

#### Opportunities for alternative disposal routing:

Baseline Opportunity Stream Date that Management Route Management Route volume (%) will be real	at Opportunity iity Confidence Comment
---	--

#### **Waste Packaging for Disposal:**

Container	Stream volume %	Waste loading m³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	20.0	~30.4	< 1

Other information: Waste loading is representative of the raw waste following further planned

treatments. Supercompaction assumed to reduce volume to 20% of original. Solidification assumed to increase volume to 300% of original. No treatment

results in the same volume.

### Waste Planned for Disposal at the LLW Repository:

Container voidage: -

Waste Characterisation

The waste meets the LLWR's Waste Acceptance Criteria (WAC).

Form (WCH): The waste has a current WCH.

Inventory information is consistent with the current WCH.

Waste consigned for disposal to LLWR in year of generation:

No. Efforts are made to dispose of waste during year of arising, but this is dependent on rate of arising throughout the year. This is also dependent on

consignment of waste to third parties.

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information:

### **RADIOACTIVITY**

Source: Contamination will be main source of activity.

Uncertainty: The main uncertainties in waste stream fingerprints arise from the underlying assumptions

for the fingerprinting process, including in the waste mapping data.

Definition of total alpha Where totals are shown on the table of radionuclide activities they are the sums of the and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the listed beta/gamma emitting radionuclides plus 'other beta/gamma' not listed on the

datasheet.

Measurement of The total activity has been estimated by applying the fingerprint for the date of arisings. For radioactivities: consignments this will be decayed, but the decay time will vary depending on the storage

time for the waste. Therefore, the total given in this WCH is pessimistic, but not considered

overly conservative.

Other information: -

#### **WASTE STREAM Waste Sorting LLW** 3M15

	ı	Mean radioact	ivity, TBq/m³	/m³ Mean radioactivity, TBq/m³					
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	6.93E-07	CC 2	6.93E-07	CC 2	Gd 153				
Be 10					Ho 163				
C 14	7.55E-08	CC 2	7.55E-08	CC 2	Ho 166m				
Na 22					Tm 170				
Al 26					Tm 171				
CI 36	9.75E-09	CC 2	9.75E-09	CC 2	Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n Hf 182				
K 40 Ca 41					Pt 193				
Mn 53					TI 204				
Mn 54	8.86E-08	CC 2	8.86E-08	CC 2	Pb 205				
Fe 55	5.28E-06	CC 2	5.28E-06	CC 2	Pb 210				
Co 60	8.61E-07	CC 2	8.61E-07	CC 2	Bi 208				
Ni 59					Bi 210m				
Ni 63	5.69E-07	CC 2	5.69E-07	CC 2	Po 210				
Zn 65	9.38E-09	CC 2	9.38E-09	CC 2	Ra 223				
Se 79					Ra 225				
Kr 81					Ra 226				
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90	1.25E-08	CC 2	1.25E-08	CC 2	Th 227				
Zr 93					Th 228 Th 229				
Nb 91					Th 230				
Nb 92 Nb 93m					Th 232				
Nb 94	8.75E-10	CC 2	8.75E-10	CC 2	Th 234				
Mo 93	0.73L-10	00 2	0.73L-10	00 2	Pa 231				
Tc 97					Pa 233				
Tc 99					U 232				
Ru 106	1E-08	CC 2	1E-08	CC 2	U 233				
Pd 107					U 234				
Ag 108m	4.13E-09	CC 2	4.13E-09	CC 2	U 235				
Ag 110m	2.01E-07	CC 2	2.01E-07	CC 2	U 236				
Cd 109					U 238				
Cd 113m					Np 237 Pu 236				
Sn 119m					Pu 238	3.63E-09	CC 2	3.63E-09	CC 2
Sn 121m					Pu 239	1.75E-09	CC 2	1.75E-09	CC 2
Sn 123 Sn 126					Pu 240	4.25E-09	CC 2	4.25E-09	CC 2
Sb 125	2.13E-09	CC 2	2.13E-09	CC 2	Pu 241	2.45E-07	CC 2	2.45E-07	CC 2
Sb 126	2.102 00	00 2	2.102 00	00 2	Pu 242				
Te 125m					Am 241	9.63E-09	CC 2	9.63E-09	CC 2
Te 127m					Am 242m				
I 129					Am 243				
Cs 134	6.13E-09	CC 2	6.13E-09	CC 2	Cm 242	3.75E-10	CC 2	3.75E-10	CC 2
Cs 135					Cm 243		CC 2		CC 2
Cs 137	2.07E-07	CC 2	2.07E-07	CC 2	Cm 244	6.25E-10	CC 2	6.25E-10	CC 2
Ba 133	8.75E-10	CC 2	8.75E-10	CC 2	Cm 245				
La 137					Cm 246 Cm 248				
La 138	0.55.00	00.0	0.55.00	00.0	Cm 248 Cf 249				
Ce 144	2.5E-09	CC 2	2.5E-09	CC 2	Cf 250				
Pm 145	2 25 00	CC 2	2 25 00	CC 2	Cf 251				
Pm 147 Sm 147	2.3E-08	00 2	2.3E-08	CC 2	Cf 252				
Sm 147 Sm 151					Other a				
Eu 152	1.75E-09	CC 2	1.75E-09	CC 2	Other b/g	1.24E-08	CC 2	1.24E-08	CC 2
Eu 152	9.13E-09	CC 2	9.13E-09	CC 2	Total a	2.03E-08	CC 2	2.03E-08	CC 2
Eu 155	5.75E-09	CC 2	5.75E-09	CC 2	Total b/g	8.32E-06	CC 2	8.32E-06	CC 2
l l	Inner and Law			•	Codo	1			

### Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

#### Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined 8 Not expected to be present in significant quantity