SITE Hinkley Point B

SITE OWNER **EDFE NGL** 

**WASTE CUSTODIAN EDFE NGL** 

**ILW WASTE TYPE** 

Is the waste subject to Scottish Policy:

No

**WASTE VOLUMES** 

Reported 203.5 m<sup>3</sup> Stocks: At 1.4.2022..... Future arisings -1.4.2022 - 31.3.2023...... 28.8 m<sup>3</sup> Total future arisings: 28.8 m<sup>3</sup> Total waste volume: 232.3 m<sup>3</sup>

Comment on volumes: Waste volumes will be variable depending on station operating conditions. Current stock

volumes are known fairly accurately but there is likely to be some uncertainty on the values. The volume of desiccant waste in each tower is known and so future arising

volumes are predictable.

Uncertainty factors on

Stock (upper): x 1.25 volumes:

Arisings (upper) x 1.5

Arisings (lower) Stock (lower): x 0.75 x 0.5

**WASTE SOURCE** Exhausted desiccants and catalysts that have been used for the drying and recombination

of carbon dioxide reactor coolant. Small amounts of steel and ceramic balls and charcoal.

#### PHYSICAL CHARACTERISTICS

General description: Some residual moisture may be associated with the desiccant. There will also be ceramic

and steel shielding balls and charcoal. There are no large items in the waste which may

require special handling.

Desiccant (Silica Gel), Catalyst (pellets of platinum on alumina), Charcoal, Ceramic balls, Physical components (%vol):

Mild Steel balls. About 95% of volume is desiccant. No other components anticipated.

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m3): ~0.8

Comment on density:

### CHEMICAL COMPOSITION

General description and components (%wt):

Silica gel, very small quantities of charcoal, cylindrical pellets of platinum on alumina (catalyst), and ceramic and steel balls. Desiccant (silica gel) (~92%), catalyst (platinum on alumina) (~2%), ceramic balls (1%), mild steel balls (~3%), charcoal (~2%). No other materials anticipated. Some residual moisture may be associated with the desiccant.

Chemical state: Neutral

Chemical form of radionuclides:

H-3: Tritiated water absorbed onto desiccant. C-14: May be present as Graphite contamination

CI-36: Activation of sulphide components within the gas stream.

Se-79: Not Expected to be significant Tc-99: Not Expected to be significant I-129: Not Expected to be significant Ra: Not Expected to be significant Th: Not Expected to be significant U: Not Expected to be significant Np: Not Expected to be significant Pu: Not Expected to be significant

Metals and alloys (%wt):

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14
Stainless steel	0		activity
Other ferrous metals	~3.0		
Iron	0		
Aluminium	0		
Beryllium	0		
Cobalt	0		
Copper	0		
Lead	0		
Magnox/Magnesium	. 0		
Nickel	0		
Titanium	0		
Uranium	0		
Zinc	0		
Zircaloy/Zirconium	0		
Other metals	NE	Platinum on alumina	
Organics (%wt): Inspection and same	pling show	s no gross organic items.	
	(%wt)	Type(s) and comment	% of total C14
Total cellulosics	0		activity
Paper, cotton	0		
Wood	0		
Halogenated plastics	0		
Total non-halogenated plastics	0		
Condensation polymers	0		
Others	0		
Organic ion exchange materials	0		
Total rubber	0		
Halogenated rubber	0		
Non-halogenated rubber	0		
Hydrocarbons	0		
Oil or grease	0		
Fuel	0		
Asphalt/Tarmac (cont.coal tar)	0		
Asphalt/Tarmac (no coal tar)	0		
Bitumen	0		
Others	0		
Other organics	2.0	Charcoal	
Other materials (%wt):			

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	0		
Inorganic sludges and flocs	0		
Soil	0		
Brick/Stone/Rubble	0		
Cementitious material	0		
Sand	0		
Glass/Ceramics	1.0		
Graphite	0		
Desiccants/Catalysts	94.0		
Asbestos	0		
Non/low friable			
Moderately friable			
Highly friable			
Free aqueous liquids	0		
Free non-aqueous liquids	0		
Powder/Ash	0		
Inorganic anions (%wt):  None of the listed concentrations.	inorganic a	nions are expected to be present a	at greater than trace
	(%wt)	Type(s) and comment	
Fluoride	TR		
Chloride	TR		
lodide	TR		
Cyanide	0		
Carbonate	TR		
Nitrate	TR		
Nitrite	NE		
Phosphate	TR		
Sulphate	TR		
Sulphide	TR		
Materials of interest for waste acceptance criteria: Carbon fines (<1% degrees C. in air.	owt) filtered	by desiccant are a spontaneous c	ombustion hazard at >150
	(%wt)	Type(s) and comment	
Combustible metals	0		
Low flash point liquids	0		
Explosive materials	0		
Phosphorus	0		
Hydrides	0		
Biological etc. materials	0		
Biodegradable materials	0		
Putrescible wastes	0		

	Non-putrescible wastes	0	
	Corrosive materials	0	
	Pyrophoric materials	0	
	Generating toxic gases	0	
	Reacting with water	0	
	Higher activity particles	0	Not expected
	Soluble solids as bulk chemical compounds	0	
Hazardous s			
		(%wt)	Type(s) and comment
	Acrylamide	NE	rype(s) and comment
	Benzene	NE	
	Chlorinated solvents	NE	
		NE	
	Formaldehyde	NE	
	Organometallics	NE	
	Styrene	NE	
	Tri-butyl phosphate	NE	
	Other organophosphates	NE	
	Vinyl chloride	NE	
	Arsenic	NE	
	Barium	NE	
	Boron	NE	
	Boron (in Boral)	NE	
	Boron (non-Boral)	NE	
	Cadmium	NE	
	Caesium	NE	
	Selenium	NE	
	Chromium	NE	
	Molybdenum	NE	
	Thallium	NE	
	Tin	NE	
	Vanadium	NE	
	Mercury compounds	NE	
	Others	NE	
	Electronic Electrical Equipment (EEE)		
	EEE Type 1	0	
	EEE Type 2	0	
	EEE Type 3	0	
	EEE Type 4	0	
	EEE Type 5	0	

Complexing agent	s (%wt):	Not yet determined

Total complexing agents..... NE

Potential for the waste to contain discrete items:

No.

#### TREATMENT, PACKAGING AND DISPOSAL

Waste that is currently ILW:

This waste is ILW at the time of arising. Stocks have been accumulated in vaults over the station lifetime and have been stored since generation. Therefore varying degrees of radioactive decay will have occurred depending upon date of removal and placement into the vaults. Future arisings will be decay stored. Waste will be dispatched when it is retrieved from the vault. Following this, the desiccant is transferred to Winfrith for decontamination to LLW. Waste will be consigned as ILW prior to decontamination and therefore the decay period to LLW is not known.

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)		
Incineration		
Solidification	Off-site	100.0
Decontamination	Off-site	100.0
Metal treatment		
Size reduction		
Decay storage	On-site	100.0
Recyling / reuse		
Other / various		
None		

Comment on planned treatments:

For stocks in the vault radioactive decay will have occurred. Future arisings will be decay stored and then decontaminated to LLW and encapsulated.

#### **Disposal Routes:**

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository	100.0	NE
Expected to be consigned to a Landfill Facility		
Expected to be consigned to an On-Site Disposal Facility		
Expected to be consigned to an Incineration Facility		
Expected to be consigned to a Metal Treatment Facility		
Expected to be consigned as Out of Scope		
Expected to be recycled / reused		
Disposal route not known		

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %		
Disposal Route	2022/23	2023/24	2024/25
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known			

Opportunities for alternative disposal routing: Not yet determined

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
Disposal at LLWR	Incineration	-	-	Medium	-

#### Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	100.0	~6.26	38

Other information: Waste volume following solidification is assumed to be 300%. Internal volume

of 18.77m<sup>3</sup> assumed.

#### Waste Planned for Disposal at the LLW Repository:

Container voidage: -

The waste does not meet the LLWR's Waste Acceptance Criteria (WAC).

Does not meet WAC until desiccant is washed and decontaminated.

Waste consigned for disposal to LLWR in year of generation:

No. Waste is ILW when generated and needs decontaminating to LLW.

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

**RADIOACTIVITY** 

Source: Contamination by tritium and activation products will be the main sources of activity.

Uncertainty: The values given are from one set of desiccant samples taken in 2019, so give a good

indication of activities present but may not be bounding. Specific activity is a function of

operating history.

### **WASTE STREAM Desiccants and Catalysts** 3N04 Definition of total alpha and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the

listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

Analysis of HPB desiccant samples from 2019, retrieved from the vaults.

Other information:

Nuclide         Waste at 1.4.2022         Bands and Code         Future arisings         Bands and Code           H 3         3.09E-02         C C 1         3.86E-02         C C 1           Be 10         4.02E-05         C C 1         5.03E-05         C C 1           C 14         4.02E-05         C C 1         5.03E-05         C C 1           Na 22         Al 26         Cl 36         4.14E-05         C C 1         5.18E-05         C C 1           Ar 39         Ar 42         K 40         8         8         8           Ca 41         Mn 53         8         8         8           Mn 54         8         8         8         8           Fe 55         1.2E-05         C C 1         1.5E-05         C C 1           Ni 59         Ni 63         8         8         8           Zn 65         8         8         8         8           Se 79         Kr 81         Kr 85         Rb 87         8         8           Nb 91         Xr 93         Nb 91         Xr 93         Xr 94         Xr 94	Nuclide  Gd 153 Ho 163 Ho 166m Tm 170 Tm 171 Lu 174 Lu 176 Hf 178n Hf 182 Pt 193 Tl 204 Pb 205 Pb 210 Bi 208 Bi 210m Po 210	Waste at Bands and 1.4.2022 Code	Future Bands and arisings Code
Be 10 C 14 Na 22 Al 26 Cl 36 Ar 39 Ar 42 K 40 Ca 41 Mn 53 Mn 54 Fe 55 Co 60 Ni 59 Ni 63 Zn 65 Se 79 Kr 81 Kr 85 Rb 87 Sr 90 Zr 93	Ho 163 Ho 166m Tm 170 Tm 171 Lu 174 Lu 176 Hf 178n Hf 182 Pt 193 Tl 204 Pb 205 Pb 210 Bi 208 Bi 210m Po 210		
C 14 Na 22 Al 26 Cl 36 Ar 39 Ar 42 K 40 Ca 41 Mn 53 Mn 54 Fe 55 1.2E-05 C C 1 1.56E-06 C C 1 1.95E-06 C C 1 C C C C C C C C C C C C C C C C C	Ho 166m Tm 170 Tm 171 Lu 174 Lu 176 Hf 178n Hf 182 Pt 193 Tl 204 Pb 205 Pb 210 Bi 208 Bi 210m Po 210		
Na 22 Al 26 Cl 36 Ar 39 Ar 42 K 40 Ca 41 Mn 53 Mn 54 Fe 55 1.2E-05 CC 1 1.56E-06 CC 1 1.59 Ni 63 Zn 65 Se 79 Kr 81 Kr 85 Rb 87 Sr 90 Zr 93	Tm 170 Tm 171 Lu 174 Lu 176 Hf 178n Hf 182 Pt 193 Tl 204 Pb 205 Pb 210 Bi 208 Bi 210m Po 210		
Na 22 Al 26 Cl 36 Ar 39 Ar 42 K 40 Ca 41 Mn 53 Mn 54 Fe 55 1.2E-05 CC 1 Ni 59 Ni 63 Zn 65 Se 79 Kr 81 Kr 85 Rb 87 Sr 90 Zr 93	Tm 171 Lu 174 Lu 176 Hf 178n Hf 182 Pt 193 Tl 204 Pb 205 Pb 210 Bi 208 Bi 210m Po 210		
CI 36 Ar 39 Ar 42 K 40 Ca 41 Mn 53 Mn 54 Fe 55	Lu 174 Lu 176 Hf 178n Hf 182 Pt 193 Tl 204 Pb 205 Pb 210 Bi 208 Bi 210m Po 210		
CI 36 Ar 39 Ar 42 K 40 Ca 41 Mn 53 Mn 54 Fe 55	Lu 176 Hf 178n Hf 182 Pt 193 Tl 204 Pb 205 Pb 210 Bi 208 Bi 210m Po 210		
Ar 42 K 40 Ca 41 Mn 53 Mn 54 Fe 55 1.2E-05 CC 1 Co 60 1.56E-06 CC 1 Ni 59 Ni 63 Zn 65 Se 79 Kr 81 Kr 85 Rb 87 Sr 90 Zr 93	Hf 178n Hf 182 Pt 193 Tl 204 Pb 205 Pb 210 Bi 208 Bi 210m Po 210		
K 40 Ca 41 Mn 53 Mn 54 Fe 55	Hf 182 Pt 193 Tl 204 Pb 205 Pb 210 Bi 208 Bi 210m Po 210		
Ca 41 Mn 53 Mn 54 Fe 55 1.2E-05 CC 1 1.56E-06 CC 1 1.95E-06 CC 1 Ni 59 Ni 63 Zn 65 Se 79 Kr 81 Kr 85 Rb 87 Sr 90 Zr 93	Pt 193 Tl 204 Pb 205 Pb 210 Bi 208 Bi 210m Po 210		
Mn 53 Mn 54 Fe 55	TI 204 Pb 205 Pb 210 Bi 208 Bi 210m Po 210		
Mn 54 Fe 55	Pb 205 Pb 210 Bi 208 Bi 210m Po 210		
Fe 55	Pb 210 Bi 208 Bi 210m Po 210		
Co 60	Bi 208 Bi 210m Po 210		1
Ni 59 Ni 63 Zn 65 8 8 8 8 8 8 8 8 8 8 8 8 8 8 7 8 8 8 8	Bi 210m Po 210	Ī	
Ni 63 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	Po 210		
Zn 65 8 8 Se 79 Kr 81 Kr 85 Rb 87 Sr 90 Zr 93			
Se 79 Kr 81 Kr 85 Rb 87 Sr 90 Zr 93			
Kr 81 Kr 85 Rb 87 Sr 90 Zr 93			
Kr 85 Rb 87 Sr 90 Zr 93	Ra 225		
Rb 87 Sr 90 Zr 93	Ra 226		
Sr 90 Zr 93	Ra 228		
Zr 93	Ac 227		
	Th 227		
Nb 91	Th 228		
i I	Th 229		
Nb 92	Th 230		
Nb 93m	Th 232		
Nb 94 8			
Mo 93	Pa 231		
Tc 97	Pa 233		
Tc 99	U 232		
Ru 106 8 8			
Pd 107	U 234		
Ag 108m 2.96E-09 CC 1 3.7E-09 CC 1			
Ag 110m 8 8			
Cd 109	U 238		
Cd 113m	Np 237		
Sn 119m	Pu 236		
Sn 121m	Pu 238		
Sn 123	Pu 239		
Sn 126	Pu 240		
Sb 125 8 8			
Sb 126	Pu 242		
Te 125m	Am 241	8	8
Te 127m	Am 242m		
l 129	Am 243		
Cs 134 8 8			
Cs 135	Cm 243		
Cs 137 3.32E-07 CC 1 4.15E-07 CC 1			
Ba 133 2.32E-09 CC 1 2.9E-09 CC 1			
La 137	Cm 246		
La 138	Cm 248		
Ce 144 8 8			
Pm 145	Cf 250		
Pm 147	Cf 251		
Sm 147	Cf 252	_	_
Sm 151	Other a	8	8
Eu 152 8 8		8	8
Eu 154 8 8	T-4-1		1
Eu 155 8 8		0 8 3.1E-02 CC 1	0 8 3.1E-02 CC 1

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100 E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

#### Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity