Nο

SITE Hunterston B

SITE OWNER **EDFE NGL**

WASTE CUSTODIAN EDFE NGL

LLW **WASTE TYPE**

Is the waste subject to Scottish Policy:

WASTE VOLUMES

Reported

Stocks: At 1.4.2022..... 3.0 m³ Future arisings -1.4.2022 - 31.3.2025...... 12.0 m³ 1.4.2025 - 31.3.2026....... 117.0 m³ 1.4.2026 - 31.3.2027...... 11.0 m³ 1.4.2027 - 31.3.2028....... 103.0 m³ 1.4.2028 - 31.3.2029....... $3.2 \, \text{m}^3$ 1.4.2029 - 31.3.2030....... $3.2 \, \text{m}^3$ 1.4.2030 - 31.3.2031...... $3.2 \, \text{m}^3$ 1.4.2031 - 31.3.2032...... $7.8 \, \text{m}^{3}$

Total future arisings: 260.4 m³ Total waste volume: 263.4 m³

Comment on volumes: Waste volumes will be variable depending on station operating conditions.

Uncertainty factors on Arisings (upper) Stock (upper): x 1.25 x 1.5 volumes: Stock (lower): x 0.75 Arisings (lower) x 0.5

Waste stream covers general solid LLW arisings from the Ponds and Active Effluent WASTE SOURCE

Treatment Plant. The following areas are included in the process: Ponds Area, Active

Effluent Treatment Plant, Ponds Vent Filter, Flask Handling Area.

PHYSICAL CHARACTERISTICS

General description: The waste consists of mixed materials such as metal items, spent filters, redundant plant

items, cabling, soft waste (e.g. broken/damaged clothing, paper cardboard, cloth etc), floor coverings, heavy duty plastic and rubber waste. Concrete/rubble, wood, bitumen, ceramics, glass and lagging could also be generated. The site does undertake volume reduction by low force compaction and shredding, this is principally to incinerable waste. Any free liquids present will be removed as far as practicable during the sorting process.

Physical components (%wt): Metal (~56%), Concrete/Rubble (~1%), Biodegradable-non putrescibles (~14%),

Plastics/Rubber (~24%), Wood (~2%), Others (3%)

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m3):

Comment on density: Density based on raw volume and weight at arising as provided in WCH.

CHEMICAL COMPOSITION

General description and components (%wt):

Stainless steel (16%), Mild steel (32%), Aluminium (1%), Copper (7%), Chromium metal/alloy (1%) Concrete/Rubble (~1%), Biodegradable-non putrescibles (~14%), Plastics/Rubber (~24%), Wood (~2%), Bitumen (1%), oil or grease (1%), Asbestos (1%)

Chemical state:

Chemical form of H-3: As tritiated water

C-14: As graphite particulate or in metal radionuclides:

CI-36: Not Assessed

Se-79: Not expected to be significant Tc-99: Not expected to be significant I-129: Not expected to be significant Ra: Not expected to be significant Th: Not expected to be significant

U: Not Assessed

Np: Not expected to be significant

Pu: Not Assessed

Metals and alloys (%wt): This waste stream is variable and may contain some bulk items which will be volume

reduced by cutting, proportion of bulk items unknown.

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel	~16.0		·
Other ferrous metals	~32.0		
Iron	NE		
Aluminium	~1.0		
Beryllium	NE		
Cobalt	NE		
Copper	~5.0		
Lead	NE		
Magnox/Magnesium	NE		
Nickel	NE		
Titanium	NE		
Uranium	NE		
Zinc	NE		
Zircaloy/Zirconium	NE		
Other metals	~1.0		

Organics (%wt):

The waste is known to contain organic materials in the form of paper, wood and plastic (polythene). The estimated organic materials is \sim 42%

	(%wt)	Type(s) and comment	% of total C14
Total cellulosics	~16.0		activity
Paper, cotton	~14.0		
Wood	~2.0		
Halogenated plastics	~12.0	PPE, contamination management	
Total non-halogenated plastics	~6.0	PPE, contamination management	
Condensation polymers	NE		
Others	NE		
Organic ion exchange materials	NE		
Total rubber	~6.0		
Halogenated rubber	NE		
Non-halogenated rubber	NE		
Hydrocarbons	~2.0		
Oil or grease	~1.0	Drummed incinerable liquids, or oil/grease absorbed on cloth/rags	
Fuel	NE		
Asphalt/Tarmac (cont.coal tar)	NE		
Asphalt/Tarmac (no coal tar)	NE		
Bitumen	~1.0	Solid	
Others	NE		
Other organics	0		

Other materials (%wt):

Asbestos is not routinely generated but lagging has previously been generated and consigned to incineration. Estimated \sim 1.88% other materials present.

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	0		addivity
Inorganic sludges and flocs	0		
Soil	0		
Brick/Stone/Rubble	NE		
Cementitious material	~1.0		
Sand	0		
Glass/Ceramics	NE		
Graphite	0		
Desiccants/Catalysts	0		
Asbestos	~~0.90		
Non/low friable			
Moderately friable			
Highly friable	~~0.90	Could be highly friable asbestos or MMF	
Free aqueous liquids	0		
Free non-aqueous liquids	0		
Powder/Ash	0		
Inorganic anions (%wt): Inorganic anion cor	ntent is not	estimated.	
	(%wt)	Type(s) and comment	
Fluoride	NE		
Chloride	NE		
lodide	NE		
Cyanide	NE		
Carbonate	NE		
Nitrate	NE		
Nitrite	NE		
Phosphate	NE		
Sulphate	NE		
Sulphide	NE		
Materials of interest for No hazardous materials during so		xpected as efforts are made to remove all hompaction.	nazardous
	(%wt)	Type(s) and comment	
Combustible metals	0		
Low flash point liquids	0		
Explosive materials	0		
Phosphorus	0		
Hydrides	0		
Biological etc. materials	0		
Biodegradable materials	0		
Putrescible wastes	0		

2022 Inventory

~14.0

Non-putrescible wastes.....

	Corrosive materials	0	
	Pyrophoric materials	0	
	Generating toxic gases	0	
	Reacting with water	0	
	Higher activity particles	0	Not expected
	Soluble solids as bulk chemical compounds	0	
Hazardous s			
		(%wt)	Type(s) and comment
	Acrylamide	NE	
	Benzene	NE	
	Chlorinated solvents	NE	
	Formaldehyde	NE	
	Organometallics	NE	
	Phenol	NE	
	Styrene	NE	
	Tri-butyl phosphate	NE	
	Other organophosphates	NE	
	Vinyl chloride	NE	
	Arsenic	NE	
	Barium	NE	
	Boron	NE	
	Boron (in Boral)	NE	
	Boron (non-Boral)	NE	
	Cadmium	NE	
	Caesium	NE	
	Selenium	NE	
	Chromium	NE	
	Molybdenum	NE	
	Thallium	NE	
	Tin	NE	
	Vanadium	NE	
	Mercury compounds	NE	
	Others	NE	
	Electronic Electrical Equipment (EEE)		
	EEE Type 1	NE	
	EEE Type 2	NE	
	EEE Type 3	NE	
	EEE Type 4	NE	
	EEE Typo 5	NIE	

EEE Type 5.....

NE

Complexing agents (%wt): Yes

(%wt) Type(s) and comment

EDTA...... NE

DPTA...... NE

Other organic complexants.......... NE Complexing agents are not estimated.

Total complexing agents..... NE

Potential for the waste to contain discrete items:

Yes.

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)	Off-site	~10.0
Incineration	Off-site	~40.0
Solidification		
Decontamination		
Metal treatment	Off-site	~40.0
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None	Off-site	~10.0

Comment on planned treatments:

In line with the waste hierarchy, wastes will be treated preferentially by incineration, metal decontamination/melting, supercompaction, optimal packaging in HHISOs or immobilisation by encapsulation where necessary, prior to ultimate disposal at the LLW Repository. These treatments will be carried out off-site under contract with companies such as LLWR Ltd, Cyclife, Tradebe Inutec.

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository	~20.0	
Expected to be consigned to a Landfill Facility		
Expected to be consigned to an On-Site Disposal Facility		
Expected to be consigned to an Incineration Facility	~40.0	
Expected to be consigned to a Metal Treatment Facility	~40.0	
Expected to be consigned as Out of Scope		
Expected to be recycled / reused		
Disposal route not known		

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %				
Disposal Noute	2022/23	2023/24	2024/25		
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known					

Opportunities for alternative disposal routing:

Opportunity	Opportunity Confidence Comment
-------------	--------------------------------

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	~20.0	~30.4	2

Other information: Waste loading is representative of the raw waste following further planned

treatments. Supercompaction assumed to reduce volume to 20% of original. Solidification assumed to increase volume to 300% of original. No treatment

results in the same volume.

Waste Planned for Disposal at the LLW Repository:

Container voidage:

Waste Characterisation The waste meets the LLWR's Waste Acceptance Criteria (WAC). The waste has a current WCH.

Form (WCH):

Inventory information is consistent with the current WCH.

Waste consigned for disposal to LLWR in

No. Efforts are made to dispose of waste during year of arising, but this is dependent on rate of arising throughout the year. This is also dependent on

year of generation: consignment of waste to third parties.

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation:

Bounding cuboidal volume:

Inaccessible voidage:

Other information:

RADIOACTIVITY

Source: Contamination will be main source of activity with possibly some activation of certain

reactor or fuel route components.

Uncertainty: The total given in the WCH is pessimistic, but not considered overly conservative. The

waste for this stream is operational and on-going therefore the waste is variable.

Fingerprint has been based over the last three years, so there is uncertainty about future

Definition of total alpha Where totals are shown on the table of radionuclide activities they are the sums of the and total beta/gamma:

listed beta/gamma emitting radionuclides plus 'other beta/gamma' not listed on the

datasheet.

Measurement of Estimated based on arisings and data in WCH. The total activity has been estimated by radioactivities: applying the fingerprint for the date of arisings. For consignments this will be decayed, but

the decay time will vary depending on the storage time for the waste.

Other information:

	N	Mean radioact	ivity, TBq/m³		Mean radioactivity, TBq/m³					
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	
H 3	4.00E-06	CC 2	4.00E-06	CC 2	Gd 153					
Be 10					Ho 163					
C 14	4.63E-07	CC 2	4.63E-07	CC 2	Ho 166m					
Na 22					Tm 170					
Al 26					Tm 171					
CI 36	2.98E-07	CC 2	2.98E-07	CC 2	Lu 174					
Ar 39					Lu 176					
Ar 42					Hf 178n					
K 40					Hf 182					
Ca 41					Pt 193					
Mn 53					TI 204					
Mn 54	3.08E-07	CC 2	3.08E-07	CC 2	Pb 205					
Fe 55	2.20E-05	CC 2	2.20E-05	CC 2	Pb 210					
Co 60	5.61E-06	CC 2	5.61E-06	CC 2	Bi 208					
Ni 59					Bi 210m					
Ni 63	1.39E-06	CC 2	1.39E-06	CC 2	Po 210					
Zn 65	3.07E-07	CC 2	3.07E-07	CC 2	Ra 223 Ra 225					
Se 79					Ra 225 Ra 226					
Kr 81					Ra 228					
Kr 85					Ac 227					
Rb 87	2.755.07	00.0	2.75E-07	CC 2	Th 227					
Sr 90 Zr 93	2.75E-07	CC 2	2.75E-07	CC 2	Th 228					
Nb 91					Th 229					
Nb 92					Th 230					
Nb 93m					Th 232					
Nb 94	5E-09	CC 2	5E-09	CC 2	Th 234					
Mo 93	3L 03	00 2	3E 03	00 2	Pa 231					
Tc 97					Pa 233					
Tc 99					U 232					
Ru 106	2.38E-07	CC 2	2.38E-07	CC 2	U 233					
Pd 107					U 234	2.67E-08	CC 2	2.67E-08	CC 2	
Ag 108m	2.5E-08	CC 2	2.5E-08	CC 2	U 235					
Ag 110m	2.63E-07	CC 2	2.63E-07	CC 2	U 236	1.67E-09	CC 2	1.67E-09	CC 2	
Cd 109		İ			U 238	8.33E-09	CC 2	8.33E-09	CC 2	
Cd 113m					Np 237					
Sn 119m					Pu 236					
Sn 121m					Pu 238	2.38E-07	CC 2	2.38E-07	CC 2	
Sn 123					Pu 239	1.3E-07	CC 2	1.3E-07	CC 2	
Sn 126					Pu 240	3.08E-07	CC 2	3.08E-07	CC 2	
Sb 125	6.67E-08	CC 2	6.67E-08	CC 2	Pu 241	1.63E-05	CC 2	1.63E-05	CC 2	
Sb 126					Pu 242					
Te 125m					Am 241	7.02E-07	CC 2	7.02E-07	CC 2	
Te 127m					Am 242m					
l 129					Am 243		00.0			
Cs 134	9.5E-08	CC 2	9.5E-08	CC 2	Cm 242	5E-09	CC 2	5E-09	CC 2	
Cs 135					Cm 243	0.005.00	00.0	2 225 22	00.0	
Cs 137	5.43E-06	CC 2	5.43E-06	CC 2	Cm 244	3.33E-08	CC 2	3.33E-08	CC 2	
Ba 133	3E-08	CC 2	3E-08	CC 2	Cm 245					
La 137					Cm 246 Cm 248					
La 138	05.00	00 0	05.00	00 0	Cf 249					
Ce 144	8E-08	CC 2	8E-08	CC 2	Cf 249 Cf 250					
Pm 145	7 775 07	00 0	7 775 07	00 0	Cf 250 Cf 251					
Pm 147	7.77E-07	CC 2	7.77E-07	CC 2	Cf 251					
Sm 147					Other a					
Sm 151	7 F 00	00.0	7 F 00	00 0	Other b/g	7.18E-07	CC 2	7.18E-07	CC 2	
Eu 152	7E-08	CC 2	7E-08	CC 2	Total a	1.45E-06	CC 2	1.45E-06	CC 2	
Eu 154	1.82E-07	CC 2	1.82E-07	CC 2	Total b/g	5.91E-05	CC 2	5.91E-05	CC 2	
Eu 155	1.2E-07	CC 2	1.2E-07	CC 2	i otai b/g	3.312-03	J	5.51L-03	JJ 2	

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined 8 Not expected to be present in significant quantity