SITE Hunterston B

SITE OWNER EDFE NGL

WASTE CUSTODIAN EDFE NGL

WASTE TYPE LLW

Is the waste subject to

Scottish Policy:

No

WASTE VOLUMES

Total future arisings: 75.0 m³
Total waste volume: 91.2 m³

Comment on volumes: Waste volumes will be variable depending on station operating conditions.

Uncertainty factors on Stock (upper): x 1.25 Arisings (upper) x 1.75 volumes: Stock (lower): x 0.75 Arisings (lower) x 0.25

WASTE SOURCE General solid LLW arisings from the Active Laundry Facility.

PHYSICAL CHARACTERISTICS

General description: Paper, protective clothing (cloth, rubber), paper, plastic, wood, matting, filters (e.g. pre

filters, respirator filters, tank filters) redundant plant (metal), etc. Some large items will be present i.e. redundant laundry equipment, which will be volume reduced by cutting, puncturing, etc.Small amounts of glass, scintillant and lagging. The site does undertake volume reduction by low force compaction and shredding, but this is principally to

incinerable waste. Any free liquids present will be removed as far as practicable during the sorting process.

Physical components (%wt): Metal (~33%), biodegradable (non putrescibles) (~22%), Plastics/Rubber (~40%), Wood

(~3%), Concrete/rubble (~1%), Others (~1%)

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~0.4

Comment on density: Density based on raw volume and weight at arising as provided in WCH

CHEMICAL COMPOSITION

General description and

components (%wt):

Stainless Steel (~4%), Mild Steel (~26%), Aluminium (~1%), Copper (~1%), Chromium metal/alloy (~1%), biodegradable (non-putrescibles) (~22%), Plastics/Rubber (~40%),

Wood (~3%), Concrete/rubble (~1%), Asbestos (~1%) and oil/grease (~0.2%)

Chemical state: Neutral

Chemical form of H-3: tritiated water

radionuclides: C-14: Activated graphite and metallic components

CI-36: Not assessed

Se-79: Not expected to be significant Tc-99: Not expected to be significant I-129: Not expected to be significant Ra: Not expected to be significant Th: Not expected to be significant

U: Not assessed

Np: Not expected to be significant

Pu: Not assessed

Metals and alloys (%wt): This waste stream is variable and may contain some bulk items which will be volume

reduced by cutting, proportion of bulk items unknown.

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel	~4.0	Metallic plant items/equipment	·
Other ferrous metals	~26.0	mild steel	
Iron	NE		
Aluminium	~1.0	Metallic plant items/equipment	
Beryllium	NE		
Cobalt	NE		
Copper	~1.0	e.g.cabelling and piping	
Lead	NE		
Magnox/Magnesium	NE		
Nickel	NE		
Titanium	NE		
Uranium	NE		
Zinc	NE		
Zircaloy/Zirconium	NE		
Other metals	~1.0	Chromium metal/alloy	
ut): The weste contains of	sallulaca in	the form of paper and cloth and non halo	gonated plactic

Organics (%wt):

The waste contains cellulose in the form of paper and cloth and non-halogenated plastic in the form of polythene. Organics etimated as \sim 65.19% of wastestream.

. ,	Ū		
	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulosics	~25.0		,
Paper, cotton	~22.0		
Wood	~3.0		
Halogenated plastics	~17.0		
Total non-halogenated plastics	~13.0		
Condensation polymers	NE		
Others	NE		
Organic ion exchange materials	0		
Total rubber	~10.0		
Halogenated rubber	NE		
Non-halogenated rubber	NE		
Hydrocarbons	~~0.20		
Oil or grease	~~0.20		
Fuel			
Asphalt/Tarmac (cont.coal tar)			
Asphalt/Tarmac (no coal tar)			
Bitumen			
Others			
Other organics	0		

Other materials (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	0		activity
Inorganic sludges and flocs	0		
Soil	0		
Brick/Stone/Rubble	NE		
Cementitious material	~1.0	Concrete/rubble	
Sand	0		
Glass/Ceramics	NE		
Graphite	0		
Desiccants/Catalysts	0		
Asbestos	~~0.80		
Non/low friable	NE		
Moderately friable	NE		
Highly friable	~~0.80	Including lagging	
Free aqueous liquids	0		
Free non-aqueous liquids	0		
Powder/Ash	0		
Inorganic anions (%wt): Inorganic anion con	ntent is not	estimated.	
	(%wt)	Type(s) and comment	
Fluoride	NE		
Chloride	NE		
lodide	NE		
Cyanide	NE		
Carbonate	NE		
Nitrate	NE		
Nitrite	NE		
Phosphate	NE		
Sulphate	NE		
Sulphide	NE		
Materials of interest for No hazardous materials during so materials during so		waste as efforts are made to remove a	ny hazardous
waste acceptance offena.	(%wt)	Type(s) and comment	
Combustible metals	0	Type (e) and comment	
Low flash point liquids	0		
Explosive materials	0		
Phosphorus	0		
Hydrides	0		
Biological etc. materials	0		
Biodegradable materials	0		
Putrescible wastes	0		

~22.0

Non-putrescible wastes.....

Corrosive materials	0	
Pyrophoric materials	0	
Generating toxic gases	0	
Reacting with water	0	
Higher activity particles	0	Not expected
Soluble solids as bulk chemical compounds	0	

Hazardous substances / non hazardous pollutants:

None estimated, potential for some unexpected EEE waste but not estimated in datasheet.

	(0(1)	- () .
	(%wt)	Type(s) and comment
Acrylamide	NE	
Benzene	NE	
Chlorinated solvents	NE	
Formaldehyde	NE	
Organometallics	NE	
Phenol	NE	
Styrene	NE	
Tri-butyl phosphate	NE	
Other organophosphates	NE	
Vinyl chloride	NE	
Arsenic	NE	
Barium	NE	
Boron	NE	
Boron (in Boral)	NE	
Boron (non-Boral)	NE	
Cadmium	NE	
Caesium	NE	
Selenium	NE	
Chromium	NE	
Molybdenum	NE	
Thallium	NE	
Tin	NE	
Vanadium	NE	
Mercury compounds	0	
Others	NE	
Electronic Electrical Equipment (EEE)		
EEE Type 1	NE	
EEE Type 2	NE	
EEE Type 3	NE	
EEE Type 4	NE	
EEE Type 5	NE	

Complexing agents (%wt): Yes

(%wt) Type(s) and comment

EDTA..... NE

DPTA...... NE

Polycarboxylic acids...... NE

Other organic complexants.......... NE Complexing agents are not estimated.

Total complexing agents..... NE

Potential for the waste to contain discrete items:

No.

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)	Off-site	~10.0
Incineration	Off-site	~55.0
Solidification		
Decontamination		
Metal treatment	Off-site	~25.0
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None	Off-site	~10.0

Comment on planned treatments:

In line with the waste hierarchy, wastes will be treated preferentially by incineration, metal decontamination/melting, supercompaction, optimal packaging in HHISOs or immobilisation by encapsulation where necessary, prior to ultimate disposal at the LLW Repository. These treatments will be carried out off-site under contract with companies such as LLWR Ltd, Cyclife, Tradebe Inutec.

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository	~14.0	
Expected to be consigned to a Landfill Facility		
Expected to be consigned to an On-Site Disposal Facility		
Expected to be consigned to an Incineration Facility	~86.0	
Expected to be consigned to a Metal Treatment Facility		
Expected to be consigned as Out of Scope		
Expected to be recycled / reused		
Disposal route not known		

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %				
Disposal Noute	2022/23 2023/24 2024/2		2024/25		
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known					

Opportunities for alternative disposal routing:

Baseline Opportunity Stream Opportunity Stream Opportunity Opportu	mated e that Opportunity ortunity Confidence realised Opportunity Confidence realised
--	--

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	~14.0	~23.7	<1

Other information: Waste loading is representative of the raw waste following further planned

treatments. Supercompaction assumed to reduce volume to 20% of original. Solidification assumed to increase volume to 300% of original. No treatment

results in the same volume.

Waste Planned for Disposal at the LLW Repository:

Container voidage: -

Waste Characterisation

The waste meets the LLWR's Waste Acceptance Criteria (WAC).

Form (WCH): The waste has a current WCH.

Inventory information is consistent with the current WCH.

Waste consigned for disposal to LLWR in year of generation:

No. Efforts are made to dispose of waste during year of arising, but this is dependent on rate of arising throughout the year. This is also dependent on

consignment of waste to third parties

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information:

RADIOACTIVITY

Source: Contamination will be main source of activity.

Uncertainty: The total given in the WCH is pessimistic, but not considered overly conservative. The

waste for this stream is operational and on-going therefore the waste is variable. Fingerprint has been based over the last three years, so there is uncertainty about future

arisings

Definition of total alpha

and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed beta/gamma emitting radionuclides plus 'other beta/gamma' not listed on the

datasheet

Measurement of radioactivities:

Estimated based on arisings and data in WCH. The total activity has been estimated by applying the fingerprint for the date of arisings. For consignments this will be decayed, but

the decay time will vary depending on the storage time for the waste.

Other information:

WASTE STREAM Laundry LLW 4B14

	N	/lean radioact	ivity, TBq/m³			Mean radioactivity, TBq/m³			ı/m³	
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	
H 3	6.77E-06	CC 2	6.77E-06	CC 2	Gd 153					
Be 10					Ho 163					
C 14	1.26E-06	CC 2	1.26E-06	CC 2	Ho 166m					
Na 22					Tm 170					
AI 26					Tm 171					
CI 36	1.19E-06	CC 2	1.19E-06	CC 2	Lu 174					
Ar 39					Lu 176					
Ar 42					Hf 178n					
K 40					Hf 182					
Ca 41					Pt 193					
Mn 53					TI 204					
Mn 54	1.6E-07	CC 2	1.6E-07	CC 2	Pb 205					
Fe 55	1.95E-05	CC 2	1.95E-05	CC 2	Pb 210					
Co 60	6.90E-06	CC 2	6.90E-06	CC 2	Bi 208					
Ni 59					Bi 210m					
Ni 63	4.29E-06	CC 2	4.29E-06	CC 2	Po 210					
Zn 65	4.31E-07	CC 2	4.31E-07	CC 2	Ra 223					
Se 79					Ra 225 Ra 226					
Kr 81					Ra 228					
Kr 85					Ac 227					
Rb 87	0.705.07	00.0	0.705.07	00.0	Th 227					
Sr 90	3.76E-07	CC 2	3.76E-07	CC 2	Th 228					
Zr 93					Th 229					
Nb 91 Nb 92					Th 230					
Nb 93m					Th 232					
Nb 94	2.8E-09	CC 2	2.8E-09	CC 2	Th 234					
Mo 93	2.02 03	00 2	2.02 00	00 2	Pa 231					
Tc 97					Pa 233					
Tc 99					U 232					
Ru 106	2.56E-08	CC 2	2.56E-08	CC 2	U 233					
Pd 107					U 234	4.8E-09	CC 2	4.8E-09	CC 2	
Ag 108m	3E-09	CC 2	3E-09	CC 2	U 235	2E-10	CC 2	2E-10	CC 2	
Ag 110m	2.72E-08	CC 2	2.72E-08	CC 2	U 236	1.8E-09	CC 2	1.8E-09	CC 2	
Cd 109		ĵ			U 238	4.8E-09	CC 2	4.8E-09	CC 2	
Cd 113m					Np 237					
Sn 119m					Pu 236					
Sn 121m					Pu 238	2E-09	CC 2	2E-09	CC 2	
Sn 123					Pu 239	1E-09	CC 2	1E-09	CC 2	
Sn 126					Pu 240	2.4E-09	CC 2	2.4E-09	CC 2	
Sb 125	6.4E-09	CC 2	6.4E-09	CC 2	Pu 241	2.93E-07	CC 2	2.93E-07	CC 2	
Sb 126					Pu 242					
Te 125m					Am 241	6.6E-09	CC 2	6.6E-09	CC 2	
Te 127m					Am 242m					
l 129					Am 243		00.0		00.0	
Cs 134	8E-09	CC 2	8E-09	CC 2	Cm 242	1.8E-09	CC 2	1.8E-09	CC 2	
Cs 135		0.5			Cm 243	4.05.00	00.0	4.05.00	00.0	
Cs 137	2.94E-07	CC 2	2.94E-07	CC 2	Cm 244	1.6E-09	CC 2	1.6E-09	CC 2	
Ba 133	2.6E-09	CC 2	2.6E-09	CC 2	Cm 245 Cm 246					
La 137					Cm 246 Cm 248					
La 138	0 GE 00	CC 2	0 65 00	CC 2	Cff 249					
Ce 144	8.6E-09	CC 2	8.6E-09	00 2	Cf 250					
Pm 145	1 715 07	CC 3	1 715 07	CC 2	Cf 250					
Pm 147	1.71E-07	CC 2	1.71E-07	CC 2	Cf 251					
Sm 147					Other a					
Sm 151	6E 00	CC 2	6E 00	CC 2	Other b/g	3.15E-07	CC 2	3.15E-07	CC 2	
Eu 152	6E-09	CC 2 CC 2	6E-09 7.2E-09	CC 2	Total a	2.7E-08	CC 2	2.7E-08	CC 2	
Eu 154	7.2E-09	CC 2	7.2E-09 4.8E-09	CC 2	Total b/g	4.2E-05	CC 2	4.2E-05	CC 2	
Eu 155	4.8E-09	00 2	4.0E-09	00 2	. J. C. C. D/ 9	1				

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined 8 Not expected to be present in significant quantity