SITE Torness

SITE OWNER EDFE NGL
WASTE CUSTODIAN EDFE NGL

WASTE TYPE LLW

Is the waste subject to Scottish Policy:

No

WASTE VOLUMES

Reported At 1.4.2022..... Stocks: 9.6 m³ Future arisings -1.4.2022 - 31.3.2027...... 77.5 m³ 1.4.2027 - 31.3.2028...... 14.4 m³ 1.4.2028 - 31.3.2029...... 57.7 m³ 1.4.2029 - 31.3.2030...... 58.1 m³ 1.4.2030 - 31.3.2031...... 57.9 m³ 1.4.2031 - 31.3.2032...... 62.5 m³ 1.4.2032 - 31.3.2033...... 46.1 m³ Total future arisings: 374.1 m³ 383.7 m³ Total waste volume:

Comment on volumes: Waste volumes will be variable depending on station operating conditions.

Uncertainty factors on Stock (upper): x 1.25 Arisings (upper) x 1.5

volumes: Stock (lower): x 0.75 Arisings (lower) x 0.5

WASTE SOURCE Waste generated from miscellaneous areas. This includes the following areas: Active Lab

Areas, Reactor Basement, Laundry Area, Active Solid Waste Building, Decontamination

Centre and Baseroom.

PHYSICAL CHARACTERISTICS

General description: The wastes generated in these areas can be non compactable e.g. metal, redundant plant

items both small and large, cabling. They can be shreddable/compactable including general bagged waste, paper, polythene, clothing, wood, rubber, lagging, vacuum bags etc. Some small amounts of contaminated asbestos may be generated during plant maintenance activities. Items that are considered suitable will be shredded and compacted into the standard 180 – litre drum. Legacy sludges treatment-Aqueos removal

followed by encapsulation and disposal.

Physical components (%wt): Metal (52%), Biodegradable- non putrescibles (18%), Plastics (non-halogenated 17%),

Rubber (5%), Wood (5%), Concrete/rubble (1%) and other (2%).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~0.219

Comment on density: Density based on raw volume and weight at arising as provided in WCH

CHEMICAL COMPOSITION

General description and components (%wt):

Metal (52%), Biodegradable- non putrescibles (18%), Plastics (non-halogenated 17%),

Rubber (5%), Wood (5%), Concrete/rubble (1%) and other (2%).

Chemical state: Neutral

Chemical form of H-3: contamination from tritiated water

radionuclides: C-14: Graphite

CI-36: To Be determined Se-79: To Be determined Tc-99: To Be determined I-129: To Be determined Ra: To Be determined Th: To Be determined U: To Be determined Np: To Be determined

Pu: To Be determined

Metals and alloys (%wt): This waste stream is variable and may contain some bulk items which will be volume

reduced by cutting, proportion of bulk items unknown. Metals ~52%

2022 Inventory

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel	~6.6		donvity
Other ferrous metals	~45.4		
Iron	NE		
Aluminium	NE		
Beryllium	NE		
Cobalt	NE		
Copper	NE		
Lead	NE		
Magnox/Magnesium	NE		
Nickel	NE		
Titanium	NE		
Uranium	NE		
Zinc	~0.03		
Zircaloy/Zirconium	NE		
Other metals	~		
Organics (%wt): The waste will conta polythene. Organics		nantities of cellulose in the form of paper,	cloth, rubber and
	(%wt)	Type(s) and comment	% of total C14
Total cellulosics	~23.0		activity
Paper, cotton	~18.0	biodegradable-non putrescibles	
Wood	~5.0		
Halogenated plastics	NE		
Total non-halogenated plastics	~17.0	General shredded plastic wastes e.g. plastic bags, sheeting, PPE	
Condensation polymers	NE		
Others	NE		
Organic ion exchange materials	0		
Total rubber	~5.0		
Halogenated rubber	NE		
Non-halogenated rubber	NE		
Hydrocarbons	~0	small qauntities may be present	
Oil or grease			
Fuel			
Asphalt/Tarmac (cont.coal tar)			
Asphalt/Tarmac (no coal tar)			
Bitumen			
Others			
Other organics	NE	Epoxy polyester paint-Coating adhered to mild steel rectangular HEPA filters	

Other materials (%wt):

OTHERS: 85.8Kg of legacy dried sludge material included in this WCH. This equates to $\sim\!0.3\%$ of % by weight. Lagging < 1 drum per year. Vacuum bags $\sim\!20$ per year. Small volume each $0.01\text{m}3\text{Asbestos}\sim1$ drum per year of low friable asbestsos contaminated waste e.g. CAF gaskets. 0.18m3.Epoxy polyester paint on HEPA filters

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	NE		
Inorganic sludges and flocs	0.31		
Soil	0		
Brick/Stone/Rubble	~1.1		
Cementitious material	~1.0		
Sand	0		
Glass/Ceramics	NE		
Graphite	0		
Desiccants/Catalysts	0		
Asbestos	~0.55		
Non/low friable	~0.18		
Moderately friable			
Highly friable			
Free aqueous liquids	0		
Free non-aqueous liquids	0		
Powder/Ash			
Inorganic anions (%wt): Inorganic anions ar	re not estim	nated but may be present in trace quantitie	S.
	(%wt)	Type(s) and comment	
Fluoride	0		
Chloride	NE		
lodide	NE		
Cyanide	0		
Carbonate	NE		
Nitrate	NE		
Nitrite	NE		
Phosphate	NE		
Sulphate	NE		
Sulphide	NE		
Materials of interest for - waste acceptance criteria:			
	(%wt)	Type(s) and comment	
Combustible metals	0		
Low flash point liquids	0		
Explosive materials	0		
Phosphorus	0		
Hydrides	0		
Biological etc. materials	0		
Biodegradable materials	~18.0		
Putrescible wastes	0		
Non-putrescible wastes	~18.0		

Corrosive materials	0
Pyrophoric materials	0
Generating toxic gases	0
Reacting with water	0
Higher activity particles	0
Soluble solids as bulk chemical compounds	0

Hazardous substances / non hazardous pollutants:

compounds	·	
ubstances / - us pollutants:		
	(%wt)	Type(s) and comment
Acrylamide	NE	
Benzene	NE	
Chlorinated solvents	NE	
Formaldehyde	NE	
Organometallics	NE	
Phenol	NE	
Styrene	NE	
Tri-butyl phosphate	0	
Other organophosphates	NE	
Vinyl chloride	0	
Arsenic	0	
Barium	NE	
Boron	0	
Boron (in Boral)	0	
Boron (non-Boral)	0	
Cadmium	0	
Caesium	0	
Selenium	0	
Chromium	0	
Molybdenum	0	
Thallium	NE	
Tin	0	
Vanadium	0	
Mercury compounds	0	
Others	NE	
Electronic Electrical Equipment (EEE)		
EEE Type 1	NE	
EEE Type 2	NE	
EEE Type 3	NE	
EEE Type 4	NE	
EEE Type 5	NE	

Complexing agents (%wt):

Potential for the waste to contain discrete items:

No.

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)	Off-site	~10.0
Incineration	Off-site	~40.0
Solidification		
Decontamination		
Metal treatment	Off-Site	~40.0
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None	Off-site	~10.0

Comment on planned treatments:

In line with the waste hierarchy, wastes will be treated preferentially by incineration, metal decontamination/melting, supercompaction, optimal packaging in HHISOs or immobilisation by encapsulation where necessary, prior to ultimate disposal at the LLW Repository. These treatments will be carried out off-site under contract with companies such as LLWR Ltd, Cyclife, Tradebe Inutec. The percentages are based on the history of consignments across the fleet of EDF Energy Nuclear Generation stations.

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository	~20.0	
Expected to be consigned to a Landfill Facility		
Expected to be consigned to an On-Site Disposal Facility		
Expected to be consigned to an Incineration Facility	~40.0	
Expected to be consigned to a Metal Treatment Facility	~40.0	
Expected to be consigned as Out of Scope		
Expected to be recycled / reused		
Disposal route not known		

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %			
	2022/23	2023/24	2024/25	
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known				

Opportunities for alternative disposal routing:

Baseline Opportunity Stream Opportunity Stream Opportunity Opportu	mated e that Opportunity ortunity Confidence realised Opportunity Confidence realised
--	--

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	20.0	~30.4	3

Other information: Waste loading is representative of the raw waste following further planned

treatments. Supercompaction assumed to reduce volume to 20% of original. Solidification assumed to increase volume to 300% of original. No treatment

results in the same volume.

Waste Planned for Disposal at the LLW Repository:

Container voidage: -

Waste Characterisation

The waste meets the LLWR's Waste Acceptance Criteria (WAC).

Form (WCH): The waste does not have a current WCH.

Expired and in process of being updated

Waste consigned for disposal to LLWR in year of generation:

No. Efforts are made to dispose of waste during year of arising, but this is dependent on rate of arising throughout the year. This is also dependent on

consignment of waste to third parties

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information:

RADIOACTIVITY

Source: The activity will come from actinides, fission products and activation products.

Uncertainty: Activity expected to be within a factor of 10.

Definition of total alpha Where totals are shown on the table of radionuclide activities they are the sums of the and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the listed beta/gamma emitting radionuclides plus 'other beta/gamma' not listed on the

datasheet

Measurement of All nuclide ratios are presented with respect to Co-60 activity. I-129 and long-lived radioactivities: actinides (Pu-239/240, Cm-243/244 and U-235/236) are decay corrected for 2 months

storage. The decay reference date is taken as the date of arising of 5th May 2015.

Other information: The specific activity will vary at various times in the history of the plant.

	N	lean radioact	ivity, TBq/m³			Mean radioactivity, TBq/m³			Mean radioactiv		tivity, TBq/m³		
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code				
H 3	3.71E-04	CC 2	3.71E-04	CC 2	Gd 153								
Be 10					Ho 163								
C 14	3.84E-06	CC 2	3.84E-06	CC 2	Ho 166m								
Na 22					Tm 170								
Al 26					Tm 171								
CI 36	1.38E-07	CC 2	1.38E-07	CC 2	Lu 174								
Ar 39					Lu 176								
Ar 42					Hf 178n								
K 40					Hf 182								
Ca 41					Pt 193								
Mn 53					TI 204								
Mn 54	3.71E-06	CC 2	3.71E-06	CC 2	Pb 205								
Fe 55	3.68E-04	CC 2	3.68E-04	CC 2	Pb 210								
Co 60	6.43E-05	CC 2	6.43E-05	CC 2	Bi 208								
Ni 59					Bi 210m								
Ni 63	5.07E-05	CC 2	5.07E-05	CC 2	Po 210								
Zn 65	6.18E-07	CC 2	6.18E-07	CC 2	Ra 223								
Se 79					Ra 225								
Kr 81					Ra 226								
Kr 85					Ra 228								
Rb 87					Ac 227								
Sr 90	1.14E-06	CC 2	1.14E-06	CC 2	Th 227								
Zr 93					Th 228								
Nb 91					Th 229								
Nb 92					Th 230								
Nb 93m					Th 232								
Nb 94	6.56E-08	CC 2	6.56E-08	CC 2	Th 234								
Mo 93					Pa 231								
Tc 97					Pa 233								
Tc 99					U 232								
Ru 106	9.39E-07	CC 2	9.39E-07	CC 2	U 233								
Pd 107					U 234	5.63E-10	CC 2	5.63E-10	CC 2				
Ag 108m	7.52E-08	CC 2	7.52E-08	CC 2	U 235								
Ag 110m	1.38E-07	CC 2	1.38E-07	CC 2	U 236	1.61E-10	CC 2	1.61E-10	CC 2				
Cd 109					U 238	1.61E-10	CC 2	1.61E-10	CC 2				
Cd 113m					Np 237	8.36E-08	CC 2	8.36E-08	CC 2				
Sn 119m					Pu 236								
Sn 121m					Pu 238	1.80E-07	CC 2	1.80E-07	CC 2				
Sn 123					Pu 239	1.04E-07	CC 2	1.04E-07	CC 2				
Sn 126					Pu 240	2.47E-07	CC 2	2.47E-07	CC 2				
Sb 125	1.66E-07	CC 2	1.66E-07	CC 2	Pu 241	1.64E-05	CC 2	1.64E-05	CC 2				
Sb 126					Pu 242								
Te 125m					Am 241	1.70E-06	CC 2	1.70E-06	CC 2				
Te 127m					Am 242m								
I 129					Am 243								
Cs 134	2.05E-07	CC 2	2.05E-07	CC 2	Cm 242	4.49E-08	CC 2	4.49E-08	CC 2				
Cs 135					Cm 243	5.63E-10	CC 2	5.63E-10	CC 2				
Cs 137	5.67E-06	CC 2	5.67E-06	CC 2	Cm 244	3.63E-08	CC 2	3.63E-08	CC 2				
Ba 133	6.41E-08	CC 2	6.41E-08	CC 2	Cm 245								
La 137					Cm 246								
La 138					Cm 248								
Ce 144	3.45E-07	CC 2	3.45E-07	CC 2	Cf 249								
Pm 145					Cf 250								
Pm 147	5.04E-07	CC 2	5.04E-07	CC 2	Cf 251								
Sm 147					Cf 252								
Sm 151					Other a								
Eu 152	1.14E-07	CC 2	1.14E-07	CC 2	Other b/g	9.30E-07	CC 2	9.30E-07	CC 2				
Eu 154	1.88E-07	CC 2	1.88E-07	CC 2	Total a	2.4E-06	CC 2	2.4E-06	CC 2				
Eu 155	1.42E-07	CC 2	1.42E-07	CC 2	Total b/g	8.89E-04	CC 2	8.89E-04	CC 2				
Eu 154	1.88E-07	CC 2	1.88E-07	CC 2	Total a	2.4E-06	CC 2	2.4E-06	СС				

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined 8 Not expected to be present in significant quantity