**SITE** Dounreay

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Dounreay Site Restoration Limited

WASTE TYPE LLW

Is the waste subject to Scottish Policy:

No

WASTE VOLUMES

WASTE VOLUMES		Reported
Stocks:	At 1.4.2022	0 m³
Future arisings -	1.4.2022 - 31.3.2023	31.8 m³
	1.4.2023 - 31.3.2024	31.8 m³
	1.4.2024 - 31.3.2025	31.9 m³
	1.4.2025 - 31.3.2026	31.8 m³
	1.4.2026 - 31.3.2027	31.8 m³
	1.4.2027 - 31.3.2028	31.8 m³
	1.4.2028 - 31.3.2029	31.9 m³
	1.4.2029 - 31.3.2030	31.8 m³
	1.4.2030 - 31.3.2031	31.8 m³
	1.4.2031 - 31.3.2032	31.8 m³
	1.4.2032 - 31.3.2033	31.9 m³
	1.4.2033 - 31.3.2034	31.8 m³
	1.4.2034 - 31.3.2035	31.8 m³
	1.4.2035 - 31.3.2036	31.8 m³
	1.4.2036 - 31.3.2037	32.6 m <sup>3</sup>
	1.4.2037 - 31.3.2038	32.7 m³
	1.4.2038 - 31.3.2039	32.7 m³
	1.4.2039 - 31.3.2040	32.7 m³
	1.4.2040 - 31.3.2041	13.0 m³
Total future arisings:		589.2 m³
Total waste volume:		589.2 m³

Comment on volumes: Arisings have been revised in line with the Predictive Waste Inventory walk round

exercise.It should be noted that programme data is based on a provisional DSRL site programme and future arisings have increased due to extended programme date.

Uncertainty factors on

**WASTE SOURCE** 

volumes:

Stock (upper): x Stock (lower): x Arisings (upper) x 1.2

tock (lower): x Arisings (lower) x 0.8

Experimental laboratories and general plant decommissioning. Plant structure materials, decontaminated items plus decommissioning process arisings.

#### PHYSICAL CHARACTERISTICS

General description:

Physical components (%vol): Aluminium (0.37%), Brick/Rubble (5.64%), Copper (2.54%), Fibreglass (0.03%), Glass

(0.03%), Lead (0.21%), Mild Steel (24.58%), Other (1.41%), Other organics (0.01%), Paper

(16.94%), Plastic (37.48%), Rubber (4.13%), Stainless steel (0.77%), Wood/ Wood

composite (5.75%), Paper / Cardboard (0.10%),

Sealed sources: Not yet determined.

Bulk density (t/m³): 0.26

Comment on density: The bulk density is based on consignor's records; D3100 Disposed Inventory Report 2020.

#### CHEMICAL COMPOSITION

General description and

components (%wt): (0.02%), Lead (0.

Aluminium (0.32%), Brick/Rubble (3.80%), Copper (7.68%), Fibreglass (0.03%), Glass (0.02%), Lead (0.78%), Mild Steel (65.15%), Other (0.47%), Paper (4.57%), Plastic (11.63%), Rubber (2.12%), Stainless steel (2.03%), Wood/ Wood composite (1.38%),

Chemical state: Neutral Chemical form of CI-36: Not likely to be present radionuclides: I-129: Likely to be present Th: May be present as contamination. U: May be present as contamination. Pu: May be present as contamination. Metals and alloys (%wt): Both sheet and bulk metals will be present, proportions not specified. (%wt) Type(s) / Grade(s) with proportions % of total C14 activity Stainless steel..... 2.0 Other ferrous metals..... Iron..... Aluminium...... 0.32 Beryllium..... Cobalt..... NE Copper..... Lead...... 0.78 Magnox/Magnesium..... Nickel..... Titanium..... Uranium..... Zinc..... Zircaloy/Zirconium..... Other metals..... **WEEE** Organics (%wt): The waste contains halogenated and non-halogenated plastic, rubber and cellulose. PVC is present. Type(s) and comment % of total C14 (%wt) activity Total cellulosics..... 6.0 Paper, cotton..... 4.6 1.4 Wood..... Halogenated plastics ..... 5.8 **PVC** Total non-halogenated plastics..... 5.8 Polyurethane, perspex, Polyester (0.08%wt)Condensation polymers..... Others..... Organic ion exchange materials.... Total rubber..... 2.1 Halogenated rubber ..... 1.1 Non-halogenated rubber..... 1.1 Hydrocarbons..... Oil or grease ..... Fuel..... Asphalt/Tarmac (cont.coal tar)... Asphalt/Tarmac (no coal tar)..... Bitumen.....

Others.....

	Other organics			
Other mater	rials (%wt):			
		(%wt)	Type(s) and comment	% of total C14
				activity
	Inorganic ion exchange materials			
	Inorganic sludges and flocs			
	SoilBrick/Stone/Rubble	2.0		
		3.8		
	Cementitious material			
	Sand	0.05	Fibragless 0.020/ glass 0.020/	
	Glass/Ceramics	0.05	Fibreglass 0.03%, glass 0.02%	
	Graphite			
	Desiccants/Catalysts			
	Asbestos			
	Non/low friable			
	Moderately friable			
	Highly friable			
	Free aqueous liquids			
	Free non-aqueous liquids			
	Powder/Ash			
Inorganic ar	nions (%wt): Trace quantities o	f inorganic a	anions may be present dependent on	operations undertaken
		(%wt)	Type(s) and comment	
	Fluoride	NE		
	Chloride	NE		
	lodide	NE		
	Cyanide	0		
	Carbonate	NE		
	Nitrate	NE		
	Nitrite	NE		
	Phosphate	NE		
	Sulphate	NE		
	Sulphide	NE		
Materials of	3		ry chemicals may be present in trace s, oxidising agents and asbestos.	quantities including
madio addo	nammable ilquids,	(%wt)	Type(s) and comment	
	Combustible metals	0	. , , , , , , , , , , , , , , , , , , ,	
		U		
	Low flash point liquids	0		
	Explosive materials	0		
	Phosphorus	0		
	Hydrides	0		
	Biological etc. materials	0		
	Biodegradable materials	0		

Putrescible wastes	0	
Non-putrescible wastes	0	
Corrosive materials		
Pyrophoric materials	0	
Generating toxic gases		
Reacting with water		
Higher activity particles	NE	
Soluble solids as bulk chemical compounds	0	
Hazardous substances / Lead is present in transon hazardous pollutants:	ce quantiti	es. Asbestos may be present in trace quantities.
	(%wt)	Type(s) and comment
Acrylamide		
Benzene	NE	
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol	NE	
Styrene		
Tri-butyl phosphate	NE	
Other organophosphates		
Vinyl chloride	NE	
Arsenic	NE	
Barium		
Boron	NE	
Boron (in Boral)		
Boron (non-Boral)		
Cadmium	NE	
Caesium		
Selenium	NE	
Chromium	NE	
Molybdenum	NE	
Thallium		
Tin	NE	
Vanadium	NE	
Mercury compounds		
Others	NE	
Electronic Electrical Equipment (EEE)		
EEE Type 1	0.32	Electrical component of items such as samplers
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		

Complexing agents (%wt):	Not yet determined		
		(%wt)	Type(s) and comment
EDTA			
DPTA			
NTA			
Polycarboxylic a	cids		
Other organic co	mplexants		DECON 90 may be present in trace quantities.
Total complexing	g agents	TR	

Potential for the waste to contain discrete items:

Yes. A combination of of the following is POTENTIALLY applicable: Durable engineered steel structures, Hand tools, Cut concrete blocks, Uncompacted

200l drums

### TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)	On-site	92.0
Incineration		
Solidification	On-site	100.0
Decontamination		
Metal treatment		
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None		

Comment on planned treatments:

Uncompacted drums will be supercompacted before being placed in HHISOs. The waste will be encapsulated before final disposal. DSRL has begun trialling alternative waste treatment routes in particular Metal Treatment. These opportunities however, are not yet fully established waste routes.

#### **Disposal Routes:**

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	~1.8

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %				
Disposal Noute	2022/23 2023/24 202				
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known					

#### Opportunities for alternative disposal routing: Yes

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
Onsite disposal	Incineration	88.0	-	Low	This opportunity is at an early stage of development. A small scale trial is expected to take place in FY22/23. The timing is dependent on the noncontainerised waste tasks which will generate the wastes.
Onsite disposal	Metal treatment	8.0	2022/23	High	Trial is underway to open the Metal Treatment Route

#### **Waste Packaging for Disposal:**

Container	Stream volume %	Waste loading m <sup>3</sup>	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	100.0	28.6	21

Other information: The waste will be loaded into an alternative non-IP2 rated LLW Disposal

HHISO for transfer to the DSRL LLW Disposal Facility. Each HHISO may have LLW items from other waste streams in the final HHISO. High waste loading

fraction due to mainly compacted wastes.

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage:

Waste Characterisation

Form (WCH):

Waste consigned for disposal to LLWR in

year of generation:

**Non-Containerised Waste for In-Vault Grouting:** (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation:

Bounding cuboidal volume:

Inaccessible voidage:

Other information:

**RADIOACTIVITY** 

Source: Originally from irradiated PFR fuel. Radioactivity is principally associated with second cycle

raffinate.

Uncertainty: Within a factor of ten.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

Consignor's records

Other information: Specific Activity uses UKRWI 2019 data decayed to 2022

#### **WASTE STREAM Development Laboratory LLW** 5B311

	Mean radioactivity, TBq/m³				Mean radioactivity, TBq/m³				
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3					Gd 153				
Be 10					Ho 163				
C 14					Ho 166m				
Na 22					Tm 170				
AI 26					Tm 171				
CI 36					Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
Mn 53					TI 204				
Mn 54					Pb 205				
Fe 55					Pb 210				
Co 60			2.39E-08	CC 2	Bi 208				
Ni 59					Bi 210m				
Ni 63					Po 210				
Zn 65					Ra 223				
Se 79					Ra 225				
Kr 81					Ra 226				
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90			3.96E-07	CC 2	Th 227				
Zr 93					Th 228				
Nb 91					Th 229				
Nb 92					Th 230				
Nb 93m					Th 232				
Nb 94					Th 234				
Mo 93					Pa 231				
Tc 97					Pa 233				
Tc 99					U 232				
Ru 106			4.81E-08	CC 2	U 233				
Pd 107					U 234			5.25E-08	CC 2
Ag 108m					U 235			1.48E-09	CC 2
Ag 110m					U 236			3.99E-10	CC 2
Cd 109					U 238			2.68E-09	CC 2
Cd 113m					Np 237				
Sn 119m					Pu 236				
Sn 121m					Pu 238			8.42E-07	CC 2
Sn 123					Pu 239			8.39E-07	CC 2
Sn 126					Pu 240			7.31E-07	CC 2
Sb 125			4.04E-07	CC 2	Pu 241			3.12E-05	CC 2
Sb 126					Pu 242			4.00E-11	CC 2
Te 125m			9.01E-08	CC 2	Am 241			1.21E-06	CC 2
Te 127m					Am 242m			8.22E-10	CC 2
I 129					Am 243				
Cs 134			8.13E-09	CC 2	Cm 242			7.65E-10	CC 2
Cs 135					Cm 243				
Cs 137			1.14E-06	CC 2	Cm 244			7.43E-09	CC 2
Ba 133					Cm 245				
La 137					Cm 246				
La 138					Cm 248				
Ce 144					Cf 249				
Pm 145					Cf 250				
Pm 147			4.52E-08	CC 2	Cf 251				
Sm 147			5.01E-19	CC 2	Cf 252				
Sm 151			2.10E-08	CC 2	Other a				
Eu 152					Other b/g				
Eu 154			1.74E-08	CC 2	Total a	0		3.69E-06	CC 2
Eu 155			1.59E-08	CC 2	Total b/g	0		3.34E-05	CC 2
	1					<u> </u>			<b>-</b>

### Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100 E a factor of 1000

Bands quantify uncertainty in mean radioactivity.

### Code

- 1 Measured activity

- 1 Measured activity
  2 Derived activity (best estimate)
  3 Derived activity (upper limit)
  4 Not present
  5 Present but not significant
  6 Likely to be present but not assessed
  7 Present in significant quantities but not determined
  8 Not expected to be present in significant quantity