

SITE Dounreay
SITE OWNER Nuclear Decommissioning Authority
WASTE CUSTODIAN Dounreay Site Restoration Limited
WASTE TYPE LLW
 Is the waste subject to Scottish Policy: No

WASTE VOLUMES

| | Reported |
|---------------------------|---------------------|
| Stocks: | At 1.4.2022..... |
| Future arisings - | 0 m ³ |
| 1.4.2022 - 31.3.2023..... | 4.4 m ³ |
| 1.4.2023 - 31.3.2024..... | 4.4 m ³ |
| 1.4.2024 - 31.3.2025..... | 4.4 m ³ |
| 1.4.2025 - 31.3.2026..... | 4.4 m ³ |
| 1.4.2026 - 31.3.2027..... | 4.4 m ³ |
| 1.4.2027 - 31.3.2028..... | 4.4 m ³ |
| 1.4.2028 - 31.3.2029..... | 4.4 m ³ |
| 1.4.2029 - 31.3.2030..... | 4.4 m ³ |
| 1.4.2030 - 31.3.2031..... | 4.4 m ³ |
| 1.4.2031 - 31.3.2032..... | 4.4 m ³ |
| 1.4.2032 - 31.3.2033..... | 4.4 m ³ |
| 1.4.2033 - 31.3.2034..... | 4.4 m ³ |
| 1.4.2034 - 31.3.2035..... | 4.4 m ³ |
| 1.4.2035 - 31.3.2036..... | 4.4 m ³ |
| 1.4.2036 - 31.3.2037..... | 4.4 m ³ |
| 1.4.2037 - 31.3.2038..... | 4.4 m ³ |
| 1.4.2038 - 31.3.2039..... | 4.4 m ³ |
| 1.4.2039 - 31.3.2040..... | 4.4 m ³ |
| 1.4.2040 - 31.3.2041..... | 12.0 m ³ |
| 1.4.2041 - 31.3.2042..... | 0.2 m ³ |
| Total future arisings: | 91.4 m ³ |
| Total waste volume: | 91.4 m ³ |

Comment on volumes: Arisings are in line with Predictive Waste Inventory. Stocks will be captured under 5B15 and 5B16. it should be noted that DSRL are currently using a provisional site programme and that arisings dates are subject to change.

Uncertainty factors on volumes: Stock (upper): x Arisings (upper) x 1.02
 Stock (lower): x Arisings (lower) x 0.98

WASTE SOURCE Waste from the decommissioning of the Active Laundry

PHYSICAL CHARACTERISTICS

General description: Building Structure Materials

Physical components (%vol): Asbestos (0.41%), Asphalt (0.77%), Brick/Rubble (15.96%), Ceramics (0.06%), Glass (0.19%), Gypsum Plasterboard/ Fibreboard (1.54%), Mild Steel (17.57%), Other (2.37%), Paper (4.87%), Plastic (11.89%), Rubber (0.08%), Wood/ Wood composite (44.30%),

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): 0.43

Comment on density: The Bulk density is based on D3100 Disposed Inventory Report - 2020

CHEMICAL COMPOSITION

General description and components (%wt): Asbestos (0.45%), Asphalt (0.77%), Brick/Rubble (14.30%), Ceramics (0.10%), Glass (0.21%), Gypsum Plasterboard/ Fibreboard (0.44%), Mild Steel (61.87%), Other (1.06%), Paper (1.74%), Plastic (4.90%), Rubber (0.06%), Wood/ Wood composite (14.09%),

WASTE STREAM**5B353****Active Laundry**

Chemical state: Neutral

Chemical form of radionuclides: U: Uranium contamination is likely
Pu: Plutonium contamination is likely

Metals and alloys (%wt): -

| | (%wt) | Type(s) / Grade(s) with proportions | % of total C14 activity |
|---------------------------|-------|-------------------------------------|-------------------------|
| Stainless steel..... | | | |
| Other ferrous metals..... | 61.9 | | |
| Iron..... | | | |
| Aluminium..... | | | |
| Beryllium..... | | | |
| Cobalt..... | | | |
| Copper..... | | | |
| Lead..... | | | |
| Magnox/Magnesium..... | | | |
| Nickel..... | | | |
| Titanium..... | | | |
| Uranium..... | | | |
| Zinc..... | | | |
| Zircaloy/Zirconium..... | | | |
| Other metals..... | 1.1 | adjusted to get 100% | |

Organics (%wt): -

| | (%wt) | Type(s) and comment | % of total C14 activity |
|------------------------------------|-------|---------------------|-------------------------|
| Total cellulosics..... | 15.8 | | |
| Paper, cotton..... | 1.7 | | |
| Wood..... | 14.1 | | |
| Halogenated plastics | 2.5 | | |
| Total non-halogenated plastics.... | 2.5 | | |
| Condensation polymers..... | | | |
| Others..... | 2.5 | | |
| Organic ion exchange materials.... | | | |
| Total rubber..... | 0.06 | | |
| Halogenated rubber | 0.03 | | |
| Non-halogenated rubber..... | 0.03 | | |
| Hydrocarbons..... | 0.77 | | |
| Oil or grease | | | |
| Fuel..... | | | |
| Asphalt/Tarmac (cont.coal tar)... | 0.39 | | |
| Asphalt/Tarmac (no coal tar).... | 0.39 | | |
| Bitumen..... | | | |
| Others..... | | | |
| Other organics..... | | | |

Other materials (%wt): Asbestos is Chrysotile; Low Risk category on Site Asbestos Register

WASTE STREAM**5B353****Active Laundry**

| | (%wt) | Type(s) and comment | % of total C14 activity |
|------------------------------------|-------|-----------------------|-------------------------|
| Inorganic ion exchange materials.. | | | |
| Inorganic sludges and flocs..... | | | |
| Soil..... | | | |
| Brick/Stone/Rubble..... | 14.7 | Bricks + plasterboard | |
| Cementitious material..... | | | |
| Sand..... | | | |
| Glass/Ceramics..... | 0.31 | ceramics + glass | |
| Graphite..... | | | |
| Desiccants/Catalysts..... | | | |
| Asbestos..... | 0.45 | | |
| Non/low friable..... | | | |
| Moderately friable..... | | | |
| Highly friable..... | | | |
| Free aqueous liquids..... | | | |
| Free non-aqueous liquids..... | | | |
| Powder/Ash..... | | | |

Inorganic anions (%wt):

-

| | (%wt) | Type(s) and comment |
|----------------|-------|---------------------|
| Fluoride..... | | |
| Chloride..... | | |
| Iodide..... | | |
| Cyanide..... | | |
| Carbonate..... | | |
| Nitrate..... | | |
| Nitrite..... | | |
| Phosphate..... | | |
| Sulphate..... | | |
| Sulphide..... | | |

Materials of interest for
waste acceptance criteria:

-

| | (%wt) | Type(s) and comment |
|--------------------------------|-------|---------------------|
| Combustible metals..... | | |
| Low flash point liquids..... | | |
| Explosive materials..... | | |
| Phosphorus..... | | |
| Hydrides..... | | |
| Biological etc. materials..... | | |
| Biodegradable materials..... | | |
| Putrescible wastes..... | | |
| Non-putrescible wastes..... | | |

Corrosive materials.....
 Pyrophoric materials.....
 Generating toxic gases.....
 Reacting with water.....
 Higher activity particles.....
 Soluble solids as bulk chemical compounds.....

Hazardous substances / -
 non hazardous pollutants:

| | (%wt) | Type(s) and comment |
|---------------------------------------|-------|-----------------------------|
| Acrylamide..... | | |
| Benzene..... | | |
| Chlorinated solvents..... | | |
| Formaldehyde..... | | |
| Organometallics..... | | |
| Phenol..... | | |
| Styrene..... | | |
| Tri-butyl phosphate..... | | |
| Other organophosphates..... | | |
| Vinyl chloride..... | | |
| Arsenic..... | | |
| Barium..... | | |
| Boron..... | | |
| Boron (in Boral)..... | | |
| Boron (non-Boral)..... | | |
| Cadmium..... | | |
| Caesium..... | | |
| Selenium..... | | |
| Chromium..... | | |
| Molybdenum..... | | |
| Thallium..... | | |
| Tin..... | | |
| Vanadium..... | | |
| Mercury compounds..... | | |
| Others..... | | |
| Electronic Electrical Equipment (EEE) | | |
| EEE Type 1..... | 0.86 | Monitors, Electrical panels |
| EEE Type 2..... | | |
| EEE Type 3..... | | |
| EEE Type 4..... | | |
| EEE Type 5..... | | |

WASTE STREAM**5B353****Active Laundry**

Complexing agents (%wt):

| | (%wt) | Type(s) and comment |
|--------------------------------|-------|---------------------|
| EDTA..... | | |
| DPTA..... | | |
| NTA..... | | |
| Polycarboxylic acids..... | | |
| Other organic complexants..... | | |
| Total complexing agents..... | | |

Potential for the waste to contain discrete items:

Yes. Waste has potential to contain contaminated hand tools and durable engineered structural items.

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

| Treatment | On-site / Off site | Stream volume % |
|-----------------------|--------------------|-----------------|
| Low force compaction | | |
| Supercompaction (HFC) | On-site | 93.0 |
| Incineration | | |
| Solidification | On-site | 100.0 |
| Decontamination | | |
| Metal treatment | | |
| Size reduction | | |
| Decay storage | | |
| Recycling / reuse | | |
| Other / various | | |
| None | | |

Comment on planned treatments:

Uncompacted drums will be supercompacted before being placed in HHISOs. The waste will be encapsulated before final disposal. DSRL has begun trailing alternative waste treatment routes in particular Metal Treatment. These opportunities, however, are not yet fully established waste routes.

Disposal Routes:

| Disposal Route | Stream volume % | Disposal density t/m3 |
|--|-----------------|-----------------------|
| Expected to be consigned to the LLW Repository | | |
| Expected to be consigned to a Landfill Facility | | |
| Expected to be consigned to an On-Site Disposal Facility | 100.0 | ~1.8 |
| Expected to be consigned to an Incineration Facility | | |
| Expected to be consigned to a Metal Treatment Facility | | |
| Expected to be consigned as Out of Scope | | |
| Expected to be recycled / reused | | |
| Disposal route not known | | |

Classification codes for waste expected to be consigned to a landfill facility:

-

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

| Disposal Route | Stream volume % | | |
|--|-----------------|---------|---------|
| | 2022/23 | 2023/24 | 2024/25 |
| Expected to be consigned to the LLW Repository | | | |
| Expected to be consigned to a Landfill Facility | | | |
| Expected to be consigned to an On-Site Disposal Facility | | | |
| Expected to be consigned to an Incineration Facility | | | |
| Expected to be consigned to a Metal Treatment Facility | | | |
| Expected to be consigned as Out of Scope | | | |
| Expected to be recycled / reused | | | |
| Disposal route not known | | | |

WASTE STREAM**5B353****Active Laundry****Opportunities for alternative disposal routing:** Yes

| Baseline Management Route | Opportunity Management Route | Stream volume (%) | Estimated Date that Opportunity will be realised | Opportunity Confidence | Comment |
|---------------------------|------------------------------|-------------------|--|------------------------|--|
| Onsite disposal | Incineration | 91.0 | - | Low | This opportunity is still at an early stage of development. A small scale trial is expected to take place in FY2022/23. The timing is dependent on the non-containerised waste tasks which will generate the wastes. |

Waste Packaging for Disposal:

| Container | Stream volume % | Waste loading m ³ | Number of packages |
|--|-----------------|------------------------------|--------------------|
| 1/3 Height IP-1 ISO | | | |
| 2/3 Height IP-2 ISO | | | |
| 1/2 Height WAMAC IP-2 ISO | | | |
| 1/2 Height IP-2 Disposal/Re-usable ISO | | | |
| 2m box (no shielding) | 100.0 | 30 | 4 |
| 4m box (no shielding) | | | |
| Other | | | |

Other information:

The waste will consist of large uncompactable items and 200 litre drums that have already been compacted. The waste will be loaded into alternative non - IP2 rated LLW Disposal HHISO for transfer to the DSRL LLW Disposal Facility. Each HHISO may have other LLW items in the final HHISO.

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage:

-

Waste Characterisation Form (WCH):

-

Waste consigned for disposal to LLWR in year of generation:

-

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

-

Waste stream variation:

-

Bounding cuboidal volume:

-

Inaccessible voidage:

-

Other information:

-

RADIOACTIVITY

Source:

-

Uncertainty:

Factor of 10

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

Derived activity from consignment information

Other information:

Specific Activity uses UKRWI 2019 data decayed to 2022

WASTE STREAM

5B353

Active Laundry

| Nuclide | Mean radioactivity, TBq/m ³ | | | | Nuclide | Mean radioactivity, TBq/m ³ | | | |
|---------|--|-------------------|--------------------|-------------------|-----------|--|-------------------|--------------------|-------------------|
| | Waste at 1.4.2022 | Bands and Code | Future arisings | Bands and Code | | Waste at 1.4.2022 | Bands and Code | Future arisings | Bands and Code |
| H 3 | | | | | Gd 153 | | | | |
| Be 10 | | | | | Ho 163 | | | | |
| C 14 | | | | | Ho 166m | | | | |
| Na 22 | | | | | Tm 170 | | | | |
| Al 26 | | | | | Tm 171 | | | | |
| Cl 36 | | | | | Lu 174 | | | | |
| Ar 39 | | | | | Lu 176 | | | | |
| Ar 42 | | | | | Hf 178n | | | | |
| K 40 | | | | | Hf 182 | | | | |
| Ca 41 | | | | | Pt 193 | | | | |
| Mn 53 | | | | | Tl 204 | | | | |
| Mn 54 | | | | | Pb 205 | | | | |
| Fe 55 | | | | | Pb 210 | | | | |
| Co 60 | | | 6.83E-08 | CC 2 | Bi 208 | | | | |
| Ni 59 | | | | | Bi 210m | | | | |
| Ni 63 | | | | | Po 210 | | | | |
| Zn 65 | | | | | Ra 223 | | | | |
| Se 79 | | | | | Ra 225 | | | | |
| Kr 81 | | | | | Ra 226 | | | | |
| Kr 85 | | | | | Ra 228 | | | | |
| Rb 87 | | | 9.79E-07 | CC 2 | Ac 227 | | | | |
| Sr 90 | | | | | Th 227 | | | | |
| Zr 93 | | | | | Th 228 | | | | |
| Nb 91 | | | | | Th 229 | | | | |
| Nb 92 | | | | | Th 230 | | | | |
| Nb 93m | | | | | Th 232 | | | | |
| Nb 94 | | | | | Th 234 | | | | |
| Mo 93 | | | | | Pa 231 | | | | |
| Tc 97 | | | | | Pa 233 | | | | |
| Tc 99 | | | | | U 232 | | | | |
| Ru 106 | | | | | U 233 | | | | |
| Pd 107 | | | | | U 234 | | 1.13E-07 | CC 2 | |
| Ag 108m | | | | | U 235 | | 3.34E-09 | CC 2 | |
| Ag 110m | | | | | U 236 | | 7.51E-09 | CC 2 | |
| Cd 109 | | | | | U 238 | | 2.34E-08 | CC 2 | |
| Cd 113m | | | | | Np 237 | | | | |
| Sn 119m | | | | | Pu 236 | | | | |
| Sn 121m | | | | | Pu 238 | | 1.13E-07 | CC 2 | |
| Sn 123 | | | | | Pu 239 | | 2.44E-07 | CC 2 | |
| Sn 126 | | | | | Pu 240 | | 1.33E-07 | CC 2 | |
| Sb 125 | | | | | Pu 241 | | 3.86E-06 | CC 2 | |
| Sb 126 | | | | | Pu 242 | | | | |
| Te 125m | | | | | Am 241 | | 1.93E-07 | CC 2 | |
| Te 127m | | | | | Am 242m | | | | |
| I 129 | | | | | Am 243 | | | | |
| Cs 134 | | | | | Cm 242 | | | | |
| Cs 135 | | | | | Cm 243 | | | | |
| Cs 137 | | | 2.01E-06 | CC 2 | Cm 244 | | | 1.26E-08 | CC 2 |
| Ba 133 | | | | | Cm 245 | | | | |
| La 137 | | | | | Cm 246 | | | | |
| La 138 | | | | | Cm 248 | | | | |
| Ce 144 | | | | | Cf 249 | | | | |
| Pm 145 | | | | | Cf 250 | | | | |
| Pm 147 | | | 1.30E-07 | CC 2 | Cf 251 | | | | |
| Sm 147 | | | | | Cf 252 | | | | |
| Sm 151 | | | | | Other a | | | | |
| Eu 152 | | | | | Other b/g | | | | |
| Eu 154 | | | | | Total a | 0 | | 8.42E-07 | CC 2 |
| Eu 155 | | | | | Total b/g | 0 | | 7.05E-06 | CC 2 |

Bands (Upper and Lower)

A a factor of 1.5

B a factor of 3

C a factor of 10

D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

1 Measured activity

2 Derived activity (best estimate)

3 Derived activity (upper limit)

4 Not present

5 Present but not significant

6 Likely to be present but not assessed

7 Present in significant quantities but not determined

8 Not expected to be present in significant quantity