SITE Harwell

SITE OWNER **Nuclear Decommissioning Authority**

WASTE CUSTODIAN Magnox Limited

ILW WASTE TYPE

Is the waste subject to Scottish Policy:

No

WASTE VOLUMES

Reported

Stocks: At 1.4.2022..... 19.1 m³

 $0 \, \text{m}^3$ Total future arisings:

Total waste volume: 19.1 m³

Comment on volumes: Waste retrieved under waste stream ID 5C30 that requires further treatment is included in

the volume above. This waste stream represents ILW that has been retrieved from storage tubes under stream 5C30 and is now stored in 500 litre drums awaiting further work prior to grouting. These are known as Waste Requiring Additional Treatment (WRATs). The

volume given is the volume of waste cans, not the outer 500 litre drums.

Uncertainty factors on

Stock (upper):

x 1.05 Arisings (upper)

х

volumes:

Stock (lower): x 0.95

Arisings (lower)

Operational solid wastes from research reactors and active cells performing a wide variety **WASTE SOURCE**

of tasks, including fuel examination, source production and others. Redundant sources,

notably Co60, Am/Be and Pu238. This waste represents legacy ILW in B462.

PHYSICAL CHARACTERISTICS

Laboratory/ cell wastes, sources, cut-up experimental rigs, glassware and concrete. Most General description:

wastes in cans (max 50 litres). Some wastes (including liquids) have been cemented or encapsulated in polymer. Some solids have been subject to low-force compaction.

Physical components (%vol): Miscellaneous canned wastes (95%), bulk items (5%).

Sealed sources: The waste contains sealed sources.

Bulk density (t/m3): ~0.8

Comment on density: Estimate- mass data not available for many items.

CHEMICAL COMPOSITION

General description and

components (%wt):

Ferrous metal (>21%), other metals (<38%), plastics (<16%), cellulose(<12%) and others. Note that this does not include the steel containers, most of which are diverted to LLW.

Chemical state: Neutral

Chemical form of radionuclides:

H-3: H3 is principally present as a metal activation product with some absorption from

D2O/H3 gas

C-14: C-14 is associated with labelled organic compounds and activation of metals Ra: Radium may be present in a variety of forms, principally oxide, nitrate and sulphate.

Th: Thorium is principally present as metal or oxide and in irradiated fuel.

U: Uranium may be present in a variety of forms, principally oxide, metal and fuel. Pu: Plutonium may be present in a variety of forms, principally oxide and metal fuel.

Metals and alloys (%wt): Metal is present in a large range of thicknesses.

> Type(s) / Grade(s) with proportions % of total C14 (%wt) activity

Stainless steel.....

Other ferrous metals..... ~21.0 The identity of steels/other alloys is

unknown

Iron.....

Aluminium...... ~33.0

Beryllium...... 0 Cobalt.....

Copper	. ~0.40					
Lead	. ~0.60					
Magnox/Magnesium	. TR					
Nickel						
Titanium						
Uranium	. <0.01					
Zinc	. TR					
Zircaloy/Zirconium	~0.50					
Other metals	. ~4.0	Other metals inlcude uranium, europium, cobalt, magnesium, tin, nickel and trace mercury.				
Organics (%wt): Complexing agents TBP, oxalate etc.).	may be pr	esent at trace levels in a few packages (e.	g. EDTA, citrate,			
	(%wt)	Type(s) and comment	% of total C14 activity			
Total cellulosics	~12.0					
Paper, cotton	~11.8					
Wood	~0.20					
Halogenated plastics	<13.0	PVC and PTFE				
Total non-halogenated plastics	<9.9					
Condensation polymers	~0.40					
Others	<9.5					
Organic ion exchange materials	~0.03					
Total rubber	<0.50					
Halogenated rubber	<0.25	Neoprene and hypalon				
Non-halogenated rubber	<0.25					
Hydrocarbons						
Oil or grease						
Fuel						
Asphalt/Tarmac (cont.coal tar)						
Asphalt/Tarmac (no coal tar)						
Bitumen						
Others						
Other organics	<0.10					
Other materials (%wt): Other inert inorganics present include vermiculite and Mor-dri (~.4%)						
	(%wt)	Type(s) and comment	% of total C14 activity			
Inorganic ion exchange materials	Р					
Inorganic sludges and flocs	0					
Soil	0					
Brick/Stone/Rubble	0					
Cementitious material	~2.0					
Sand						
Glass/Ceramics	~1.5					
Graphite	~0.10					

Desiccants/Catalysts		
Asbestos	~0	Exact data unavailable
Non/low friable		
Moderately friable		
Highly friable		
Free aqueous liquids	<0.01	
Free non-aqueous liquids	<0.01	
Powder/Ash	Р	
ions (%wt): Chlorides are prese	ent as eute	ctic powder.
	(%wt)	Type(s) and comment

Inorganic anic

(70111)	Typo(o) and comme
<0.01	
<1.0	
<0.01	
NE	
<0.10	
<0.10	
<0.10	
<0.10	
<0.10	
<0.10	
	<0.01 <1.0 <0.01 NE <0.10 <0.10 <0.10 <0.10 <0.10

Materials of interest for waste acceptance criteria: Combustible/ pyrophoric metals comprise finely divided metals, possibly reactive ones. Free liquids will be immobilised in cement before packaging. There are trace levels of asbestos present in the waste. Powders are present principally from degradation of plastics and corrosion of mild steel. Cans retrieved to date contain <<1% on average.

	(%wt)	Type(s) and comment
Combustible metals	<0.10	
Low flash point liquids	<0.01	
Explosive materials	<0.01	
Phosphorus	<0.01	
Hydrides	<0.01	
Biological etc. materials	<0.01	
Biodegradable materials	0.01	
Putrescible wastes	<0.01	
Non-putrescible wastes		
Corrosive materials	<0.01	
Pyrophoric materials	<0.01	
Generating toxic gases	<0.01	
Reacting with water	<0.01	
Higher activity particles		
Soluble solids as bulk chemical compounds		

Hazardous substances / non hazardous pollutants:

Complexing

Cadmium (0.02vol%)and beryllium (0.003vol%) are present in massive form or part of other materials. Mercury/ mercuric compounds are present in <5 cans. Lead is thought only to be present as bulk metal, in which form it does not require consideration as special waste.

	(%wt)	Type(s) and comment
Acrylamide		
Benzene		
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic		
Barium		
Boron	0	
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum		
Thallium		
Tin		
Vanadium		
Mercury compounds		
Others		
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		
agents (%wt): Yes		
	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		
Polycarboxylic acids		
Other organic complexants		
Total complexing agents	TR	

Potential for the waste to contain discrete items:

Not yet determined. In & of itself not a DI; waste stream may include DIs as

defined elsewhere (notably any stainless steel components)

PACKAGING AND CONDITIONING

The waste is removed from its storage cans and treated prior to packaging into Conditioning method:

> enhanced 500 litre drums. At this point it is reclassed as 5C52 and stored pending availability of the conditioning plant. A proportion of the waste stream, including the

cans, may be reclassified as CHILW/ LLW and processed accordingly.

Plant Name: Head End Cells (HEC)

Location: Harwell

Plant startup date:

Total capacity ~24.0

(m³/y incoming waste):

Target start date for packaging this stream:

Throughput for this stream (m³/y incoming waste):

~24.0

Other information: Reference plans are to complete waste packaging by 2023, increasing throughput

annually. See 5C52 for details of conditioning plant.

Likely container

type:

Container	Waste packaged (%vol)	Waste loading (m³)	Payload (m³)	Number of packages
500 I drum (pre-cast annular)	100.0	0.4	0.4	48

The waste loading varies greatly according to the precise nature of the raw wastes. The Likely container type comment:

above loading is the reference value for planning purposes. Drums packed to date have

averaged ~0.4m3.

Range in container waste

volume:

Significant variation in waste loading is expected, based upon the precise nature of the

wastes being packaged at any time, and limits applying to their contents.

Other information on

containers:

316L Stainless Steel with cement annulus.

Likely conditioning matrix:

Pulverised Fly Ash / Ordinary Portland Cement

Other information:

3:1 PFA:OPC w/s 0.42

Conditioned density (t/m³):

Conditioned density

comment:

~2.0 Density will vary according to nature of individual drum contents.

Other information on

conditioning:

Opportunities for alternative

disposal routing:

Baseline

Opportunity Management Route Management Route

Stream volume (%)

Estimated Date that Opportunity will be realised

Opportunity Confidence

Comment

RADIOACTIVITY

Source: Activated and contaminated items from historic R&D activities on the Harwell site, including

standard sources and fuel samples.

Uncertainty: Activities have been calculated from records in the B462 waste database.

2022 Inventory

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

Variety of techniques according to waste type/ source and time of consignment. Typically based on gamma dose measurements and/ or fuel/ item masses where appropriate.

Other information:

_

	Mean radioactivity, TBq/m³			Mean radioactivity, TBq/m³					
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	7.78E-01	CC 2			Gd 153	3.58E-05	BB 2		
Be 10		8			Ho 163		8		
C 14	3.53E-05	CC 2			Ho 166m		8		
Na 22		8			Tm 170		8		
AI 26		8			Tm 171		8		
CI 36	4.25E-05	BB 2			Lu 174		8		
Ar 39		8			Lu 176		8		
Ar 42		8			Hf 178n		8		
K 40	1.31E-05	BC 2			Hf 182		8		
Ca 41	3.84E-06	BB 2			Pt 193		8		
Mn 53		8			TI 204		8		
Mn 54	1.03E-09	CC 2			Pb 205		8		
Fe 55	1.02E-03	BB 2			Pb 210	9.05E-05	BC 2		
Co 60	5.68E+00	BB 2			Bi 208		8		
Ni 59	1.46E-02	BB 2			Bi 210m		8		
Ni 63	1.01E+00	BB 2			Po 210	9.21E-05	CC 2		
Zn 65		8			Ra 223	1.51E-02	CC 2		
Se 79		6			Ra 225		8		
Kr 81		8			Ra 226		8		
Kr 85	5.33E-03	BB 2			Ra 228		8		
Rb 87		8			Ac 227	1.5E-02	CC 2		
Sr 90		8			Th 227	1.48E-02	CC 2		
Zr 93		8			Th 228		8		
Nb 91		8			Th 229		8		
Nb 92		8			Th 230		8		
Nb 93m	2.62E-04	BB 2			Th 232		8		
Nb 94	3.57E-04	BB 2			Th 234		8		
Mo 93	9.19E-05	BC 2			Pa 231	2.87E-05	BC 2		
Tc 97		8			Pa 233	7.42E-06	CC 2		
Tc 99		8			U 232		8		
Ru 106		8			U 233		8		
Pd 107		6			U 234	1.56E-06	CC 2		
Ag 108m	6.06E-04	BB 2			U 235		8		
Ag 110m		8			U 236	1.95E-08	CC 2		
Cd 109	3.20E-08	BB 2			U 238		8		
Cd 113m	1.77E-02	BB 2			Np 237	7.43E-06	CC 2		
Sn 119m		8			Pu 236		8		
Sn 121m		8			Pu 238	5.93E-02	CC 2		
Sn 123		8			Pu 239	1.1E-01	CC 2		
Sn 126		8			Pu 240	7.31E-02	CC 2		
Sb 125		8			Pu 241	2.07E+00	CC 2		
Sb 126		8			Pu 242	8.99E-05	CC 2		
Te 125m		8			Am 241	2.87E-01	CC 2		
Te 127m	2 5 4 5 00	8 PP 2			Am 242m	2.98E-07	BC 2		
l 129	2.54E-06	BB 2			Am 243	1.82E-04	CC 2		
Cs 134	1.43E-05	BB 2			Cm 242	2.46E-07	CC 2		
Cs 135	4.25E-07	BC 2			Cm 243	1.18E-07	CC 2		
Cs 137	5.03E+00	BB 2			Cm 244	3.40E-02	CC 2		
Ba 133	9.69E-06	BB 2			Cm 245	3.25E-09	BC 2		
La 137		8			Cm 246		8		
La 138 Ce 144	7 50E 07	8 BB 2			Cm 248 Cf 249		8 8		
Pm 145	7.58E-07				Cf 249 Cf 250		8		
	1 295 02	8 BB 2					8		
Pm 147 Sm 147	1.28E-03	8 BB 2			Cf 251 Cf 252	1.08E-07	CC 2		
Sm 147 Sm 151		8			Other a	1.00E-07	00 2		
Eu 152	5.01E-01	BB 2			Other b/g				
Eu 152 Eu 154	<1.16E+00	C 3			Total a	5.94E-01	CC 2	0	
Eu 154 Eu 155	<3.11E-05	C 3			Total a		CC 2	0	
Lu 133	\J.11L-05	O J			i otai b/g	1.63E+01	00 2	!	

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10

D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity