WASTE STREAM 9B28 Miscellaneous Activated Components - R1

SITE Bradwell

SITE OWNER **Nuclear Decommissioning Authority**

WASTE CUSTODIAN Magnox Limited

ILW; SPD3 **WASTE TYPE**

Is the waste subject to

Scottish Policy:

Nο

WASTE VOLUMES

Reported

Stocks: At 1.4.2022..... 81.0 m³

Total future arisings: $0 \, \text{m}^3$

Total waste volume: 81.0 m³

Comment on volumes: Contents in some accumulation facilities have been estimated from photographs, and the

volumes represent upper limits.

Uncertainty factors on

WASTE SOURCE

Stock (upper): x 1.2 Arisings (upper)

volumes:

Stock (lower): x 0.8

Arisings (lower) Χ

Redundant or defective components and equipment removed from the reactor core and

the fuelling machines.

PHYSICAL CHARACTERISTICS

General description: Components such as control rods, absorber bars, thermocouples, fuelling machine grabs,

and hoist cables. The possibility of large items which may need special handling has not

been assessed.

Individual component(s) contribution to % volume/weight has not been estimated. Physical components (%vol):

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m3):

Comment on density: The assumption of 1 t/m3 average bulk density may be subject to revision.

CHEMICAL COMPOSITION

General description and components (%wt):

The waste is predominantly steel and boron steel. Other components not assessed.

Chemical state: Neutral

Chemical form of radionuclides:

H-3: Chemical form of tritium has not been determined but is probably present as surface

contamination.

C-14: The chemical form of carbon 14 has not been determined but is probably present as

CI-36: The chemical form of chlorine 36 has not been determined.

U: The chemical form of uranium isotopes has not been determined but may be present as

uranium oxides.

Np: The neptunium content is insignificant.

Pu: The chemical form of plutonium isotopes has not been determined but may be present

as plutonium oxides.

Metals and alloys (%wt): Predominantly bulk metal items on average between 5 and 30 mm in thickness.

> (%wt) Type(s) / Grade(s) with proportions % of total C14 activity

Stainless steel.....

Other ferrous metals..... ~90.0 Carbon steel and boronated steel

are present.

Iron.....

Aluminium..... Beryllium.....

Cobalt.....

Copper...... NE

WASTE STREAM 9B28 Miscellaneous Activated Components - R1

Land	NIE		
Lead			
Magnox/Magnesium			
Nickel			
Titanium			
Uranium			
Zinc			
Zircaloy/Zirconium			
Other metals		Not assessed.	
Organics (%wt): The organic conter		peen fully assessed.	
	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulosics	0		,
Paper, cotton	0		
Wood	0		
Halogenated plastics	0		
Total non-halogenated plastics	0		
Condensation polymers	0		
Others	0		
Organic ion exchange materials	0		
Total rubber	0		
Halogenated rubber	0		
Non-halogenated rubber	0		
Hydrocarbons			
Oil or grease			
Fuel			
Asphalt/Tarmac (cont.coal tar)			
Asphalt/Tarmac (no coal tar)			
Bitumen			
Others			
Other organics	NE		
Other materials (%wt): Traces of graphite	may be pre	esent.	
	(0(1)	T (-) d	0/ -64-4-1 044
	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	0		
Inorganic sludges and flocs	0		
Soil	0		
Brick/Stone/Rubble	0		
Cementitious material	0		
Sand			
Glass/Ceramics	0		
Graphite	TR		
Desiccants/Catalysts			
Asbestos	0		

WASTE STREAM 9B28 Miscellaneous Activated Components - R1

	Non/low friable		
	Moderately friable		
	Highly friable		
	Free aqueous liquids	0	
	Free non-aqueous liquids	TR	
	Powder/Ash	TR	
Inorganic an	ions (%wt): Possibly trace qual	ntities.	
		(%wt)	Type(s) and comment
	Fluoride	0	
	Chloride	0	
	lodide	0	
	Cyanide	0	
	Carbonate	0	
	Nitrate	0	
	Nitrite	0	
	Phosphate	0	
	Sulphate	0	
	Sulphide	0	
Materials of waste accep	interest for There are no mate tance criteria: radiological hazard		ed in the waste likely to represent a fire or other non- Type(s) and comment
	Combustible metals	0	
	Low flash point liquids	0	
	Explosive materials	0	
	Phosphorus	0	
	Hydrides	0	
	Biological etc. materials	0	
	Biodegradable materials		
	Putrescible wastes	0	
	Non-putrescible wastes		
	Corrosive materials	0	
	Pyrophoric materials	0	
	Generating toxic gases	0	
	Reacting with water	0	
	Higher activity particles		
	Soluble solids as bulk chemical compounds		
	substances / - us pollutants:		
TOTT HUZAIUU	ao pondianto.	(0/ 1)	T (2) and a
	Aandamida	(%wt)	Type(s) and comment
	Acrylamide		
	Benzene		

WASTE STREAM 9B28 **Miscellaneous Activated Components - R1**

t) Type(s) and comment	
	t) Type(s) and comment (LMIs)/"substantial" thickness iter

Potential for contain discrete items:

d "durable" assumed DIs; Stainless items assumed DIs.

PACKAGING AND CONDITIONING

Conditioning method:

The waste is not expected to be supercompacted. The treatment envisaged is the placement of the waste in baskets followed by encapsulation. Container choice may be influenced by by Transport Regulations at the time of Final Site Clearance

WASTE STREAM 9B28 **Miscellaneous Activated Components - R1**

Plant Name: None

Location: **Bradwell Site**

Plant startup date: 2087 Total capacity ~5000.0

(m³/y incoming waste):

Target start date for 2087 packaging this stream:

Throughput for this stream (m³/y incoming waste):

~18.0

Other information:

The current proposal is to store the waste as at present until reactor dismantling commencing in 2087. All waste is expected to be retrieved and conditioned when

the conditioning campaign is undertaken.

Likely container type:

Container	Waste packaged (%vol)	Waste loading (m³)	Payload (m³)	Number of packages
4m box (100mm concrete shielding)	100.0	12.25	14.3	7

Likely container type

comment:

The waste is assumed to be in baskets in the waste package so the occupied volume in

the package is greater than the original waste volume.

Range in container waste

volume:

No significant variability is expected.

Other information on

containers:

The container material is expected to be stainless steel.

Likely conditioning matrix:

Other information:

Blast Furnace Slag / Ordinary Portland Cement The waste is assumed to be encapsulated.

Conditioned density (t/m³): ~3.0

Conditioned density

comment:

The conditioned waste density assumes that the waste will be encapsulated.

Other information on

conditioning:

The waste will be in baskets placed in the waste packages. Baskets of different Final Dismantling ILW wastes may be in the same waste packages. The encapsulation matrix would be likely to be BFS/OPC. The density of the encapsulated waste would probably be

about 3 t/m3.

Opportunities for alternative

disposal routing:

Estimated Date that Opportunity Opportunity Baseline Stream Opportunity Comment Management Route Management Route volume (%) Confidence will be realised

RADIOACTIVITY

Source: Irradiated components that have been removed from the reactor. Absorber bars and

control rods are likely to be components of high activity, the majority of the activity coming

from their activation products.

Uncertainty: Specific activity is a function of Station operating history. The values quoted are indicative

of the activities that might be expected.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

Estimates are based upon theoretical assessments.

Other information:

	Mean radioactivity, TBq/m³			Mean radioactivity, TBq/m³					
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	<1.29E+00	D 3			Gd 153		8		
Be 10		8			Ho 163		8		
C 14	2.00E-02	CD 2			Ho 166m		8		
Na 22		8			Tm 170		8		
Al 26		8			Tm 171		8		
CI 36	3E-05	CC 2			Lu 174		8		
Ar 39		8			Lu 176		8		
Ar 42		8			Hf 178n		8		
K 40		8			Hf 182		8		
Ca 41		8			Pt 193		8		
Mn 53	4 575 07	8			TI 204		8		
Mn 54 Fe 55	1.57E-07 1.97E+00	CD 2 CD 2			Pb 205 Pb 210		8 8		
Co 60	1.37E+00 1.39E+00	CD 2			Bi 208		8		
Ni 59	4E-02	CD 2			Bi 210m		8		
Ni 63	3.61E+00	CD 2			Po 210		8		
Zn 65	0.0.2.00	8			Ra 223		8		
Se 79		8			Ra 225		8		
Kr 81		8			Ra 226		8		
Kr 85		8			Ra 228		8		
Rb 87		8			Ac 227		8		
Sr 90	<3.50E-05	D 3			Th 227		8		
Zr 93		8			Th 228		8		
Nb 91		8			Th 229		8		
Nb 92		8			Th 230		8		
Nb 93m		8			Th 232		8		
Nb 94	4E-05	CD 2			Th 234	<7E-09	D 3		
Mo 93		8			Pa 231		8		
Tc 97		8			Pa 233		8		
Tc 99	<1E-08	D 3			U 232		8		
Ru 106 Pd 107		8 8			U 233 U 234	<6.12E-09	8 D 3		
Ag 108m	3.90E-05	CD 2			U 235	<0.12L-09	8		
Ag 110m	0.50L 05	8			U 236		8		
Cd 109		8			U 238	<7E-09	D 3		
Cd 113m		8			Np 237		8		
Sn 119m		8			Pu 236		8		
Sn 121m		8			Pu 238	<2.66E-06	D 3		
Sn 123		8			Pu 239	<3E-06	D 3		
Sn 126		8			Pu 240	<4.00E-06	D 3		
Sb 125		8			Pu 241	<4.37E-05	D 3		
Sb 126		8			Pu 242	<2E-09	D 3		
Te 125m		8			Am 241	<8.35E-06	D 3		
Te 127m		8			Am 242m	<1.85E-08	D 3		
I 129	4 005 00	8			Am 243	<6.00E-09	D 3		
Cs 134 Cs 135	<1.30E-08	D 3 8			Cm 242 Cm 243	<1.53E-08 <3.54E-09	D 3 D 3		
Cs 135	<1.41E-04	D 3			Cm 243	<5.06E-08	D 3		
Ba 133	\1.71L-0 4	8			Cm 245	~0.00L-00	8		
La 137		8			Cm 246		8		
La 138		8			Cm 248		8		
Ce 144		8			Cf 249		8		
Pm 145		8			Cf 250		8		
Pm 147	<7.60E-08	D 3			Cf 251		8		
Sm 147		8			Cf 252		8		
Sm 151	<8.01E-07	D 3			Other a				
Eu 152	9.19E-06	CD 2			Other b/g				
Eu 154	5.95E-06	CD 2			Total a	1.81E-05	CD 3	0	
Eu 155		8			Total b/g	8.32E+00	CD 3	0	

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100

D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined