SITE Bradwell

SITE OWNER Nuclear Decommissioning Authority

Nο

WASTE CUSTODIAN Magnox Limited

WASTE TYPE ILW; SPD3

Is the waste subject to

Scottish Policy:

WASTE VOLUMES

Reported

Stocks: At 1.4.2022...... 3.2 m³

Total future arisings: 0 m³

Total waste volume: 3.2 m³

Comment on volumes: -

Uncertainty factors on Stock (upper): x 1.2 Arisings (upper) x volumes: Stock (lower): x 0.8 Arisings (lower) x

WASTE SOURCE Redundant or defective components and equipment removed from the reactor core and

fuelling machines.

PHYSICAL CHARACTERISTICS

General description: Components such as control rods, and other irradiated items. The possibility of large items

which may need special handling has not been assessed.

Physical components (%vol): Control rods, and other irradiated items, the % volume/weight contribution of the

components has not been estimated. Presence of other components not assessed.

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~1

Comment on density: The assumption of 1 t/m3 as the average bulk density may be subject to revision.

CHEMICAL COMPOSITION

General description and components (%wt):

The waste is predominantly steel and boron steel.

Chemical state: Neutral

Chemical form of radionuclides:

H-3: Chemical form of tritium has not been determined but is probably present as surface

contamination.

C-14: The chemical form of carbon 14 has not been determined but is probably present as

graphite.

CI-36: The chemical form of chlorine 36 has not been determined.

U: The chemical form of uranium isotopes has not been determined but may be present as

uranium oxides.

Pu: The chemical form of plutonium isotopes has not been determined but may be present

as plutonium oxides.

Metals and alloys (%wt): Predominantly bulk metal items on average between 5 and 30 mm in thickness.

(%wt) Type(s) / Grade(s) with proportions % of total C14

activity

Stainless steel...... NE

Other ferrous metals...... ~90.0 Carbon steel and boronated steel

are present.

Iron.....

Cobalt.....

Magnox/Magnesium	. NE		
Nickel			
Titanium			
Uranium			
Zinc	NE		
Zircaloy/Zirconium	NE		
Other metals	NE		
Organics (%wt): The organic content	t has not b	peen fully assessed.	
	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulosics	0		activity
Paper, cotton	0		
Wood	0		
Halogenated plastics	0		
Total non-halogenated plastics	0		
Condensation polymers	0		
Others	0		
Organic ion exchange materials	0		
Total rubber	0		
Halogenated rubber	0		
Non-halogenated rubber	0		
Hydrocarbons			
Oil or grease			
Fuel			
Asphalt/Tarmac (cont.coal tar)			
Asphalt/Tarmac (no coal tar)			
Bitumen			
Others			
Other organics	TR		
Other materials (%wt): Traces of graphite r	may be pre	esent.	
	(%wt)	Type(s) and comment	% of total C14
Inorganic ion exchange materials	0		activity
Inorganic sludges and flocs	0		
Soil	0		
Brick/Stone/Rubble	0		
Cementitious material	0		
Sand			
Glass/Ceramics	0		
Graphite	TR		
Desiccants/Catalysts			
Asbestos	0		
Non/low friable			

Moderately friable		
Highly friable		
Free aqueous liquids	0	
Free non-aqueous liquids	TR	
Powder/Ash	0	
Inorganic anions (%wt): Possibly trace quar	ntities.	
	(%wt)	Type(s) and comment
		Typo(o) and common
Fluoride	0	
Chloride	0	
lodide	0	
Cyanide	0	
Carbonate	0	
Nitrate	0	
Nitrite	0	
Phosphate	0	
Sulphate	0	
Sulphide	0	
Materials of interest for There are no mater radiological hazard		ed in the waste likely to represent a fire or other non-
	(%wt)	Type(s) and comment
Combustible metals	0	
Low flash point liquids	0	
Explosive materials	0	
Phosphorus	0	
Hydrides	0	
Biological etc. materials	0	
Biodegradable materials		
Putrescible wastes	0	
Non-putrescible wastes		
Corrosive materials	0	
Pyrophoric materials	0	
Generating toxic gases	0	
Reacting with water	0	
Higher activity particles	· ·	
Soluble solids as bulk chemical		
compounds		
Hazardous substances / - non hazardous pollutants:		
	(%wt)	Type(s) and comment
Acrylamide		
Benzene		
Chlorinated advanta		

Formaldehyde			
Organometallics			
Phenol			
Styrene			
Tri-butyl phosphate			
Other organophosphates			
Vinyl chloride			
Arsenic			
Barium			
Boron			
Boron (in Boral)			
Boron (non-Boral)			
Cadmium			
Caesium			
Selenium			
Chromium			
Molybdenum			
Thallium			
Tin			
Vanadium			
Mercury compounds			
Others			
Electronic Electrical Equipment (EEE)		
EEE Type 1			
EEE Type 2			
EEE Type 3			
EEE Type 4			
EEE Type 5			
Complexing agents (%wt): No			
	(%wt)	Type(s) and comment	
EDTA			
DPTA			
NTA			
Polycarboxylic acids			
Other organic complexants			
Total complexing agents	0		
		s)/"substantial" thickness items consi less items assumed DIs.	derec

PACKAGING AND CONDITIONING

The waste is not expected to be supercompacted. The treatment envisaged is the Conditioning method:

placement of the waste in baskets followed by encapsulation. Container choice may be influenced by Transport Regulations at the time of Final Site Clearance

Plant Name: None

Location: Bradwell Site

Plant startup date: 2087

Total capacity ~5000.0

(m³/y incoming waste):

Target start date for

2

packaging this stream:

2087

Throughput for this stream (m³/y incoming waste):

~0.8

Other information:

The current proposal is to store the waste until reactor dismantling commencing in 2087. All waste is expected to be retrieved and conditioned when the conditioning campaign is undertaken.

Likely container type:

Container	Waste packaged (%vol)	Waste loading (m³)	Payload (m³)	Number of packages	
4m box (100mm concrete shielding)	100.0	12.25	14.3	< 1	

Likely container type

comment:

The waste is assumed to be in baskets in the waste package so the occupied volume in

the package is greater than the original waste volume.

Range in container waste volume:

voiume.

No significant variability is expected.

Other information on

containers:

The container material is expected to be stainless steel.

Likely conditioning matrix:

Other information:

Blast Furnace Slag / Ordinary Portland Cement

The waste is assumed to be encapsulated.

Conditioned density (t/m³):

Conditioned density

comment:

The conditioned waste density assumes that the waste will be encapsulated.

Other information on

conditionina:

The waste will be in baskets placed in the waste packages. Baskets of different Final Dismantling ILW wastes may be in the same waste packages. The encapsulation matrix would be likely to be BFS/OPC. The density of the encapsulated waste would probably be

about 3 t/m3.

Opportunities for alternative

disposal routing:

-

Baseline	Qpr

Baseline Opportunity
Management Route Management Route

Stream volume (%)

Estimated
Date that
Opportunity
Will be realised

Opportunity Confidence

Comment

RADIOACTIVITY

Source: Irradiated components that have been removed from the reactor. Control rods are likely to

be components of high activity, the majority of the activity coming from their activation.

Uncertainty: Specific activity is a function of Station operating history. The values quoted are indicative

of the activities that might be expected.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

Estimates are based upon theoretical assessments.

Other information:

	Mean radioactivity, TBq/m³			Mean radioactivity, TBq/m³					
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	<1.29E+00	D 3			Gd 153		8		
Be 10		8			Ho 163		8		
C 14	2.00E-02	CD 2			Ho 166m		8		
Na 22		8			Tm 170		8		
Al 26		8			Tm 171		8		
CI 36	3E-05	CC 2			Lu 174		8		
Ar 39		8			Lu 176		8		
Ar 42 K 40		8			Hf 178n		8		
Ca 41		8 8			Hf 182 Pt 193		8 8		
Mn 53		8			TI 204		8		
Mn 54	1.57E-07	CD 2			Pb 205		8		
Fe 55	1.97E+00	CD 2			Pb 210		8		
Co 60	1.39E+00	CD 2			Bi 208		8		
Ni 59	4E-02	CD 2			Bi 210m		8		
Ni 63	3.61E+00	CD 2			Po 210		8		
Zn 65		8			Ra 223		8		
Se 79		8			Ra 225		8		
Kr 81		8			Ra 226		8		
Kr 85		8			Ra 228		8		
Rb 87		8			Ac 227		8		
Sr 90	<3.50E-05	D 3			Th 227		8		
Zr 93		8			Th 228		8		
Nb 91		8			Th 229		8		
Nb 92		8			Th 230		8		
Nb 93m		8			Th 232		8		
Nb 94	4E-05	CD 2			Th 234	7E-09	CC 2		
Mo 93		8			Pa 231		8		
Tc 97	45.00	8			Pa 233		8		
Tc 99	<1E-08	D 3			U 232		8		
Ru 106 Pd 107		8 8			U 233 U 234	<6.12E-09	8 D 3		
Ag 108m	3.90E-05	CD 2			U 235	<0.12L-09	8		
Ag 110m	0.30L 00	8			U 236		8		
Cd 109		8			U 238	<7E-09	D 3		
Cd 113m		8			Np 237		8		
Sn 119m		8			Pu 236		8		
Sn 121m		8			Pu 238	<2.66E-06	D 3		
Sn 123		8			Pu 239	<3E-06	D 3		
Sn 126		8			Pu 240	<4.00E-06	D 3		
Sb 125		8			Pu 241	<4.37E-05	D 3		
Sb 126		8			Pu 242	<2E-09	D 3		
Te 125m		8			Am 241	<8.35E-06	D 3		
Te 127m		8			Am 242m	<1.85E-08	D 3		
I 129		8			Am 243	<6.00E-09	D 3		
Cs 134	<1.30E-08	D 3			Cm 242	<1.53E-08	D 3		
Cs 135	4.445.01	8			Cm 243	<3.54E-09	D 3		
Cs 137	<1.41E-04	D 3			Cm 244	<5.06E-08	D 3		
Ba 133		8			Cm 245		8		
La 137 La 138		8 8			Cm 246 Cm 248		8 8		
Ce 144		8			Cf 249		8		
Pm 145		8			Cf 249 Cf 250		8		
Pm 147	<7.60E-08	D 3			Cf 250		8		
Sm 147	11.30L 00	8			Cf 252		8		
Sm 151	<8.01E-07	D 3			Other a		J		
Eu 152	9.19E-06	CD 2			Other b/g				
Eu 154	5.95E-06	CD 2			Total a	1.81E-05	CD 3	О	
Eu 155		8			Total b/g	8.32E+00	CD 3	0	
	l	- 1				1	•	<u> </u>	

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100

D a factor of 100 E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity