SITE Dungeness A

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Magnox Limited

WASTE TYPE ILW

Is the waste subject to

Scottish Policy:

No

WASTE VOLUMES

Reported

Total future arisings: 3422.0 m³

Total waste volume: 3422.0 m³

Comment on volumes: All of the graphite is now assessed as ILW. For inventory purposes the arisings are

assumed to arise at a uniform rate over three years. Final Dismantling & Site Clearance is assumed to commence in 2088 with reactor dismantling commencing in 2092 and lasting for 3 years. The volumes and radioactivity have been calculated for 85 years after reactor

shutdown, i.e. 2091.

Uncertainty factors on

volumes:

Stock (upper): x Arisings (upper) x 1.2 Stock (lower): x Arisings (lower) x 0.8

WASTE SOURCE Moderator and reflector graphite from the reactor core, Primary cooling circuits, gas ducts

& Blow-down and evacuation cyclones.

PHYSICAL CHARACTERISTICS

General description: Graphite blocks and other graphite components and fragmented graphite debris. Waste

can be packaged in standard ILW packages.

Physical components (%wt): Graphite (~100%).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~1.25

Comment on density: Density estimate based upon assumed packing efficiency of the waste. The density is the

effective density for packaging assuming 90% of the graphite is in blocks and 10% is

rubble.

CHEMICAL COMPOSITION

General description and components (%wt):

Graphite and possibly traces of ferrous metals.

Chemical state: Neutral

Chemical form of H-3: Tritium may be chemically bound with the graphite.

radionuclides: C-14: Carbon 14 will be present as graphite.

CI-36: Chlorine 36 will probably be chemically bound to the graphite. Some may be linked

chemically with impurities in the graphite. Se-79: The selenium content is insignificant. Tc-99: The technetium content is insignificant. Ra: Radium isotope content is insignificant.

Th: The thorium content is insignificant.

U: There may be traces of uranium as metal or oxide.

Np: The neptunium content is insignificant.

Pu: There may be traces of plutonium as metal or oxide.

Metals and alloys (%wt): There are no metallic items present.

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel	TR		activity
Other ferrous metals	TR	There may be trace contamination by ferrous metals.	
Iron			
Aluminium	0		
Beryllium	TR		
Cobalt			
Copper	0		
Lead	0		
Magnox/Magnesium	0		
Nickel			
Titanium			
Uranium			
Zinc	0		
Zircaloy/Zirconium	0		
Other metals	0	There are no "other" metals present.	
Organics (%wt): None expected. Halo	ogenated p	plastics and rubbers will not be present.	
	(%wt)	Type(s) and comment	% of total C14
Total cellulosics	0		activity
Paper, cotton	0		
Wood	0		
Halogenated plastics	0		
Total non-halogenated plastics	0		
Condensation polymers	0		
Others	0		
Organic ion exchange materials	0		
Total rubber	0		
Halogenated rubber	0		
Non-halogenated rubber	0		
Hydrocarbons			
Oil or grease			
Fuel			
Asphalt/Tarmac (cont.coal tar)			
Asphalt/Tarmac (no coal tar)			
Bitumen			
Others			
Other organics	0		
Other materials (%wt): Expect only graphite			

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	0		activity
Inorganic sludges and flocs	0		
Soil	0		
Brick/Stone/Rubble	0		
Cementitious material	0		
Sand			
Glass/Ceramics	0		
Graphite	100.0		100.0
Desiccants/Catalysts			
Asbestos	0		
Non/low friable			
Moderately friable			
Highly friable			
Free aqueous liquids	0		
Free non-aqueous liquids	0		
Powder/Ash	0		
Inorganic anions (%wt):			
	(%wt)	Type(s) and comment	
Fluoride	TR	Detected at trace levels in inactive grap material.	hite
Chloride	TR		
lodide	0		
Cyanide	0		
Carbonate	TR		
Nitrate	TR		
Nitrite	TR		
Phosphate	TR	Detected at trace levels in inactive grap material.	hite
Sulphate	TR	Detected at trace levels in inactive grap material.	hite
Sulphide	0		
		ire or other non-radiological hazard have b sk; it is difficult but not impossible to ignite	
	(%wt)	Type(s) and comment	
Combustible metals	0		
Low flash point liquids	0		
Explosive materials	0		
Phosphorus	TR	Detected at trace levels in inactive grap material.	hite
Hydrides	0		
Biological etc. materials	0		
Biodegradable materials			

Putrescible wastes	0	
Non-putrescible wastes		
Corrosive materials	0	
Pyrophoric materials	0	
Generating toxic gases	0	
Reacting with water	0	
Higher activity particles		
Soluble solids as bulk chemical compounds		
Hazardous substances / None expected non hazardous pollutants:		
	(%wt)	Type(s) and comment
Acrylamide		
Benzene		
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic	TR	Detected at trace levels in inactive graphite material.
Barium		
Boron		
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum		
Thallium	TR	Detected at trace levels in inactive graphite material.
Tin		
Vanadium		
Mercury compounds		
Others	TR	Gallium, germanium and rubidium detected at trace levels in inactive graphite material.
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		

EEE 7	ype 4	
EEE 7	ype 5	

Complexing agents (%wt): Yes

> (%wt) Type(s) and comment

EDTA.....

DPTA.....

NTA.....

Polycarboxylic acids.....

Other organic complexants.....

TR Total complexing agents.....

Potential for the waste to contain discrete items:

Yes. Graphite Bricks/Tiles assumed to be Dls. Bricks assumed drummed (ungrouted) so assumed Bricks are DIs; If grouted, Drum is also a DI. "Rubble" pieces assumed drummed (ungrouted) assumed NOT DIs; If grouted, Drum is a

PACKAGING AND CONDITIONING

Conditioning method: The waste is not expected to be supercompacted. The treatment envisaged is the

placement of the waste in baskets followed by encapsulation after the baskets have

been placed in the containers.

Plant Name: None

Location: **Dungeness A Site**

Plant startup date: 2092 Total capacity ~5000.0

(m³/y incoming waste):

Target start date for

packaging this stream:

2092

Throughput for this stream (m³/y incoming waste):

~700.0

Other information: The processing strategy has not yet been determined.

Likely container type:

Container	Waste packaged (%vol)	Waste loading (m³)	Payload (m³)	Number of packages
4m box (no shielding)	100.0	16.2	18.9	212

Likely container type

comment:

The waste is assumed to be in baskets in the waste package so the occupied volume in the package is greater than the original waste volume. Container choice may be influenced

by Transport Regulations at the time of final site clearance.

Range in container waste

volume:

Not yet determined. No significant variability is expected.

Other information on

containers:

The container material is expected to be stainless steel.

Likely conditioning matrix:

Other information:

Conditioned density

Blast Furnace Slag / Ordinary Portland Cement The waste is assumed to be encapsulated.

Conditioned density (t/m³): ~1.7

comment:

The conditioned waste density assumes that the waste will be encapsulated.

Other information on

conditioning:

The waste will be in baskets placed in the waste packages. Baskets of different Final Dismantling & Site Clearance ILW wastes may be in the same waste package. The encapsulation matrix is likely to be BFS/OPC and the density will probably be about 1.7 t/m³. Data have been presented as if the waste will be placed in a container with other ILW.

Opportunities for alternative disposal routing:

Estimated

Date that Baseline Opportunity Stream Opportunity Comment Opportunity Confidence Management Route Management Route volume (%) will be realised

RADIOACTIVITY

Source: Activation of the graphite and impurities.

Uncertainty: The values quoted were derived by calculation from available material specification and

are indicative of the activities that are expected. The major source of uncertainty is the

impurity levels.

Definition of total alpha

and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

The specific activities were estimated from neutron activation calculations of the material and its impurities. With additional data from newly calculated inventories including 100 ppb

U precursor as per M/EF/GEN/EAN/0008/20

Other information: The activities quoted are those at 85 years after reactor shutdown, i.e. in 2091. There may

be some contamination by Cs137. Fission of uranium impurity in the graphite may result in

some fission product and actinide activity.

WASTE STREAM Graphite ILW 9C312

	Mean radioactivity, TBg/m ³			Mean radioactivity, TBq/m³					
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3			3.27E-03	CC 2	Gd 153				8
Be 10				8	Ho 163				8
C 14			1.4E-01	BB 2	Ho 166m			1.74E-06	CC 2
Na 22				8	Tm 170				8
Al 26			0.445.04	8	Tm 171				8
CI 36			3.14E-04	CC 2	Lu 174 Lu 176				8
Ar 39				8	Lu 176 Hf 178n				8
Ar 42 K 40				8 8	Hf 182				8 8
Ca 41			3.6E-04	CC 2	Pt 193				8
Mn 53			0.0L 04	8	TI 204				8
Mn 54				8	Pb 205				8
Fe 55				8	Pb 210				8
Co 60			1.26E-06	CC 2	Bi 208				8
Ni 59			3.76E-05	CC 2	Bi 210m				8
Ni 63			2.89E-03	CC 2	Po 210				8
Zn 65				8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85			8.77E-07	CC 2	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90			2.75E-04	CC 2	Th 227				8
Zr 93			7.89E-08	CC 2	Th 228 Th 229				8 8
Nb 91				8	Th 230				8
Nb 92 Nb 93m			7.65.00	8 CC 2	Th 232				8
Nb 94			7.6E-08 2.69E-07	CC 2	Th 234				8
Mo 93			2.09L-07	8	Pa 231				8
Tc 97				8	Pa 233			1.05E-09	CC 2
Tc 99			4.94E-07	CC 2	U 232				8
Ru 106				8	U 233				8
Pd 107			7.42E-09	CC 2	U 234			6.28E-09	CC 2
Ag 108m			2.42E-06	CC 2	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237			1.05E-09	CC 2
Sn 119m				8	Pu 236			4 505 05	8
Sn 121m			2.22E-04	CC 2	Pu 238			1.59E-05	CC 2
Sn 123				8	Pu 239 Pu 240			1.72E-06 1.52E-05	CC 2 CC 2
Sn 126			2.98E-08	CC 2	Pu 240 Pu 241			1.97E-05	CC 2
Sb 125 Sb 126			4 15E 00	8	Pu 241 Pu 242] 		2.14E-07	CC 2
Te 125m			4.15E-09	CC 2 8	Am 241			3.65E-05	CC 2
Te 125m				8	Am 242m			4.18E-08	CC 2
I 129				8	Am 243			5.44E-06	CC 2
Cs 134				8	Cm 242			3.45E-08	CC 2
Cs 135			2.24E-08	CC 2	Cm 243			5.29E-08	CC 2
Cs 137			5.44E-04	CC 2	Cm 244			1.58E-04	CC 2
Ba 133			7E-07	CC 2	Cm 245			3.19E-07	CC 2
La 137				8	Cm 246			2.31E-06	CC 2
La 138				8	Cm 248				8
Ce 144				8	Cf 249			7.57E-09	CC 2
Pm 145			9.2E-08	CC 2	Cf 250			1.23E-09	CC 2
Pm 147				8	Cf 251				8
Sm 147				8	Cf 252				8
Sm 151			2.49E-06	CC 2	Other a				
Eu 152			1.77E-08	CC 2	Other b/g				
Eu 154			5.55E-07	CC 2	Total a	0		2.36E-04	CC 2
Eu 155				8	Total b/g	0		1.48E-01	CC 2

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10

D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

- Measured activity
 Derived activity (best estimate)
 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity