SITE Dungeness A SITE OWNER **Nuclear Decommissioning Authority WASTE CUSTODIAN** Magnox Limited ILW; SPD3 **WASTE TYPE** Is the waste subject to Nο Scottish Policy: **WASTE VOLUMES** Reported Stocks: At 1.4.2022..... $8.4 \, \text{m}^3$ Total future arisings: $0 \, \text{m}^3$ Total waste volume: 8.4 m³ Comment on volumes: The station ceased generation on 31/12/2006. Uncertainty factors on Stock (upper): x 1.2 Arisings (upper) volumes: Stock (lower): x 0.8 Arisings (lower) **WASTE SOURCE** Redundant or defective reactor components. PHYSICAL CHARACTERISTICS Redundant or defective components such as control rods; fuel element grabs, cables and General description: capsules; thermocouples and bob weights removed from stand pipe assemblies. The possibility of large items which may need special handling has not been fully assessed. Items may weigh up to about 1.5 t; sizes may be up to 5 m long and approximately 250 mm diameter. Physical components (%vol): Control rods, thermocouples, standpipe components, fuel element grabs, cables and capsules. Sealed sources: The waste does not contain sealed sources. Bulk density (t/m3): Comment on density: The assumption of 1 t/m3 as the average bulk density may be subject to revision. CHEMICAL COMPOSITION General description and Irradiated components removed from the reactor. The material is principally steel (mild components (%wt): steel, stainless steel, boron steel). Presence of other minor components has not been assessed. Chemical state: Neutral Chemical form of H-3: The tritium is likely to be incorporated into the steel. radionuclides: C-14: Carbon 14 is principally incorporated in steel. There may also be some graphite contamination. CI-36: The chemical form of chlorine 36 has not been determined. U: The chemical form of uranium isotopes has not been determined but may be uranium Pu: The chemical form of plutonium isotopes has not been determined but may be plutonium oxides. Metal thicknesses have not been fully assessed but bulk metal items may be present. Metals and alloys (%wt): (%wt) Type(s) / Grade(s) with proportions % of total C14 activity Stainless steel..... ~45.0 Other ferrous metals..... Chromium and nickel will be present ~45.0 in the stainless steel. Iron..... Aluminium..... Beryllium.....

Copper...... 0

	Lead	0		
	Magnox/Magnesium	0		
	Nickel			
	Titanium			
	Uranium			
	Zinc	. 0		
	Zircaloy/Zirconium	. 0		
	Other metals	. ~10.0	Not analysed.	
Organics	(%wt): No organic materia	l expected.		
		(%wt)	Type(s) and comment	% of total C14 activity
	Total cellulosics	0		
	Paper, cotton	0		
	Wood	0		
	Halogenated plastics	0	Halogenated plastics are not expected but may possibly be present in small quantities.	
	Total non-halogenated plastics	0	process are established	
	Condensation polymers	0		
	Others	0		
	Organic ion exchange materials	0		
	Total rubber	0		
	Halogenated rubber	0	Halogenated rubbers are not expected but may possibly be present in small quantities.	
	Non-halogenated rubber	0		
	Hydrocarbons			
	Oil or grease			
	Fuel			
	Asphalt/Tarmac (cont.coal tar)			
	Asphalt/Tarmac (no coal tar)			
	Bitumen			
	Others			
	Other organics	0		
Other ma	terials (%wt): Traces of graphite	may be pre	esent.	
		(%wt)	Type(s) and comment	% of total C14 activity
	Inorganic ion exchange materials	0		•
	Inorganic sludges and flocs	0		
	Soil	0		
	Brick/Stone/Rubble	0		
	Cementitious material	0		
	Sand			
	Glass/Ceramics	0		
	Graphite	TR		

Desiccants/Catalysts		
Asbestos	0	
Non/low friable		
Moderately friable		
Highly friable		
Free aqueous liquids	0	
Free non-aqueous liquids	0	
Powder/Ash	TR	
Inorganic anions (%wt): Not fully assessed,	possibly tr	ace quantities.
	(%wt)	Type(s) and comment
Fluoride	NE	
Chloride	NE	
lodide	NE	
Cyanide	0	
Carbonate	NE	
Nitrate	NE	
Nitrite	NE	
Phosphate	NE	
Sulphate	NE	
Sulphide	NE	
Materials of interest for There are no materi radiological hazard.		ed in the waste likely to represent a fire or other non-
	(%wt)	Type(s) and comment
Combustible metals	0	
Low flash point liquids	0	
Explosive materials	0	
Phosphorus	0	
Hydrides	0	
Biological etc. materials	0	
Biodegradable materials		
Putrescible wastes	0	
Non-putrescible wastes		
Corrosive materials	0	
Pyrophoric materials	0	
Generating toxic gases	0	
Reacting with water	0	
Higher activity particles		
Soluble solids as bulk chemical compounds		

Hazardous substances / non hazardous pollutants:

Complexing

	(%Wt)	Type(s) and comment
Acrylamide		
Benzene		
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic		
Barium		
Boron		
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum		
Thallium		
Tin		
Vanadium		
Mercury compounds		
Others		
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		
agents (%wt): No		
	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		
Polycarboxylic acids		
Other organic complexants		
Total complexing agents	0	

Potential for the waste to contain discrete items:

Yes. Large Metal Items (LMIs)/"substantial" thickness items considered

"durable" assumed DIs; Stainless items assumed DIs.

PACKAGING AND CONDITIONING

Conditioning method: The waste will be packaged into 4m boxes (with no shielding) and encapsulated

with grout.

Plant Name: None

Location: **Dungeness A Site**

2092 Plant startup date: Total capacity ~5000.0

(m³/y incoming waste):

Target start date for

packaging this stream:

2092

Throughput for this stream

(m³/y incoming waste):

~2.0

Other information: The waste will be placed in baskets, then in the 4m box and grouted.

Likely container type:

Container	Waste packaged (%vol)	Waste loading (m³)	Payload (m³)	Number of packages	
4m box (no shielding)	100.0	16.2	18.9	< 1	

Likely container type

comment:

Range in container waste

volume:

Not yet determined.

BFS/OPC and PFA/OPC

Other information on

containers:

The container material is expected to be stainless steel.

Likely conditioning matrix:

Other information:

It is not yet known which grouting mix will be used when this waste is processed.

Conditioned density (t/m³):

Conditioned density

comment:

The density assumes the waste will be conditioned with a cement based grout.

Other information on

conditioning:

The waste will be placed in baskets, then in the 4m box and grouted. Baskets of other

SPD3 ILW waste may be in the same package.

Opportunities for alternative

disposal routing:

			Estimated		
Baseline Management Route	Opportunity Management Route	Stream volume (%)	Date that Opportunity will be realised	Opportunity Confidence	Comment

RADIOACTIVITY

Source: Irradiated components removed from the reactor. Control rods are likely to be components

of high activity.

Uncertainty: Specific activity is a function of Station operating history. The values quoted are indicative

of the activities expected.

Definition of total alpha Where totals are shown on the table of radionuclide activities they are the sums of the and total beta/gamma:

listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

Estimates are based upon theoretical assessments.

Other information:

	N	lean radioact	ivity, TBq/m³				Mean radioa	ctivity, TBq/m³	
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	<1.30E+00	D 3	anomgo	Code	Gd 153	1.4.2022	8	anomgo	Code
Be 10	<1.50L+00	8			Ho 163		8		
C 14	2.00E-02	CD 2			Ho 166m		8		
Na 22		8			Tm 170		8		
Al 26		8			Tm 171		8		
CI 36	3E-05	CC 2			Lu 174		8		
Ar 39		8			Lu 176		8		
Ar 42		8			Hf 178n		8		
K 40		8			Hf 182		8		
Ca 41		8			Pt 193		8		
Mn 53		8			TI 204		8		
Mn 54	3.50E-07	CD 2			Pb 205		8		
Fe 55	2.09E+00	CD 2			Pb 210		8		
Co 60	1.42E+00	CD 2			Bi 208		8		
Ni 59	4E-02	CD 2			Bi 210m		8		
Ni 63	3.61E+00	CD 2			Po 210 Ra 223		8		
Zn 65 Se 79		8 8			Ra 223 Ra 225		8 8		
Se 79 Kr 81		8			Ra 225 Ra 226		8		
Kr 85		8			Ra 228		8		
Rb 87		8			Ac 227		8		
Sr 90	<4.19E-05	D 3			Th 227		8		
Zr 93		8			Th 228		8		
Nb 91		8			Th 229		8		
Nb 92		8			Th 230		8		
Nb 93m		8			Th 232		8		
Nb 94	4E-05	CD 2			Th 234	7E-09	CC 2		
Mo 93		8			Pa 231		8		
Tc 97		8			Pa 233		8		
Tc 99	<1E-08	D 3			U 232		8		
Ru 106 Pd 107		8 8			U 233 U 234	<6.12E-09	8 D 3		
Ag 108m	3.90E-05	CD 2			U 235	<0.12L-09	8		
Ag 110m	0.502 00	8			U 236		8		
Cd 109		8			U 238	<7E-09	D 3		
Cd 113m		8			Np 237		8		
Sn 119m		8			Pu 236		8		
Sn 121m		8			Pu 238	<2.66E-06	D 3		
Sn 123		8			Pu 239	<3E-06	D 3		
Sn 126		8			Pu 240	<4.00E-06	D 3		
Sb 125		8			Pu 241	<9.74E-05	D 3		
Sb 126	1	8			Pu 242	<2E-09	D 3		
Te 125m	1	8			Am 241	<1.12E-05	D 3		
Te 127m I 129	1	8 8			Am 242m Am 243	<1.85E-08 <6.00E-09	D 3 D 3		
Cs 134	<1.40E-08	D 3			Cm 242	<1.53E-08	D 3		
Cs 135	102 00	8			Cm 243	<4.25E-09	D 3		
Cs 137	<1.41E-04	D 3			Cm 244	<5.09E-08	D 3		
Ba 133		8			Cm 245		8		
La 137		8			Cm 246		8		
La 138		8			Cm 248		8		
Ce 144		8			Cf 249		8		
Pm 145		8			Cf 250		8		
Pm 147	<1.00E-07	D 3			Cf 251		8		
Sm 147	0.045.00	8			Cf 252		8		
Sm 151	<8.01E-07	D 3			Other a				
Eu 152 Eu 154	9.26E-06 6.00E-06	CD 2 CD 2			Other b/g Total a	2.09E-05	CD 3	0	
Eu 154 Eu 155	J.00L-00	8			Total b/g	8.47E+00	CD 3	0	
24 .00	I	١			rotal b/g	0.47 ET00	<u> </u>	l v	

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10

D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity