SITE Dungeness A

SITE OWNER Nuclear Decommissioning Authority

No

WASTE CUSTODIAN Magnox Limited

WASTE TYPE ILW

Is the waste subject to

Scottish Policy:

WASTE VOLUMES

Reported

Total waste volume: 0.1 m³

Comment on volumes: For inventory purposes the arisings are assumed to arise at a uniform rate over three

years. Final Dismantling & Site Clearance is assumed to commence in 2088 with reactor dismantling commencing in 2092 and lasting for 3 years. The volumes and radioactivity

have been calculated for 85 years after reactor shutdown, i.e. 2091.

Uncertainty factors on Stock (upper): x Arisings (upper) x 1.2 volumes: Stock (lower): x Arisings (lower) x 0.8

WASTE SOURCE A variety of miscellaneous metallic wastes resulting from reactor dismantling.

PHYSICAL CHARACTERISTICS

General description: Reactor components including Charge Pan Hangers. Waste can be packaged in standard

ILW containers.

Physical components (%wt): Charge Pan Hangers (~100%wt).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~1.4

Comment on density: The density is of the waste as prepared for packaging.

CHEMICAL COMPOSITION

General description and components (%wt):

Nilo K steel.

Chemical state: Neutral

Chemical form of H-3: The chemical form of tritium has not been assessed.

radionuclides: C-14: The carbon 14 content is insignificant.

CI-36: The chemical form of chlorine 36 has not been assessed.

Se-79: The selenium content is insignificant. Tc-99: The technetium content is insignificant. Ra: The radium content is insignificant. Th: The thorium content is insignificant. U: The uranium content is insignificant. Np: The neptunium content is insignificant. Pu: The plutonium content is insignificant.

Metals and alloys (%wt): Items will have been cut for packaging but an assessment of item dimensions has not

been made.

(%wt) Type(s) / Grade(s) with proportions % of total C14 activity

Stainless steel...... 0

Other ferrous metals...... ~100.0 Stainless steel may be present as

thermocouple sheaths as type EN58B. Nilo K is present.

Iron.....

	Cobalt			
	Copper	0		
	Lead			
	Magnox/Magnesium	. 0		
	Nickel			
	Titanium			
	Uranium			
	Zinc	0		
	Zircaloy/Zirconium	0		
	Other metals	NE	Nilo K is the main constituent, Alumel and Chromel are present.	
Organics (%	wt): None expected.		·	
		(%wt)	Type(s) and comment	% of total C14
	Total cellulosics	0		activity
	Paper, cotton	0		
	Wood	0		
	Halogenated plastics	0		
	Total non-halogenated plastics	0		
	Condensation polymers	0		
	Others	0		
	Organic ion exchange materials	0		
	Total rubber	0		
	Halogenated rubber	0		
	Non-halogenated rubber	0		
	Hydrocarbons			
	Oil or grease			
	Fuel			
	Asphalt/Tarmac (cont.coal tar)			
	Asphalt/Tarmac (no coal tar)			
	Bitumen			
	Others			
	Other organics	0		
Other materia	als (%wt): Some graphite dust	may be as	ssociated with reactor materials.	
		(%wt)	Type(s) and comment	% of total C14
		(70001)	Type(5) and comment	activity
	Inorganic ion exchange materials	0		
	Inorganic sludges and flocs	0		
	Soil	0		
	Brick/Stone/Rubble	0		
	Cementitious material	0		
	Sand			
	Glass/Ceramics	0		
	Graphite	TR		

Desiccants/Catalysts								
Asbestos								
Non/low friable								
Moderately friable								
Highly friable								
Free aqueous liquids	0							
Free non-aqueous liquids	0							
Powder/Ash	0							
Inorganic anions (%wt): Not fully assessed but may contain traces of chloride.								
	(%wt)	Type(s) and comment						
Fluoride	0							
Chloride	TR							
lodide	0							
Cyanide	0							
Carbonate	0							
Nitrate	0							
Nitrite	0							
Phosphate	0							
Sulphate	0							
Sulphide	0							
Materials of interest for No materials likely to waste acceptance criteria:	o pose a fii	re or other non-radiological hazard have been identified.						
	(%wt)	Type(s) and comment						
Combustible metals	0							
Low flash point liquids	0							
Explosive materials	0							
Phosphorus	0							
Hydrides	0							
Biological etc. materials	0							
Biodegradable materials								
Putrescible wastes	0							
Non-putrescible wastes								
Corrosive materials	0							
Pyrophoric materials	0							
Generating toxic gases	0							
Reacting with water	0							
Higher activity particles								
Soluble solids as bulk chemical compounds								

Hazardous substances / non hazardous pollutants:

Complexing

None expected

	(%wt)	Type(s) and comment
Acrylamide		
Benzene		
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic		
Barium		
Boron		
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum		
Thallium		
Tin		
Vanadium		
Mercury compounds		
Others		
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		
agents (%wt): Yes		
	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		
Polycarboxylic acids		
Other organic complexants		
Total complexing agents	TR	

Potential for the waste to contain discrete items:

Yes. Large Metal Items (LMIs)/"substantial" thickness items considered

"durable" assumed DIs.

PACKAGING AND CONDITIONING

Conditioning method: The waste is not expected to be supercompacted. The treatment envisaged is the

placement of the waste in baskets followed by encapsulation in a 4m ILW box.

Plant Name: None

Location: Dungeness A Site

Plant startup date: 2092
Total capacity ~5000.0

(m³/y incoming waste):

Target start date for

packaging this stream:

2092

Throughput for this stream (m³/y incoming waste):

~0.1

~3.0

Other information:

The processing strategy has not yet been determined.

Likely container type:

Container	Waste packaged (%vol)	Waste loading (m³)	Payload (m³)	Number of packages	
4m box (no shielding)	100.0	16.2	18.9	< 1	

Likely container type

comment:

The waste is assumed to be in baskets in the waste package so the occupied volume in the package is greater than the original waste volume. Container choice may be influenced

by Transport Regulations at the time of final site clearance.

Range in container waste

volume:

Not yet determined. No significant variability is expected.

Other information on

containers:

The container material is expected to be stainless steel.

Likely conditioning matrix:

Other information:

Blast Furnace Slag / Ordinary Portland Cement

The waste is assumed to be encapsulated.

Conditioned density (t/m³):

Conditioned density

comment:

The conditioned waste density assumes the waste will be encapsulated.

Other information on

conditioning:

The waste will be in baskets placed in the waste packages. Baskets of different Final Dismantling & Site Clearance ILW wastes may be in the same waste package. The encapsulation matrix will be likely to be BFS/OPC and the density will probably be about 3 t/m³. The volume of this stream is small and will not fill one box. Data have been presented

as if the waste will be placed in a container with other ILW.

Opportunities for alternative

disposal routing:

Estimated

Baseline Opportunity Stream Opportunity Opportunity
Management Route Management Route volume (%)

RADIOACTIVITY

Source: Activation of the materials and impurities. There may be some contamination.

Uncertainty: The values quoted were derived by calculation from available material specifications and

are indicative of the activities expected. The major source of uncertainty is the impurity

levels.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

The specific activities were estimated from neutron activation calculations of the material and its impurities

and its impurities.

Other information: The activities quoted are those at 85 years after reactor shutdown, i.e. in 2091. There may

be some contamination by Cs137.

	Mean radioactivity, TBq/m³			Mean radioactivity, TBq/m³					
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	1.4.2022	0000		8	Gd 153	1.4.2022	0000		8
Be 10				8	Ho 163				8
C 14				8	Ho 166m				8
Na 22				8	Tm 170				8
Al 26				8	Tm 171				8
CI 36				6	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41				8	Pt 193				8
Mn 53				8	TI 204				8
Mn 54				8	Pb 205				8
Fe 55			2.23E-09	CC 2	Pb 210				8
Co 60			7.85E-03	CC 2	Bi 208				8
Ni 59	Ī		3.05E-02	CC 2	Bi 210m				8
Ni 63			1.75E+00	CC 2	Po 210				8
Zn 65				8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90				8	Th 227				8
Zr 93				8	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m				8	Th 232				8
Nb 94				8	Th 234				8
Mo 93				8	Pa 231				8
Tc 97				8	Pa 233				8
Tc 99				8	U 232				8
Ru 106				8	U 233				8
Pd 107				8	U 234				8
Ag 108m				8	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m				8	Pu 238				8
Sn 123				8	Pu 239				8
Sn 126				8	Pu 240				8
Sb 125				8	Pu 241				8
Sb 126				8	Pu 242				8
Te 125m				8	Am 241				8
Te 127m				8	Am 242m				8
l 129				8	Am 243				8
Cs 134				8	Cm 242				8
Cs 135				8	Cm 243				8
Cs 137				6	Cm 244				8
Ba 133				8	Cm 245				8
La 137				8	Cm 246				8
La 138				8	Cm 248				8
Ce 144]			8	Cf 249				8
Pm 145				8	Cf 250				8
Pm 147]			8	Cf 251				8
Sm 147				8	Cf 252				8
Sm 151				8	Other a				
Eu 152				8	Other b/g				
Eu 154				8	Total a	0		0	
Eu 155				8	Total b/g	0		1.79E+00	CC 2
	ı			- 1					

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in

mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined 8 Not expected to be present in significant quantity