

**WASTE STREAM****9D90****Kurion Resin Cartridges**

<b>SITE</b>	Hinkley Point A		
<b>SITE OWNER</b>	Nuclear Decommissioning Authority		
<b>WASTE CUSTODIAN</b>	Magnox Limited		
<b>WASTE TYPE</b>	ILW		
Is the waste subject to Scottish Policy:	No		
<b>WASTE VOLUMES</b>	Reported		
Stocks:	At 1.4.2022.....	0 m <sup>3</sup>	
Future arisings -	1.4.2022 - 31.3.2023.....	~0.5 m <sup>3</sup>	
Total future arisings:		0.5 m <sup>3</sup>	
Total waste volume:		0.5 m <sup>3</sup>	
Comment on volumes:	To enable abatement trials in R2 Magnox Vault Kurion resin (engineered Herschellite or Titanosilicate) in steel or steel/polypropylene cartridges were utilised. The resin was formulated to remove Cs-137 and Sr-90/Y-90. Stock volume has been reclassified		
Uncertainty factors on volumes:	Stock (upper): x	Arisings (upper) x 1.1	
	Stock (lower): x	Arisings (lower) x 0.9	
<b>WASTE SOURCE</b>	Kurion Resin cartridges produced from filtration of Magnox wet vaults.		
<b>PHYSICAL CHARACTERISTICS</b>			
General description:	Spent Kurion Resin Cartridges		
Physical components (%wt):	Spent Kurion Resin Cartridges (100%).		
Sealed sources:	The waste does not contain sealed sources.		
Bulk density (t/m <sup>3</sup> ):	~1.2		
Comment on density:	The density of 1.2 t/m <sup>3</sup> is copied from waste stream 9D50		
<b>CHEMICAL COMPOSITION</b>			
General description and components (%wt):	The waste is spent Kurion Resin cartridges, Composition is assumed to be similar to that on waste stream 9D50 (IONSV Cartridges) which are composed principally of a steel hollow cylinder containing ion exchange material. Ion exchange material (~53%), steel (~32%), water (~15%) and EPDM seal material (<1%).		
Chemical state:	Neutral		
Chemical form of radionuclides:	H-3: Any tritium is likely to be present as water. C-14: The carbon 14 content is insignificant. Cl-36: The chlorine 36 content is insignificant. Se-79: The selenium content is insignificant. Tc-99: The technetium content is insignificant. I-129: The iodine 129 content is insignificant. Ra: The radium isotope content is insignificant. Th: The thorium isotope content is insignificant. U: The uranium isotope content is insignificant. Np: The neptunium content is insignificant. Pu: The chemical form of plutonium isotopes may be plutonium oxides.		
Metals and alloys (%wt):	-		
	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....			
Other ferrous metals.....	~32.0	steel cylinder housing resin	
Iron.....			
Aluminium.....	NE		
Beryllium.....	TR		
Cobalt.....			

**WASTE STREAM****9D90****Kurion Resin Cartridges**

Copper.....	NE
Lead.....	NE
Magnox/Magnesium.....	NE
Nickel.....	
Titanium.....	
Uranium.....	
Zinc.....	NE
Zircaloy/Zirconium.....	NE
Other metals.....	NE

Organics (%wt): EPDM seal material (<1%wt) is present in the waste. Halogenated plastics and rubbers are not expected in the waste.

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulosics.....	0		
Paper, cotton.....	0		
Wood.....	0		
Halogenated plastics .....	0		
Total non-halogenated plastics....	0		
Condensation polymers.....	0		
Others.....	0		
Organic ion exchange materials....	0		
Total rubber.....	<1.0		
Halogenated rubber .....	0		
Non-halogenated rubber.....	<1.0		
Hydrocarbons.....			
Oil or grease .....			
Fuel.....			
Asphalt/Tarmac (cont.coal tar)...			
Asphalt/Tarmac (no coal tar)....			
Bitumen.....			
Others.....			
Other organics.....	NE		

Other materials (%wt): -

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..	~53.0	Kurion is engineered Herschellite or Titanosilicate	
Inorganic sludges and flocs.....	0		
Soil.....	0		
Brick/Stone/Rubble.....	0		
Cementitious material.....	0		
Sand.....			
Glass/Ceramics.....	0		
Graphite.....	0		

Desiccants/Catalysts.....	
Asbestos.....	0
Non/low friable.....	
Moderately friable.....	
Highly friable.....	
Free aqueous liquids.....	~15.0
Free non-aqueous liquids.....	0
Powder/Ash.....	0

Inorganic anions (%wt):     The inorganic anion content of the waste has not been assessed.

	(%wt)	Type(s) and comment
Fluoride.....		NE
Chloride.....		NE
Iodide.....		NE
Cyanide.....		NE
Carbonate.....		NE
Nitrate.....		NE
Nitrite.....		NE
Phosphate.....		NE
Sulphate.....		NE
Sulphide.....		NE

Materials of interest for waste acceptance criteria:     Each cartridge will contain about 10 kg of water, less than 10% of this is expected to be free water, the rest is absorbed into the resin beads.

	(%wt)	Type(s) and comment
Combustible metals.....	0	
Low flash point liquids.....	0	
Explosive materials.....	0	
Phosphorus.....	0	
Hydrides.....	0	
Biological etc. materials.....	0	
Biodegradable materials.....	0	
Putrescible wastes.....	0	
Non-putrescible wastes.....		
Corrosive materials.....	0	
Pyrophoric materials.....	0	
Generating toxic gases.....	0	
Reacting with water.....	0	
Higher activity particles.....		
Soluble solids as bulk chemical compounds.....		

**WASTE STREAM****9D90****Kurion Resin Cartridges**

Hazardous substances / If any, present in trace quantities only.  
non hazardous pollutants:

	(%wt)	Type(s) and comment
Acrylamide.....		
Benzene.....		
Chlorinated solvents.....		
Formaldehyde.....		
Organometallics.....		
Phenol.....		
Styrene.....		
Tri-butyl phosphate.....		
Other organophosphates.....		
Vinyl chloride.....		
Arsenic.....		
Barium.....		
Boron.....	0	
Boron (in Boral).....		
Boron (non-Boral).....		
Cadmium.....		
Caesium.....		
Selenium.....		
Chromium.....		
Molybdenum.....		
Thallium.....		
Tin.....		
Vanadium.....		
Mercury compounds.....		
Others.....		
Electronic Electrical Equipment (EEE)		
EEE Type 1.....		
EEE Type 2.....		
EEE Type 3.....		
EEE Type 4.....		
EEE Type 5.....		

Complexing agents (%wt): Yes

	(%wt)	Type(s) and comment
EDTA.....		
DPTA.....		
NTA.....		
Polycarboxylic acids.....		
Other organic complexants.....		
Total complexing agents.....	TR	

**WASTE STREAM****9D90****Kurion Resin Cartridges**

Potential for the waste to contain discrete items: No. Ion exchange resin in & of itself not a DI; assumed not likely to contain any "rogue" items that could be. Steel housing - large Metal Items (LMIs) / "substantial" thickness items considered "durable" assumed DIs

**PACKAGING AND CONDITIONING**

Conditioning method: -

Plant Name: -

Location: Hinkley Point A Site

Plant startup date: -

Total capacity  
(m<sup>3</sup>/y incoming waste): -Target start date for  
packaging this stream: -Throughput for this stream  
(m<sup>3</sup>/y incoming waste): -

Other information: -

Likely container type:	Container	Waste packaged (%vol)	Waste loading (m <sup>3</sup> )	Payload (m <sup>3</sup> )	Number of packages
	500 l RS drum (0mm Pb)	100.0	0.275	0.49	2

Likely container type  
comment: -Range in container waste  
volume: -Other information on  
containers: -

Likely conditioning matrix: -

Other information: -

Conditioned density (t/m<sup>3</sup>): -Conditioned density  
comment: -Other information on  
conditioning: -Opportunities for alternative  
disposal routing: -

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
-	-	-	-	-	-

**RADIOACTIVITY**

Source: Contamination by fission products, actinides and activation products.

Uncertainty: -

Definition of total alpha and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of  
radioactivities: -

**WASTE STREAM**

**9D90**

**Kurion Resin Cartridges**

Other information:

-

## WASTE STREAM

## 9D90

## Kurion Resin Cartridges

Nuclide	Mean radioactivity, TBq/m³				Nuclide	Mean radioactivity, TBq/m³			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3		8		8	Gd 153		8		8
Be 10		8		8	Ho 163		8		8
C 14		8		8	Ho 166m		8		8
Na 22		8		8	Tm 170		8		8
Al 26		8		8	Tm 171		8		8
Cl 36		8		8	Lu 174		8		8
Ar 39		8		8	Lu 176		8		8
Ar 42		8		8	Hf 178n		8		8
K 40		8		8	Hf 182		8		8
Ca 41		8		8	Pt 193		8		8
Mn 53		8		8	Tl 204		8		8
Mn 54		8		8	Pb 205		8		8
Fe 55		8		8	Pb 210		8		8
Co 60		8		8	Bi 208		8		8
Ni 59		8		8	Bi 210m		8		8
Ni 63		8		8	Po 210		8		8
Zn 65		8		8	Ra 223		8		8
Se 79		8		8	Ra 225		8		8
Kr 81		8		8	Ra 226		8		8
Kr 85		8		8	Ra 228		8		8
Rb 87		8		8	Ac 227		8		8
Sr 90		8		8	Th 227		8		8
Zr 93		8		8	Th 228		8		8
Nb 91		8		8	Th 229		8		8
Nb 92		8		8	Th 230		8		8
Nb 93m		8		8	Th 232		8		8
Nb 94		8		8	Th 234		8		8
Mo 93		8		8	Pa 231		8		8
Tc 97		8		8	Pa 233		8		8
Tc 99		8		8	U 232		8		8
Ru 106		8		8	U 233		8		8
Pd 107		8		8	U 234		8		8
Ag 108m		8		8	U 235		8		8
Ag 110m		8		8	U 236		8		8
Cd 109		8		8	U 238		8		8
Cd 113m		8		8	Np 237		8		8
Sn 119m		8		8	Pu 236		8		8
Sn 121m		8		8	Pu 238		8		8
Sn 123		8		8	Pu 239		8		8
Sn 126		8		8	Pu 240		8		8
Sb 125		8		8	Pu 241		8		8
Sb 126		8		8	Pu 242		8		8
Te 125m		8		8	Am 241		8		8
Te 127m		8		8	Am 242m		8		8
I 129		8		8	Am 243		8		8
Cs 134		8		8	Cm 242		8		8
Cs 135		8		8	Cm 243		8		8
Cs 137		8		8	Cm 244		8		8
Ba 133		8		8	Cm 245		8		8
La 137		8		8	Cm 246		8		8
La 138		8		8	Cm 248		8		8
Ce 144		8		8	Cf 249		8		8
Pm 145		8		8	Cf 250		8		8
Pm 147		8		8	Cf 251		8		8
Sm 147		8		8	Cf 252		8		8
Sm 151		8		8	Other a			NE	
Eu 152		8		8	Other b/g			NE	
Eu 154		8		8	Total a	0		NE	
Eu 155		8		8	Total b/g	0		NE	

**Bands (Upper and Lower)**

A a factor of 1.5

B a factor of 3

C a factor of 10

D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

**Code**

1 Measured activity

2 Derived activity (best estimate)

3 Derived activity (upper limit)

4 Not present

5 Present but not significant

6 Likely to be present but not assessed

7 Present in significant quantities but not determined

8 Not expected to be present in significant quantity