SITE Oldbury SITE OWNER **Nuclear Decommissioning Authority WASTE CUSTODIAN** Magnox Limited LLW **WASTE TYPE** Is the waste subject to Nο Scottish Policy: **WASTE VOLUMES** Reported At 1.4.2022..... Stocks: $0 \, \text{m}^3$ 1.4.2096 - 31.3.2101..... Future arisings -58029.0 m³ 58029.0 m³ Total future arisings: Total waste volume: 58029.0 m³ Comment on volumes: Waste arisings are assumed to occur at a uniform rate over 5 years. Current assessment is that all the waste will be from the reactor. It has been assumed that the whole of the bioshield will be knocked down and disposed of as LLW. There will be no segregation of waste. Final Dismantling & Site Clearance is assumed to commence in 2091 with reactor dismantling commencing in 2096 and lasting for 5 years. The volumes and radioactivity have been calculated for 85 years after reactor shutdown, i.e. 2097. Uncertainty factors on Stock (upper): Arisings (upper) x 1.2 volumes: Stock (lower): Arisings (lower) x 0.8 **WASTE SOURCE** Concrete wastes from dismantling of reactors and associated plant. PHYSICAL CHARACTERISTICS General description: A wide variety of concrete and reinforced concrete items. (Reinforcing steel is described in waste stream 9E313). Physical components (%wt): Concrete and reinforced concrete 100%. The waste does not contain sealed sources. Sealed sources: Bulk density (t/m3): Comment on density: The density is the effective density for packaging assuming 20% of the concrete is in blocks and 80% is rubble. CHEMICAL COMPOSITION General description and Concrete (100%). Some of the concrete may include iron shot. components (%wt): Chemical state: Alkali Chemical form of H-3: The tritium is incorporated in the concrete. radionuclides: C-14: The carbon 14 content is insignificant. CI-36: The chlorine 36 is incorporated in the concrete. Se-79: The selenium content is insignificant. Tc-99: The technetium content is insignificant. Ra: The radium content is insignificant. Th: The thorium content is insignificant. U: The uranium content is insignificant. Np: The neptunium content is insignificant. Pu: The plutonium content is insignificant. There is no sheet metal or bulk metal in this waste stream. Metals and alloys (%wt): (%wt) Type(s) / Grade(s) with proportions % of total C14 activity Stainless steel..... Other ferrous metals..... Some of the concrete may include iron shot; otherwise only trace quantities of metals are expected

Iron......

| Beryllium | . 0 | | |
|---|-------------|--|----------------|
| Cobalt | | | |
| Copper | . 0 | | |
| Lead | 0 | | |
| Magnox/Magnesium | 0 | | |
| Nickel | | | |
| Titanium | | | |
| Uranium | | | |
| Zinc | . 0 | | |
| Zircaloy/Zirconium | . 0 | | |
| Other metals | . 0 | There are no "other" metals present | |
| Organics (%wt): None expected. Th | ere are no | halogenated plastics or rubbers present. | |
| | (%wt) | Type(s) and comment | % of total C14 |
| Total cellulosics | 0 | | activity |
| Paper, cotton | 0 | | |
| Wood | 0 | | |
| Halogenated plastics | 0 | | |
| Total non-halogenated plastics | 0 | | |
| Condensation polymers | 0 | | |
| Others | 0 | | |
| Organic ion exchange materials | 0 | | |
| Total rubber | 0 | | |
| Halogenated rubber | 0 | | |
| Non-halogenated rubber | 0 | | |
| Hydrocarbons | | | |
| Oil or grease | | | |
| Fuel | | | |
| Asphalt/Tarmac (cont.coal tar) | | | |
| Asphalt/Tarmac (no coal tar) | | | |
| Bitumen | | | |
| Others | | | |
| Other organics | 0 | | |
| Other materials (%wt): There might be trace | ces of grap | hite | |
| | (%wt) | Type(s) and comment | % of total C14 |
| | , | | activity |
| Inorganic ion exchange materials | 0 | | |
| Inorganic sludges and flocs | 0 | | |
| Soil | 0 | | |
| Brick/Stone/Rubble | 0 | | |
| Cementitious material | 100.0 | | 100.0 |
| Sand | | | |
| Glass/Ceramics | 0 | | |

| Graphite | TR | |
|---|---------------|--|
| Desiccants/Catalysts | | |
| Asbestos | 0 | |
| Non/low friable | | |
| Moderately friable | | |
| Highly friable | | |
| Free aqueous liquids | 0 | |
| Free non-aqueous liquids | 0 | |
| Powder/Ash | 0 | |
| | | es and aluminates in various anionic forms. Carbonates cou sed as an aggregate. |
| | (%wt) | Type(s) and comment |
| Fluoride | <1.0 | |
| Chloride | <1.0 | |
| lodide | <1.0 | |
| Cyanide | 0 | |
| Carbonate | <2.0 | |
| Nitrate | <1.0 | |
| Nitrite | <1.0 | |
| Phosphate | <1.0 | |
| Sulphate | ~2.0 | |
| Sulphide | <1.0 | |
| Materials of interest for No materials likel waste acceptance criteria: | y to pose a f | ire or other non-radiological hazard have been identified. |
| | (%wt) | Type(s) and comment |
| Combustible metals | 0 | |
| Low flash point liquids | 0 | |
| Explosive materials | 0 | |
| Phosphorus | 0 | |
| Hydrides | 0 | |
| Biological etc. materials | 0 | |
| Biodegradable materials | | |
| Putrescible wastes | 0 | |
| Non-putrescible wastes | | |
| Corrosive materials | 0 | |
| Pyrophoric materials | 0 | |
| Generating toxic gases | 0 | |
| Reacting with water | | |
| Reacting with water | 0 | |

Soluble solids as bulk chemical compounds.....

| Hazardous substances / | |
|---------------------------|--|
| non hazardous pollutants: | |

Complexing

None expected

| | (%wt) | Type(s) and comment |
|---------------------------------------|-------|---------------------|
| Acrylamide | | |
| Benzene | | |
| Chlorinated solvents | | |
| Formaldehyde | | |
| Organometallics | | |
| Phenol | | |
| Styrene | | |
| Tri-butyl phosphate | | |
| Other organophosphates | | |
| Vinyl chloride | | |
| Arsenic | | |
| Barium | | |
| Boron | | |
| Boron (in Boral) | | |
| Boron (non-Boral) | | |
| Cadmium | | |
| Caesium | | |
| Selenium | | |
| Chromium | | |
| Molybdenum | | |
| Thallium | | |
| Tin | | |
| Vanadium | | |
| Mercury compounds | | |
| Others | | |
| Electronic Electrical Equipment (EEE) | | |
| EEE Type 1 | | |
| EEE Type 2 | | |
| EEE Type 3 | | |
| EEE Type 4 | | |
| EEE Type 5 | | |
| agents (%wt): | | |
| | (%wt) | Type(s) and comment |
| EDTA | | |
| DPTA | | |
| NTA | | |
| Polycarboxylic acids | | |
| Other organic complexants | | |
| Total complexing agents | NE | |

Potential for the waste to contain discrete items:

Yes. Large Concrete Items (LCIs) may be DIs; drummed (ungrouted)/"rubbleised" wastes assumed NOT DIs

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

| Treatment | On-site / Off site | Stream volume % |
|-----------------------|-----------------------|-----------------|
| Low force compaction | | |
| Supercompaction (HFC) | | |
| Incineration | | |
| Solidification | | |
| Decontamination | | |
| Metal treatment | | |
| Size reduction | | |
| Decay storage | | |
| Recyling / reuse | | |
| Other / various | | |
| None | | 100.0 |

Comment on planned treatments:

Disposal Routes:

| Disposal Route | Stream volume % | Disposal density t/m3 |
|--|-----------------|-----------------------|
| Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known | 100.0 | 1.4 |

Classification codes for waste expected to be consigned to a landfill facility:

17 01 01

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

| Disposal Route | Stream volume % | | | |
|--|-----------------|---------|---------|--|
| | 2022/23 | 2023/24 | 2024/25 | |
| Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known | | | | |

Opportunities for alternative disposal routing:

| Baseline Opportunity Stream Date that Opportunity Confidence Management Route Management Route volume (%) Baseline Opportunity Opportunity Confidence will be realised | |
|---|--|
|---|--|

Waste Packaging for Disposal: (Not applicable to this waste stream)

| Container | Stream volume % | Waste loading m³ | Number of packages |
|--|-----------------|------------------|--------------------|
| 1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other | | | |

Other information:

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage:

Waste Characterisation

Form (WCH):

Waste consigned for disposal to LLWR in year of generation:

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation:

Bounding cuboidal volume:

Inaccessible voidage:

Other information:

RADIOACTIVITY

Source: Activation of the concrete and impurities. There may be some contamination.

Uncertainty: The values quoted were derived by calculation from available material specifications and

are indicative of the activities that are expected. The majority of uncertainty is in the

impurity levels.

Definition of total alpha

and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of

radioactivities:

The specific activities were estimated from neutron activation calculations of the material

and its impurities.

Other information: There may be some contamination by Cs137. The activities quoted are those at 85 years

after reactor shutdown i.e. in 2097.

| | Mean radioactivity, TBq/m³ | | | | | Mean radioactivity, TBq/m³ | | | |
|----------------|----------------------------|-----------|----------|-----------|-------------------|----------------------------|-----------|----------|-----------|
| Nuolido | Waste at | Bands and | Future | Bands and | Nuclido | Waste at | Bands and | Future | Bands and |
| Nuclide | 1.4.2022 | Code | arisings | Code | Nuclide | 1.4.2022 | Code | arisings | Code |
| H 3 | | | 7.35E-06 | CC 2 | Gd 153 | | | | 8 |
| Be 10 | | | | 8 | Ho 163 | | | 0.045.00 | 8 |
| C 14 | | | 2.92E-07 | CC 8 | Ho 166m | | | 2.04E-09 | CC 2 |
| Na 22 | | | | 8 | Tm 170 | | | | 8 |
| Al 26 | | | | 8 | Tm 171 | | | | 8 |
| CI 36 | | | 1.27E-07 | CC 2 | Lu 174 | | | | 8 |
| Ar 39 | | | | 8 | Lu 176 | | | | 8 |
| Ar 42 | | | | 8 | Hf 178n | | | | 8 |
| K 40 | | | 5 70E 00 | 8 | Hf 182 | | | | 8 |
| Ca 41 | | | 5.79E-06 | CC 2 | Pt 193 | | | | 8 |
| Mn 53 | | | | 8 | TI 204 Pb 205 | | | | 8 |
| Mn 54 | | | | 8 | Pb 203 Pb 210 | | | | 8 8 |
| Fe 55 Co 60 | | | | 8 | Bi 208 | | | | 8 |
| Ni 59 | | | 2.29E-09 | 8 CC 2 | Bi 200 Bi 210m | | | | 8 |
| Ni 63 | | | 1.29E-09 | CC 2 | Po 210 | | | | 8 |
| Zn 65 | | | 1.29L-07 | 8 | Ra 223 | | | | 8 |
| Se 79 | | | | 8 | Ra 225 | | | | 8 |
| Kr 81 | | | | 8 | Ra 226 | | | | 8 |
| Kr 85 | | | | 8 | Ra 228 | | | | 8 |
| Rb 87 | | | | 8 | Ac 227 | | | | 8 |
| Sr 90 | | | | 8 | Th 227 | | | | 8 |
| Zr 93 | | | | 8 | Th 228 | | | | 8 |
| Nb 91 | | | | 8 | Th 229 | | | | 8 |
| Nb 92 | | | | 8 | Th 230 | | | | 8 |
| Nb 93m | | | | 8 | Th 232 | | | | 8 |
| Nb 94 | | | 2.21E-09 | CC 2 | Th 234 | | | | 8 |
| Mo 93 | | | | 8 | Pa 231 | | | | 8 |
| Tc 97 | | | | 8 | Pa 233 | | | | 8 |
| Tc 99 | | | | 8 | U 232 | | | | 8 |
| Ru 106 | | | | 8 | U 233 | | | | 8 |
| Pd 107 | | | | 8 | U 234 | | | | 8 |
| Ag 108m | | | 2.16E-09 | CC 2 | U 235 | | | | 8 |
| Ag 110m | İ | | | 8 | U 236 | | | | 8 |
| Cd 109 | | | | 8 | U 238 | | | | 8 |
| Cd 113m | | | | 8 | Np 237 | | | | 8 |
| Sn 119m | | | | 8 | Pu 236 | | | | 8 |
| Sn 121m | | | | 8 | Pu 238 | | | | 8 |
| Sn 123 | | | | 8 | Pu 239 | | | | 8 |
| Sn 126 | | | | 8 | Pu 240 | | | | 8 |
| Sb 125 | | | | 8 | Pu 241 | | | | 8 |
| Sb 126 | | | | 8 | Pu 242 | | | | 8 |
| Te 125m | | | | 8 | Am 241 | | | | 8 |
| Te 127m | | | | 8 | Am 242m | | | | 8 |
| I 129 | | | | 8 | Am 243 | | | | 8 |
| Cs 134 | | | | 8 | Cm 242 | | | | 8 |
| Cs 135 | | | | 8 | Cm 243 | | | | 8 |
| Cs 137 | | | | 8 | Cm 244 | | | | 8 |
| Ba 133 | 1 | | | 8 | Cm 245 | | | | 8 |
| La 137 | 1 | | | 8 | Cm 246 Cm 248 | | | | 8 |
| La 138 | | | | 8 | Cm 248 Cf 249 | | | | 8 8 |
| Ce 144 | | | | 8 | Cf 249 Cf 250 | | | | 8 8 |
| Pm 145 | 1 | | | 8 | Cf 250 | | | | 8 |
| Pm 147 | | | | 8 | Cf 251 | | | | 8 |
| Sm 147 | 1 | | 4.605.03 | 8 | Other a | | | | O |
| Sm 151 | 1 | | 1.68E-07 | CC 2 | Other b/g | | | | |
| Eu 152 | | | 1.09E-06 | CC 2 | Total a | 0 | | 0 | CC 2 |
| Eu 154 | | | 6.09E-09 | CC 2 | Total b/g | 0 | | 1.50E-05 | CC 2 |
| Eu 155 | I | | | 8 | rotai b/g | ١ | | 1.502-05 | 00 2 |

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10

D a factor of 100 E a factor of 1000

Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 7 Present in significant duantities but not determined 8 Not expected to be present in significant quantity