SITE Oldbury

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Magnox Limited

WASTE TYPE ILW

Is the waste subject to

Scottish Policy:

No

WASTE VOLUMES

Comment on volumes: Waste arisings are assumed to occur at a uniform rate over 5 years Final Dismantling &

Site Clearance is assumed to commence in 2091 with reactor dismantling commencing in 2096 and lasting for 5 years. The volumes and radioactivity have been calculated for 85

years after reactor shutdown, i.e. 2097.

Uncertainty factors on Stock (upper): x Arisings (upper) x 1.2 volumes: Stock (lower): x Arisings (lower) x 0.8

WASTE SOURCE A variety of miscellaneous metallic wastes resulting from reactor dismantling.

PHYSICAL CHARACTERISTICS

General description: Reactor components including channel gas outlet thermocouples, core thermocouples and

thermocouple insulation.

Physical components (%wt): Thermocouple metals 40%, thermocouple insulation 60%

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~1.4

Comment on density: The density is of the waste as cut for packaging.

CHEMICAL COMPOSITION

General description and components (%wt):

Chromel (20%wt), alumel (20%wt) and magnesium oxide (60%wt).

Chemical state: Neutral

Chemical form of H-3: The tritium content is insignificant. radionuclides: C-14: The carbon 14 content is insignificant.

Cl-36: The chlorine 36 will be incorporated in the metal.

Se-79: The selenium content is insignificant. Tc-99: The technetium content is insignificant. Ra: The radium content is insignificant. Th: The thorium content is insignificant. U: The uranium content is insignificant. Np: The neptunium content is insignificant.

Pu: The plutonium content is insignificant.

Metals and alloys (%wt): Items will have been cut for packaging in a standard ILW container.

(%wt) Type(s) / Grade(s) with proportions % of total C14 activity

Other ferrous metals...... 0

Iron.....

Cobalt.....

	Copper	0		
	Lead	0		
	Magnox/Magnesium	0		
	Nickel	40.0	Chromel (NiCr) (20%wt) and Alumel (NiAl) (20%wt) will be present.	
	Titanium			
	Uranium			
	Zinc	0		
	Zircaloy/Zirconium	. 0		
	Other metals			
Organics (%	wt): None expected. No	halogena	ted plastics or rubbers will be present.	
		(%wt)	Type(s) and comment	% of total C14 activity
	Total cellulosics	0		activity
	Paper, cotton	0		
	Wood	0		
	Halogenated plastics	0		
	Total non-halogenated plastics	0		
	Condensation polymers	0		
	Others	0		
	Organic ion exchange materials	0		
	Total rubber	0		
	Halogenated rubber	0		
	Non-halogenated rubber	0		
	Hydrocarbons			
	Oil or grease			
	Fuel			
	Asphalt/Tarmac (cont.coal tar)			
	Asphalt/Tarmac (no coal tar)			
	Bitumen			
	Others			
	Other organics	0		
Other materi	als (%wt): Some graphite dus	t may be a	ssociated with reactor materials.	
		(%wt)	Type(s) and comment	% of total C14 activity
	Inorganic ion exchange materials	0		·
	Inorganic sludges and flocs	0		
	Soil	0		
	Brick/Stone/Rubble	0		
	Cementitious material	0		
	Sand			
	Glass/Ceramics	60.0	MgO is also expected to be present as thermocouple insulation (60%)	
	Graphite	TD		

Desiccants/Catalysts		
Asbestos	0	
Non/low friable		
Moderately friable		
Highly friable		
Free aqueous liquids	0	
Free non-aqueous liquids	0	
Powder/Ash	0	
Inorganic anions (%wt): Trace quantities of	chloride ma	ay be present.
	(%wt)	Type(s) and comment
Fluoride	0	
Chloride	TR	
lodide	0	
Cyanide	0	
Carbonate	0	
Nitrate	0	
Nitrite	0	
Phosphate	0	
Sulphate	0	
Sulphide	0	
Materials of interest for No materials likely waste acceptance criteria:	to pose a fi	re or other non-radiological hazard have been identified.
	(%wt)	Type(s) and comment
Combustible metals	0	
Low flash point liquids	0	
Explosive materials	0	
Phosphorus	0	
Hydrides	0	
Biological etc. materials	0	
Biodegradable materials		
Putrescible wastes	0	
Non-putrescible wastes		
Corrosive materials	0	
Pyrophoric materials	0	
Generating toxic gases	0	
Reacting with water	0	
Higher activity particles		
Soluble solids as bulk chemical compounds		

Hazardous substances / non hazardous pollutants:

Complexing

None expected

	(%wt)	Type(s) and comment
Acrylamide		
Benzene		
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic		
Barium		
Boron		
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum		
Thallium		
Tin		
Vanadium		
Mercury compounds		
Others		
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		
agents (%wt): Yes		
	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		
Polycarboxylic acids		
Other organic complexants		
Total complexing agents	TR	

Potential for the waste to contain discrete items:

Yes. Large Metal Items (LMIs)/"substantial" thickness items considered "durable" assumed DIs; All stainless items assumed DIs. NB if recycled then DI Limits n/a. Insulation - In & of itself not a DI; waste stream may include DIs (Stainless items). If LLW then assumed drummed (ungrouted) & compacted so NOT DI (unless drums are grouted instead).

PACKAGING AND CONDITIONING

Conditioning method: The waste is not expected to be supercompacted. The treatment envisaged is the

placement of the waste in baskets followed by encapsulation.

Plant Name: None

Location: Oldbury Power Station

Plant startup date: About 2096
Total capacity ~5000.0

(m³/y incoming waste):

Target start date for packaging this stream:

2096

Throughput for this stream (m³/y incoming waste):

< 0.1

Other information: The processing strategy has not yet been determined.

Likely container type:

Container	Waste packaged (%vol)	Waste loading (m³)	Payload (m³)	Number of packages
4m box (no shielding)	100.0	16.2	18.9	< 1

Likely container type

comment:

The container choice may be influenced by the Transport Regulations at the time of Final Site Clearance. The waste is assumed to be in baskets in the waste package so the

occupied volume in the package is greater than the original waste volume.

Range in container waste

volume:

Not yet determined No significant variability is expected.

Other information on

containers:

The container material is expected to be stainless steel.

Likely conditioning matrix:

Other information:

Blast Furnace Slag / Ordinary Portland Cement

Other information.

The waste is assumed to be encapsulated.

Conditioned density (t/m³):

Conditioned density

comment:

The conditioned waste density assumes that the waste will be encapsulated.

Other information on

conditioning:

The waste will be in baskets placed in the waste packages. Baskets of different Final Site Clearance ILW wastes may be in the same waste package. The encapsulation matrix is likely to be BFS/OPC and the density of the conditioned waste product would be about 3 t/m3. The volume of this stream is small and will not fill one box. Data have been presented

as if the waste will be placed in a container with other ILW.

Opportunities for alternative

disposal routing:

-

~3.0

Baseline Opportunity Stream Date that Opportunity Management Route Management Route volume (%) will be realised Estimated Opportunity Opportunity Confidence	nment
---	-------

RADIOACTIVITY

Source: Activation of the metals and impurities.

WASTE STREAM	9E320	Miscellaneous Metals (Reactor) ILW

Uncertainty: The values quoted were derived by calculation from available material specification and

are indicative of the activities that are expected. The major source of uncertainty is the

impurity levels.

Definition of total alpha

and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

The specific activities have been estimated using a neutron activation calculation.

The activities quoted are those at 85 years after reactor shutdown i.e. in 2097. There may Other information:

be some contamination by Cs137.

	Mean radioactivity, TBq/m³			Mean radioactivity, TBq/m³					
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3				8	Gd 153				8
Be 10				8	Ho 163				8
C 14				8	Ho 166m				8
Na 22				8	Tm 170				8
Al 26			5E-04	CC 2	Tm 171				8
CI 36			1.95E-02	CC 2	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41			7.62E-02	CC 2	Pt 193				8
Mn 53				8	TI 204				8
Mn 54				8	Pb 205				8
Fe 55			5.05E-09	CC 2	Pb 210				8
Co 60			3.08E-02	CC 2	Bi 208				8
Ni 59			2.06E+01	CC 2	Bi 210m				8
Ni 63			1.67E+03	CC 2	Po 210				8
Zn 65	Ī			8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90				8	Th 227				8
Zr 93				8	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m				8	Th 232				8
Nb 94				8	Th 234				8
Mo 93				8	Pa 231				8
Tc 97				8	Pa 233				8
Tc 99				8	U 232				8
Ru 106				8	U 233				8
Pd 107				8	U 234				8
Ag 108m				8	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m				8	Pu 238				8
Sn 123				8	Pu 239				8
Sn 126				8	Pu 240				8
Sb 125				8	Pu 241				8
Sb 126				8	Pu 242				8
Te 125m				8	Am 241				8
Te 127m				8	Am 242m				8
l 129				8	Am 243				8
Cs 134				8	Cm 242				8
Cs 135				8	Cm 243				8
Cs 137				6	Cm 244				8
Ba 133				8	Cm 245				8
La 137				8	Cm 246				8
La 138				8	Cm 248				8
Ce 144				8	Cf 249				8
Pm 145				8	Cf 250				8
Pm 147				8	Cf 251				8
Sm 147				8	Cf 252				8
Sm 151				8	Other a				-
Eu 152				8	Other b/g				
Eu 154				8	Total a	0		0	
Eu 154 Eu 155				8	Total b/g	0		1.69E+03	CC 2
Lu 100	<u> </u>		<u> </u>	U		ľ			

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100 E a factor of 1000

Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity

- 1 Measured activity
 2 Derived activity (best estimate)
 3 Derived activity (upper limit)
 4 Not present
 5 Present but not significant
 6 Likely to be present but not assessed
 7 Present in significant quantities but not determined
 8 Not expected to be present in significant quantity