**SITE** Wylfa

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Magnox Limited

WASTE TYPE ILW

Is the waste subject to

Scottish Policy:

No

**WASTE VOLUMES** 

Comment on volumes: For inventory purposes the arisings are assumed to arise at a uniform rate over five years.

Final Dismantling & Site Clearance is assumed to commence in 2097 with reactor dismantling commencing in 2101 and lasting for 5 years. The volumes and radioactivity

have been calculated for 85 years after reactor shutdown, i.e. 2100.

Uncertainty factors on Stock (upper): x Arisings (upper) x 1.2 volumes: Stock (lower): x Arisings (lower) x 0.8

**WASTE SOURCE** A variety of miscellaneous metallic wastes resulting from reactor dismantling.

#### PHYSICAL CHARACTERISTICS

General description: Reactor components including boron steel control rods and thermocouples. Waste can be

packaged in standard NDA packages.

Physical components (%wt): A variety of miscellaneous metallic wastes including boron steel control rods (99%wt) and

thermocouples (<1%wt).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~1.4

Comment on density: The density is of the waste as prepared for packaging.

#### CHEMICAL COMPOSITION

General description and components (%wt):

A variety of materials including boron steel, chromel, alumel and magnesium oxide.

Chemical state: Neutral

Chemical form of

H-3: The tritium content is insignificant.

radionuclides: C-14: The chemical form of carbon 14 has not been determined but may be graphite.

Cl-36: The chemical form of chlorine 36 has not been assessed.

Se-79: The selenium content is insignificant.

Tc-99: The chemical form of technetium has not been determined.

Ra: The radium content is insignificant.
Th: The thorium content is insignificant.
U: The uranium content is insignificant.
Np: The neptunium content is insignificant.
Pu: The plutonium content is insignificant.

Metals and alloys (%wt): Items will have been cut for packaging but an assessment of item dimensions has not

been made.

(%wt) Type(s) / Grade(s) with proportions % of total C14 activity

Stainless steel...... 0

•

alloys has not been made, but will

include 4% Boron Cr steel

Iron.....

Aluminium...... NE

Beryllium	0		
Cobalt			
Copper	NE		
Lead	NE		
Magnox/Magnesium	NE	MgO is expected to be present	
Nickel	<1.0	Chromel (NiCr) (<.2%) and Alumel (NiAl) (<.2%).	
Titanium			
Uranium			
Zinc	NE		
Zircaloy/Zirconium	NE		
Other metals			
Organics (%wt): None expected. The	re are no	halogenated plastics or rubbers present.	
	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulosics	0		douvity
Paper, cotton	0		
Wood	0		
Halogenated plastics	0		
Total non-halogenated plastics	0		
Condensation polymers	0		
Others	0		
Organic ion exchange materials	0		
Total rubber	0		
Halogenated rubber	0		
Non-halogenated rubber	0		
Hydrocarbons			
Oil or grease			
Fuel			
Asphalt/Tarmac (cont.coal tar)			
Asphalt/Tarmac (no coal tar)			
Bitumen			
Others			
Other organics	0		
Other materials (%wt): Some graphite dust	may be as	ssociated with reactor materials.	
	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	0		,
Inorganic sludges and flocs	0		
Soil	0		
Brick/Stone/Rubble	0		
Cementitious material	0		
Sand			
Glass/Ceramics	0		

Graphite	TR	
Desiccants/Catalysts		
Asbestos	0	
Non/low friable		
Moderately friable		
Highly friable		
Free aqueous liquids	0	
Free non-aqueous liquids	0	
Powder/Ash	0	
norganic anions (%wt): Not fully assessed.		
San a sa	(%wt)	Type(s) and comment
		Type(3) and comment
Fluoride	NE	
Chloride	NE	
lodide	NE	
Cyanide	0	
Carbonate	NE	
Nitrate	NE	
Nitrite	NE	
Phosphate	NE	
Sulphate	NE	
Sulphide	NE	
Materials of interest for No materials likely to waste acceptance criteria:	o pose a fi	re or other non-radiological hazard have been identified.
	(%wt)	Type(s) and comment
Combustible metals	0	
Low flash point liquids	0	
Explosive materials	0	
Phosphorus	0	
Hydrides	0	
Biological etc. materials	0	
Biodegradable materials		
Putrescible wastes	0	
Non-putrescible wastes		
Corrosive materials	0	
Pyrophoric materials	0	
Generating toxic gases	0	
Reacting with water	0	
Higher activity particles		
Soluble solids as bulk chemical compounds.		

Hazardous substances / non hazardous pollutants:

Complexing

None expected

	(%wt)	Type(s) and comment
Acrylamide		
Benzene		
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic		
Barium		
Boron		
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum		
Thallium		
Tin		
Vanadium		
Mercury compounds		
Others		
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		
agents (%wt): Yes		
	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		
Polycarboxylic acids		
Other organic complexants		
Total complexing agents	TR	

Potential for the waste to contain discrete items:

Yes. Large Metal Items (LMIs)/"substantial" thickness items considered

"durable" assumed DIs. NB If recycled then DI Limits n/a

#### **PACKAGING AND CONDITIONING**

Conditioning method: The waste is not expected to be supercompacted. The treatment envisaged is the

placement of the waste in baskets followed by encapsulation.

Plant Name: None

Location: Wylfa Power Station

Plant startup date: 2101

Total capacity ~5000.0

(m³/y incoming waste):

Target start date for 2101

packaging this stream:

Throughput for this stream (m³/y incoming waste):

3.7

Other information:

The processing strategy has not yet been determined.

Likely container type:

Container	Waste packaged (%vol)	Waste loading (m³)	Payload (m³)	Number of packages
4m box (200mm concrete shielding)	100.0	9.3	10.9	3

Likely container type

comment:

The container choice may be influenced by the Transport Regulations at the time of Final

Site Clearance. The waste is assumed to be in baskets in the waste package so the

occupied volume in the package is greater than the original waste volume.

Range in container waste

volume:

Not yet determined. No significant variability is expected.

Other information on

containers:

The container material is expected to be stainless steel.

Likely conditioning matrix:

Other information:

Blast Furnace Slag / Ordinary Portland Cement The waste is assumed to be encapsulated.

Conditioned density (t/m³):

Conditioned density

comment:

The conditioned waste density assumes the waste is encapsulated.

Other information on

conditioning:

The waste will be in baskets placed in the waste packages. Baskets of different Final Dismantling & Site Clearance ILW wastes may be in the same waste package. The

encapsulation matrix is be likely to be BFS/OPC.

Opportunities for alternative

disposal routing:

~3.0

Baseline Opportunity Stream Date that Management Route Management Route volume (%)  Estimated Date that Opportunity will be realise	
---	--

#### **RADIOACTIVITY**

Source: Activation of the metals and impurities.

Uncertainty: The values quoted were derived by calculation from available material specifications and

are indicative of the activities that are expected. The major source of uncertainty is the

impurity levels.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

2022 Inventory

Measurement of radioactivities:

The specific activities for the reactor materials were estimated from neutron activation

calculations of the material and its impurities.

Other information: There may be some contamination by Cs137. The activities quoted are those at 85 years

after reactor shutdown.

	Mean radioactivity, TBq/m³			Mean radioactivity, TBq/m³					
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3				8	Gd 153				8
Be 10				8	Ho 163				8
C 14			2.3E-01	CC 2	Ho 166m				8
Na 22				8	Tm 170				8
Al 26			1E-06	CC 2	Tm 171				8
CI 36	İ		6.35E-05	CC 2	Lu 174				8
Ar 39			0.002 00	8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41			2.4E-04	CC 2	Pt 193				8
Mn 53			2.4L-04	8	TI 204			8.54E-08	CC 2
					Pb 205			0.542-00	8
Mn 54			4 575 07	8	Pb 203 Pb 210				
Fe 55			1.57E-07	CC 2					8
Co 60			6.32E-04	CC 2	Bi 208				8
Ni 59			5.17E-01	CC 2	Bi 210m				8
Ni 63			3.48E+01	CC 2	Po 210				8
Zn 65				8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90				8	Th 227				8
Zr 93				8	Th 228				8
Nb 91				8	Th 229				8
Nb 92			1.31E-08	CC 2	Th 230				8
Nb 93m				6	Th 232				8
Nb 94			1.46E-03	CC 2	Th 234				8
Mo 93			9.64E-04	CC 2	Pa 231				8
Tc 97				8	Pa 233				8
Tc 99			1.97E-04	CC 2	U 232				8
Ru 106			1.07 2 0 1	8	U 233				8
Pd 107				8	U 234				8
Ag 108m			3.68E-03	CC 2	U 235				8
Ag 100m			3.00L-03	8	U 236				8
Cd 109					U 238				8
				8	Np 237				8
Cd 113m				8	Pu 236				8
Sn 119m				8	Pu 238				8
Sn 121m				8	Pu 239				8
Sn 123				8	Pu 240				8
Sn 126				8	Pu 241				8
Sb 125				8	Pu 241 Pu 242				8
Sb 126				8	Am 241				8
Te 125m				8	Am 241 Am 242m				8 8
Te 127m				8					
I 129				8	Am 243				8
Cs 134				8	Cm 242				8
Cs 135				8	Cm 243				8
Cs 137				6	Cm 244				8
Ba 133				8	Cm 245				8
La 137				8	Cm 246				8
La 138				8	Cm 248				8
Ce 144				8	Cf 249				8
Pm 145				8	Cf 250				8
Pm 147				8	Cf 251				8
Sm 147				8	Cf 252				8
Sm 151				8	Other a				
Eu 152				8	Other b/g				
Eu 154				8	Total a	0		0	
Eu 155				8	Total b/g	0		3.56E+01	CC 2
	I			Ũ			l		

### Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10

D a factor of 100 E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

#### Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity