**SITE** Wylfa

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Magnox Limited

WASTE TYPE LLW

Is the waste subject to

Scottish Policy:

No

**WASTE VOLUMES** 

Comment on volumes:

Uncertainty factors on Stock (upper): x 1.1 Arisings (upper) x 1.3 volumes: Stock (lower): x 0.9 Arisings (lower) x 0.7

WASTE SOURCE Care and Maintenance preparation and procedures in the areas covered by this waste

stream.

#### PHYSICAL CHARACTERISTICS

General description: Hard trash and redundant equipment. Mainly steel components. No large items are

expected.

Physical components (%wt): Plant components, broken tools, plastic, paper, drums containing the waste. Metal (85%),

Concrete/rubble (1%), Soil (1%), Biodegradable non-putrescibles (3%), Plastics halogenated (~1%), plastics non-halogenated (~1%), Rubber (1%), Wood (1%), Other

organic (2%), Others including asbestos (4%)

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): 1.01

Comment on density: density is taken from WCH mass divided by volume

#### CHEMICAL COMPOSITION

General description and components (%wt):

Metal (85%), Concrete/rubble (1%), Soil (1%), Biodegradable non-putrescibles (3%), Plastics halogenated (1%), plastics non-halogenated (1%), Rubber (1%), Wood (1%),

Other organic (2%), Others including asbestos (4%)

Chemical state: Neutral

Chemical form of radionuclides:

H-3: The chemical form of tritium has not been determined. C-14: The chemical form of carbon 14 has not been determined.

CI-36: Chlorine 36 is expected to be insignificant. Se-79: The selenium content is insignificant. Tc-99: The technetium content is insignificant.

Ra: Radium isotope content is expected to be insignificant.

Th: The thorium content is insignificant.

U: Uranium isotope content is expected to be insignificant.

Np: The neptunium content is insignificant.

Pu: Chemical form of plutonium isotopes has not been determined but may be plutonium

oxides.

Metals and alloys (%wt): Metal thicknesses will be variable from about 1 mm up to about 30 mm.

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel	~29.1	Metal (pipework, valves, filters, bearings, misc). made up of 17% Chromium, 69.5% Iron, 2.5% Moybdenum, 11% Nickel	·
Other ferrous metals	~54.6	Drums, tooling, pipework, valves, filters, misc.	
Iron			
Aluminium	~0.50	Pipework, valves, filters, misc. contaminated dummy magnox alloy fuel elements (0.4 kg of 50kg magnox alloy).	
Beryllium	TR	0.002 kg of 50 kg magnox alloy dummy fuel elements.	
Cobalt			
Copper	~0.10	Cable and WEEE.	
Lead	~0.01	Light bulbs (<1m3), lead shot.	
Magnox/Magnesium	~0.01	49.6 kg of 50 kg Magnox alloy dummy fuel elements.	
Nickel			
Titanium	~0.45	Miscellaneous	
Uranium			
Zinc	~0.50	Tooling, scaffolding, buckets, and a minor amount of mangnox dummy fuel elements.	
Zircaloy/Zirconium	0		
Other metals	0	There are no "other" metals.	
Organics (%wt): Cellulosic materials	, halogena	ted plastics expected.	
Organics (%wt): Cellulosic materials	, halogena (%wt)	ted plastics expected.  Type(s) and comment	% of total C14
Organics (%wt): Cellulosic materials  Total cellulosics			% of total C14 activity
	(%wt)		
Total cellulosics	(%wt)		
Total cellulosics	(%wt) 1.0		
Total cellulosics Paper, cotton	(%wt) 1.0 1.0	Type(s) and comment	
Total cellulosics  Paper, cotton  Wood  Halogenated plastics	(%wt) 1.0 1.0 ~0.72	Type(s) and comment  Liners, lab waste/packaging.	
Total cellulosics  Paper, cotton  Wood  Halogenated plastics  Total non-halogenated plastics	(%wt) 1.0 1.0 ~0.72 ~0.71	Type(s) and comment  Liners, lab waste/packaging.  Lab waste/packaging.	
Total cellulosics  Paper, cotton  Wood  Halogenated plastics  Total non-halogenated plastics  Condensation polymers	(%wt) 1.0 1.0 ~0.72 ~0.71 ~0.35	Type(s) and comment  Liners, lab waste/packaging.  Lab waste/packaging.  Lab waste/packaging.	
Total cellulosics  Paper, cotton  Wood  Halogenated plastics  Total non-halogenated plastics  Condensation polymers  Others	(%wt) 1.0 1.0 ~0.72 ~0.71 ~0.35	Type(s) and comment  Liners, lab waste/packaging.  Lab waste/packaging.  Lab waste/packaging.	
Total cellulosics  Paper, cotton  Wood  Halogenated plastics  Total non-halogenated plastics  Condensation polymers  Others  Organic ion exchange materials	(%wt) 1.0 1.0 ~0.72 ~0.71 ~0.35 ~0.36	Type(s) and comment  Liners, lab waste/packaging.  Lab waste/packaging.  Lab waste/packaging.	
Total cellulosics  Paper, cotton  Wood  Halogenated plastics  Total non-halogenated plastics  Condensation polymers  Others  Organic ion exchange materials  Total rubber	(%wt) 1.0 1.0 ~0.72 ~0.71 ~0.35 ~0.36 ~1.0	Type(s) and comment  Liners, lab waste/packaging.  Lab waste/packaging.  Lab waste/packaging.	
Total cellulosics	(%wt) 1.0 1.0 ~0.72 ~0.71 ~0.35 ~0.36 ~1.0 ~0.50	Type(s) and comment  Liners, lab waste/packaging.  Lab waste/packaging.  Lab waste/packaging.	
Total cellulosics	(%wt) 1.0 1.0 ~0.72 ~0.71 ~0.35 ~0.36 ~1.0 ~0.50	Type(s) and comment  Liners, lab waste/packaging.  Lab waste/packaging.  Lab waste/packaging.	
Total cellulosics	(%wt) 1.0 1.0 ~0.72 ~0.71 ~0.35 ~0.36 ~1.0 ~0.50	Type(s) and comment  Liners, lab waste/packaging.  Lab waste/packaging.  Lab waste/packaging.	
Total cellulosics	(%wt) 1.0 1.0 ~0.72 ~0.71 ~0.35 ~0.36 ~1.0 ~0.50	Type(s) and comment  Liners, lab waste/packaging.  Lab waste/packaging.  Lab waste/packaging.	
Total cellulosics	(%wt) 1.0 1.0 -0.72 -0.71 -0.35 -0.36 -1.0 -0.50 -0.50	Type(s) and comment  Liners, lab waste/packaging.  Lab waste/packaging.  Lab waste/packaging.  Lab waste/packaging.	
Total cellulosics	(%wt) 1.0 1.0 -0.72 -0.71 -0.35 -0.36 -1.0 -0.50 -0.50	Type(s) and comment  Liners, lab waste/packaging.  Lab waste/packaging.  Lab waste/packaging.  Lab waste/packaging.	

Other organics	2.0	
Other materials (%wt):		
	(%wt)	Type(s) and comment % of total C14 activity
Inorganic ion exchange materials	0	
Inorganic sludges and flocs	0	
Soil	~1.0	
Brick/Stone/Rubble	~1.0	
Cementitious material	0	
Sand		
Glass/Ceramics	~0.50	Fibreglass lagging
Graphite	0	
Desiccants/Catalysts		
Asbestos	~3.0	
Non/low friable	~1.0	Equal portions of white/brown/blue asbestos assumed. Lagging.
Moderately friable	~1.0	Equal portions of white/brown/blue asbestos assumed. Asbestos contaminated plant items and gaskets.
Highly friable	~1.0	Equal portions of white/brown/blue asbestos assumed. Insulating boards.
Free aqueous liquids	0	
Free non-aqueous liquids	0	
Powder/Ash	0	
Inorganic anions (%wt): None expected.		
	(%wt)	Type(s) and comment
Fluoride	0	
Chloride	0	
lodide	0	
Cyanide	0	
Carbonate	0	
Nitrate	0	
Nitrite	0	
Phosphate	0	
Sulphate	0	
Sulphide	0	
Materials of interest for No materials likely	to pose a f	ire or other non-radiological hazard have been identified.

Materials of interest for waste acceptance criteria:

		(%wt)	Type(s) and comment
	Combustible metals	0	
	Low flash point liquids	0	
	Explosive materials	0	
	Phosphorus	0	
	Hydrides	0	
	Biological etc. materials	0	
	Biodegradable materials	~3.0	
	Putrescible wastes	~0	
	Non-putrescible wastes	~3.0	
	Corrosive materials	0	
	Pyrophoric materials	0	
	Generating toxic gases	0	
	Reacting with water	Р	1140m2
	Higher activity particles		
	Soluble solids as bulk chemical		
	compounds		
Hazardous su			
non nazardou	is politiants.	(0)	_ ,,
		(%wt)	Type(s) and comment
	Acrylamide		
	Benzene		
	Chlorinated solvents		
	Formaldehyde		
	Organometallics		
	Phenol		
	Styrene		
	Tri-butyl phosphate		
	Other organophosphates		
	Vinyl chloride		
	Arsenic		
	Barium	TR	Light bulbs (<1m3)
	Boron	0	
	Boron (in Boral)		
	Boron (non-Boral)		
	Cadmium		
	Caesium		
	Selenium		
	Chromium		
	Molybdenum		
	Thallium		<b>-</b>
	Tin	~0.10	Paint tins
	Vanadium		

Mercury compounds		
Others		
Electronic Electrical Equipment (EEE)		
EEE Type 1	Р	20 items of a mixture of VDU, electronic circuit boards, fans that have been stripped from control panels and telephones.
EEE Type 2		
EEE Type 3	Р	10 items of corded drills
EEE Type 4	Р	50 items of mainly flourescent light tubes
EEE Type 5		
Complexing agents (%wt): Yes		
	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		
Polycarboxylic acids		
Other organic complexants	TR	Citrates (decon-90) and Phosphoric acid (jenolite/Kamco)
Total complexing agents	TR	

Potential for the waste to contain discrete items:

No. In & of itself not a DI; waste stream may include DIs (notably any stainless

steel components)

#### TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)	Off-site	~5.3
Incineration	Off-site	~48.3
Solidification		
Decontamination		
Metal treatment	Off-site	~40.0
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None		~6.4

Comment on planned treatments:

2% to landfill.

**Disposal Routes:** 

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository	9.7	1.0
Expected to be consigned to a Landfill Facility	2.0	1.0
Expected to be consigned to an On-Site Disposal Facility		
Expected to be consigned to an Incineration Facility	48.3	0.40
Expected to be consigned to a Metal Treatment Facility	40.0	1.4
Expected to be consigned as Out of Scope		
Expected to be recycled / reused		
Disposal route not known		

Classification codes for waste expected to be consigned to a landfill facility:

17 04 05, 17 04 07, 17 06 01\*

#### Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %				
Disposal Notice	2022/23 2023/24 202		2024/25		
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known					

#### Opportunities for alternative disposal routing:

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
_	_	_	_	_	_

#### Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	~5.3	~21.6	2

Other information: Data have been presented as though the waste will be in dedicated containers.

It is likely that this waste will be placed in containers with other LLW. 21.6m3 is calculated based on the fact that ordinarily you can fit 36 (200 litre/0.2m3) drums (7.2m3) into a  $\frac{1}{2}$  height ISO, each drum can be squashed to a  $\frac{1}{3}$  of its original volume so therefore we can get 3 x the amount of un-compacted drums

into the final disposal container (21.6m3)

#### Waste Planned for Disposal at the LLW Repository:

Container voidage: Significant in-accessible voidage is not expected.

Waste Characterisation

Form (WCH):

The waste meets the LLWR's Waste Acceptance Criteria (WAC).

The waste has a current WCH.

Inventory information is consistent with the current WCH.

Waste consigned for disposal to LLWR in year of generation:

The timing of consignment of the waste for disposal cannot be determined at

present.

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

#### **RADIOACTIVITY**

Source: Activation and contamination of materials.

Uncertainty: Activity estimates are as shown in the radionuclide table.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

The specific activities have been taken from the WCH - 1MXN-3WYL-0-WCH-4605 v3 with a decay reference date of 20/03/2021 as a mid point of the validity of the WCH. A single

fingerprint with the decay reference date of 20/03/2021 is being used by site for consignments over the three year WCH validity period without annual decay correction.

This has been decayed for RWI 2022 by one year.

Other information:

Mean radioactivity, TBq/m³			Mean radioactivity, TBq/m³						
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	1.60E-04	CC 1	1.60E-04	CC 1	Gd 153		8		8
Be 10		8		8	Ho 163		8		8
C 14	4.65E-06	CC 1	4.65E-06	CC 1	Ho 166m		8		8
Na 22		8		8	Tm 170		8		8
Al 26		8		8	Tm 171		8		8
CI 36	1.76E-06	CC 1	1.76E-06	CC 1	Lu 174		8		8
Ar 39		8		8	Lu 176		8		8
Ar 42		8		8	Hf 178n		8		8
K 40		8		8	Hf 182		8		8
Ca 41		8		8	Pt 193		8		8
Mn 53		8		8	TI 204		8		8
Mn 54	4.08E-09	CC 2	4.08E-09	CC 2	Pb 205		8		8
Fe 55	7.06E-05	CC 1	7.06E-05	CC 1	Pb 210		8		8
Co 60	2.27E-05	CC 2	2.27E-05	CC 2	Bi 208		8		8
Ni 59	==	8	==	8	Bi 210m		8		8
Ni 63	3.47E-06	CC 1	3.47E-06	CC 1	Po 210		8		8
Zn 65	2.1E-09	CC 2	2.1E-09	CC 2	Ra 223 Ra 225		8 8		8 8
Se 79		8		8	Ra 225 Ra 226		8		8
Kr 81		8		8	Ra 228		8		8
Kr 85		8 8		8 8	Ac 227		8		8
Rb 87 Sr 90	1.37E-08	CC 1	1.37E-08	CC 1	Th 227		8		8
Zr 93	1.37 L-00	8	1.37 L-00	8	Th 228		8		8
Nb 91		8		8	Th 229		8		8
Nb 92		8		8	Th 230		8		8
Nb 93m		8		8	Th 232		8		8
Nb 94	1.6E-08	CC 2	1.6E-08	CC 2	Th 234		8		8
Mo 93		8		8	Pa 231		8		8
Tc 97		8		8	Pa 233		8		8
Tc 99		8		8	U 232		8		8
Ru 106	2.86E-09	CC 2	2.86E-09	CC 2	U 233		8		8
Pd 107		8		8	U 234		8		8
Ag 108m	3.69E-08	CC 2	3.69E-08	CC 2	U 235		8		8
Ag 110m	1.02E-09	CC 2	1.02E-09	CC 2	U 236		8		8
Cd 109		8		8	U 238		8		8
Cd 113m		8		8	Np 237		8		8
Sn 119m		8		8	Pu 236	==	8	==	8
Sn 121m		8		8	Pu 238	4.47E-09	CC 1	4.47E-09	CC 1
Sn 123		8		8	Pu 239	4.9E-09	CC 1	4.9E-09	CC 1
Sn 126		8		8	Pu 240	6.4E-09	CC 1	6.4E-09	CC 1
Sb 125	9.88E-09	CC 2	9.88E-09	CC 2	Pu 241	4.54E-07	CC 1	4.54E-07	CC 1
Sb 126		8		8	Pu 242	2.17E-08	8 CC 1	2 175 09	8 CC 1
Te 125m	2.43E-09	8	2.43E-09	8	Am 241	Z.17E-U0	·	2.17E-08	
Te 127m		8		8	Am 242m Am 243		8 8		8 8
I 129	0.45.00	8	0.45.00	8	Cm 242		8		8
Cs 134	2.4E-08	CC 2	2.4E-08	CC 2	Cm 242		8		8
Cs 135 Cs 137	3.8E-07	8	2 0 5 0 7	8	Cm 244		8		8
	3.8E-07 2E-08	CC 2 CC 2	3.8E-07 2E-08	CC 2 CC 2	Cm 245		8		8
Ba 133	∠E-Uŏ	8	∠⊑-Uŏ	8	Cm 246		8		8
La 137 La 138		8		8	Cm 248		8		8
Ce 144		8		8	Cf 249		8		8
Pm 145		8		8	Cf 250		8		8
Pm 147	1.37E-08	CC 1	1.37E-08	CC 1	Cf 251		8		8
Sm 147		8	2 00	8	Cf 252		8		8
Sm 151		8		8	Other a				
Eu 152	4.41E-08	CC 2	4.41E-08	CC 2	Other b/g				
Eu 154	1.27E-07	CC 2	1.27E-07	CC 2	Total a	3.75E-08	CC 2	3.75E-08	CC 2
Eu 155	3.97E-08	CC 2	3.97E-08	CC 2	Total b/g	2.64E-04	CC 2	2.64E-04	CC 2
	Inner and Law				Codo	1			

#### Bands (Upper and Lower)

A a factor of 1.5

B a factor of 3

C a factor of 10

D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

### Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined 8 Not expected to be present in significant quantity