SITE Hunterston A

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Magnox Limited

WASTE TYPE ILW; SPD3

Is the waste subject to

Scottish Policy:

Yes

WASTE VOLUMES

Comment on volumes: No future arisings.

Uncertainty factors on Stock (upper): x = 1.2 Arisings (upper) x = x = 1.2 Stock (lower): x = 0.8 Arisings (lower) x = 0.8

WASTE SOURCE The source of the waste is in-core components.

PHYSICAL CHARACTERISTICS

General description: The waste consists of redundant control rods and associated equipment such as distance

tubes. Control rods are approximately 200 kg each and are 7.08 m long (120 mm

maximum diameter).

Physical components (%wt): Control rods and distance tubes (100%).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~2.5

Comment on density: Bulk density is raw, as stored, and is estimated.

CHEMICAL COMPOSITION

General description and components (%wt):

The waste consists principally of stainless steel, with other unspecified metals.

Chemical state: Neutral

Chemical form of radionuclides:

H-3: The chemical form of tritium has not been determined but may be present as water or

as other inorganic compounds or as organic compounds.

C-14: Carbon 14 will be present as graphite.

CI-36: The chemical form of chlorine 36 content has not been determined.

Se-79: The selenium content is insignificant.

Tc-99: The chemical form of technetium has not been determined.

Ra: The radium isotope content is insignificant. Th: The thorium isotope content is insignificant.

U: The chemical form of uranium isotopes has not been determined but may be uranium

oxides.

Np: The neptunium content is insignificant.

Pu: The chemical form of plutonium isotopes has not been determined but may be

plutonium oxides.

Metals and alloys (%wt): Control rods (~100%). 7.06 m long x 0.12 m maximum diameter.

(%wt) Type(s) / Grade(s) with proportions % of total C14 activity

Stainless steel...... ~90.0 The waste contains steel and other

metals.

Other ferrous metals...... NE Control rods contain boron steel

inserts.

Iron.....

Cobalt			
Copper	NE		
Lead	NE		
Magnox/Magnesium	TR		
Nickel	NE	Alloying proportions of tin, nickel, niobium and molybdenum may be present.	
Titanium			
Uranium			
Zinc	NE		
Zircaloy/Zirconium	TR		
Other metals	NE	"Other" metals not fully assessed.	
Organics (%wt): None expected.			
	(%wt)	Type(s) and comment	% of total C14
Total cellulosics	0		activity
Paper, cotton	0		
Wood	0		
Halogenated plastics	0		
Total non-halogenated plastics	NE		
Condensation polymers	NE		
Others	NE		
Organic ion exchange materials	0		
Total rubber	0		
Halogenated rubber	0		
Non-halogenated rubber	0		
Hydrocarbons			
Oil or grease			
Fuel			
Asphalt/Tarmac (cont.coal tar)			
Asphalt/Tarmac (no coal tar)			
Bitumen			
Others			
Other organics	0		
Other materials (%wt): Traces of graphite m	nay be pre	esent.	
	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	0		-
Inorganic sludges and flocs	0		
Soil	0		
Brick/Stone/Rubble	0		
Cementitious material	0		
Sand			
Glass/Caramics	0		

Graphite		NE	
Desiccants/0	Catalysts		
Asbestos		0	
Non/low f	friable		
Moderate	ely friable		
Highly fria	able		
Free aqueou	s liquids	0	
Free non-aqu	ueous liquids	0	
Powder/Ash.		0	
Inorganic anions (%wt):	There are no inorga	anic anions	present.
		(%wt)	Type(s) and comment
Fluoride		0	
Chloride		0	
lodide		0	
Cyanide		0	
Carbonate		0	
Nitrate		0	
Nitrite		0	
Phosphate		0	
Sulphate		0	
Sulphide		0	
Materials of interest for	There are no hazar	dous mate	rials present.
waste acceptance criteria:		(%wt)	Type(s) and comment
O a mala v a tila la		-	rype(s) and comment
	metals	0	
•	int liquids	0	
•	aterials	0	
•		0	
		0	
•	c. materials	0	
	le materials	0	
	e wastes	0	
•	scible wastes	0	
	aterials	0	
	naterials	0	
_	oxic gases	0	
_	n water	0	
-	ty particles		
	s as bulk chemical		

Hazardous substances / non hazardous pollutants:

Complexing

None expected

	(%wt)	Type(s) and comment
Acrylamide		
Benzene		
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic		
Barium		
Boron		
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum		
Thallium		
Tin		
Vanadium		
Mercury compounds		
Others		
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		
agents (%wt): No		
	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		
Polycarboxylic acids		
Other organic complexants		
Total complexing agents	0	

Potential for the waste to contain discrete items:

Yes. Large Metal Items (LMIs)/"substantial" thickness items considered

"durable" assumed DIs; Stainless items assumed DIs.

PACKAGING AND CONDITIONING

Conditioning method: The waste is not expected to be supercompacted. It will be placed in baskets in a

4m stainless steel ILW Box and is now assumed to be encapsulated.

Plant Name:

Location: Hunterston A Decommissioning Site

2075 Plant startup date: Total capacity ~5000.0

(m³/y incoming waste):

Target start date for packaging this stream: 2075

Throughput for this stream (m³/y incoming waste):

<1.0

Other information: The current proposal is to store the waste as at present until Final Dismantling

> commencing in 2072. All waste is expected to be retrieved when a conditioning campaign is undertaken. Baskets of different ILW wastes may be in the same

package.

Likely container type:

Container	Waste packaged (%vol)	Waste loading (m³)	Payload (m³)	Number of packages	
4m box (no shielding)	100.0	~16.2	18.9	< 1	

Likely container type

comment:

Container choice may be influenced by the Transport Regulations at the time of Final Site Clearance. The waste is assumed to be in baskets in the waste package so the occupied

volume in the package is greater than the original waste volume.

Range in container waste

volume:

This waste will only occupy one box.

Other information on

containers:

Likely to be stainless steel.

Likely conditioning matrix:

Blast Furnace Slag / Ordinary Portland Cement

Other information:

The waste is assumed to be encapsulated. The matrix is likely to be BFS/OPC.

Conditioned density (t/m3):

Conditioned density

comment:

The density assumes that the waste is encapsulated.

Other information on

conditionina:

Appropriate plant will be provided at the Station in accordance with Company strategy. Wastes will be in baskets placed in the waste packages. Baskets of different Final Dismantling ILW wastes may be in the same packages. The matrix would be likely to be BFS/OPC. The density of the encapsulated waste would probably be about 3t/m3.

Opportunities for alternative

disposal routing:

~3.0

Estimated Date that Baseline Opportunity Stream Opportunity Comment Opportunity Management Route Management Route volume (%) Confidence

will be realised

RADIOACTIVITY

Source: Activation of steel, principally due to Fe55 and Co60.

Uncertainty: Specific activity is a function of Station operating history. The values quoted are indicative

of the activities that might be expected.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

Estimates are based upon theoretical assessments.

Other information:

	N	lean radioact	tivity, TBq/m³				Mean radioa	ctivity, TBq/m³	
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	<1.53E+00	C 2	ansings	Code	Gd 153	1.4.2022	8	ansings	Code
Be 10	<1.55E+00	8			Ho 163		8		
C 14	2.00E-02	CC 2			Ho 166m		8		
Na 22		8			Tm 170		8		
Al 26		8			Tm 171		8		
CI 36	3E-05	CC 2			Lu 174		8		
Ar 39		8			Lu 176		8		
Ar 42		8			Hf 178n		8		
K 40		8			Hf 182		8		
Ca 41		8			Pt 193		8		
Mn 53		8			TI 204		8		
Mn 54		8			Pb 205		8		
Fe 55	9.46E-02	CC 2			Pb 210		8		
Co 60	4.14E-01	CC 1			Bi 208		8		
Ni 59	4E-02	CC 2			Bi 210m		8		
Ni 63	2.76E+00	CC 2			Po 210		8		
Zn 65 Se 79		8 8			Ra 223 Ra 225		8 8		
Se 79 Kr 81		8			Ra 225 Ra 226		8		
Kr 85		8			Ra 228		8		
Rb 87		8			Ac 227		8		
Sr 90	<3.76E-05	С 3			Th 227		8		
Zr 93		8			Th 228		8		
Nb 91		8			Th 229		8		
Nb 92		8			Th 230		8		
Nb 93m		8			Th 232		8		
Nb 94	4E-05	CC 2			Th 234	7E-09	CC 2		
Mo 93		8			Pa 231		8		
Tc 97		8			Pa 233		8		
Tc 99	<1E-08	C 3			U 232		8		
Ru 106 Pd 107		8 8			U 233 U 234	<6.10E-09	8 C 3		
Ag 108m	3.92E-05	CC 2			U 235	<0.10L-09	8		
Ag 110m	0.522 00	8			U 236		8		
Cd 109		8			U 238	<7E-09	C 3		
Cd 113m		8			Np 237		8		
Sn 119m		8			Pu 236		8		
Sn 121m		8			Pu 238	<2.73E-06	C 3		
Sn 123		8			Pu 239	<3E-06	C 3		
Sn 126		8			Pu 240	<4.00E-06	C 3		
Sb 125		8			Pu 241	<3.36E-05	C 3		
Sb 126	1	8			Pu 242	<2E-09	C 3		
Te 125m	1	8			Am 241	<8.71E-06	C 3		
Te 127m I 129	1	8 8			Am 242m Am 243	<1.88E-08 <6.00E-09	C 3 C 3		
Cs 134		8			Cm 242	<1.55E-08	C 3		
Cs 135		8			Cm 243	<3.80E-09	C 3		
Cs 137	<5.32E-05	C 3			Cm 244	<3.79E-08	C 3		
Ba 133		8			Cm 245		8		
La 137		8			Cm 246		8		
La 138		8			Cm 248		8		
Ce 144	1	8			Cf 249		8		
Pm 145		8			Cf 250		8		
Pm 147	<3.77E-09	C 3			Cf 251		8		
Sm 147	0.005.05	8			Cf 252		8		
Sm 151	<8.20E-07	C 3			Other a				
Eu 152 Eu 154	1.08E-05 7.58E-06	CC 2 CC 2			Other b/g Total a	1.85E-05	CC 2	0	
Eu 154 Eu 155	7.502-00	8			Total b/g	4.86E+00	CC 2	0	
24 .00	I	٦			rotal b/g	7.002700		l	

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10

D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity