

WASTE STREAM	2A06	Redundant Activated Control Rods LLW
---------------------	-------------	---

SITE Calder Hall

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Sellafield Limited

WASTE TYPE LLW

WASTE VOLUMES

		Reported
Stocks:	At 1.4.2019.....	7.6 m ³
Total future arisings:		0 m ³
Total waste volume:		7.6 m ³

Comment on volumes: Waste stream 2A06 comprises redundant activated control rods and flux scanner guide tubes removed from the reactors in the 1960's and stored in a purpose built facility. This LLW will arise as the rods are removed from the facility and cut to separate the LLW from the ILW (waste stream 2A01).

Uncertainty factors on volumes:	Stock (upper):	x 1.2	Arisings (upper)	x
	Stock (lower):	x 0.8	Arisings (lower)	x

WASTE SOURCE The waste has arisen from the operation of Calder reactors and activation of the materials due to neutron exposure.

PHYSICAL CHARACTERISTICS

General description: The waste arises as boron steel tubes encased in a stainless steel outer tube, sealed at both ends, from the operation of Calder reactors. Control rods are long and therefore difficult to package without size reduction. It is envisaged that each rod will be size reduced to segregate the ILW from the LLW. Some of the rods have been sheathed in concrete as part of their installation in the storage facility.

Physical components (%wt): Boron steel (~62 wt%), stainless steel (<5 wt%), concrete (33 wt%).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): 0.96

Comment on density: Bulk density value taken from waste stream characterisation document for LLW in the Control Rod storage facility.

CHEMICAL COMPOSITION

General description and components (%wt): Boron steel (~62 wt%), stainless steel (<5 wt%), concrete (33%).

Chemical state: Neutral

Chemical form of radionuclides:
H-3: Nil
C-14: Nil
Cl-36: Nil
Se-79: Nil.
Tc-99: Nil.
I-129: Nil
Ra: Nil.
Th: Nil
U: Nil.
Np: Nil.
Pu: Nil.

Metals and alloys (%wt): The waste comprises boron steel tubes encased in a stainless steel outer tube, sealed at both ends.

Stainless steel.....	<5.0	18:8 austenitic grade.
Other ferrous metals.....	~62.0	
Iron.....		
Aluminium.....		
Beryllium.....	0	
Cobalt.....	0	

WASTE STREAM

2A06

Redundant Activated Control Rods LLW

	Copper.....	
	Lead.....	0
	Magnox/Magnesium.....	0
	Nickel.....	
	Titanium.....	
	Uranium.....	0
	Zinc.....	0
	Zircaloy/Zirconium.....	0
	Other metals.....	0
Organics (%wt):	There are no organic materials in the waste.	
	Total cellulose.....	0
	Paper, cotton.....	0
	Wood.....	0
	Halogenated plastics	0
	Total non-halogenated plastics.....	0
	Condensation polymers.....	0
	Others.....	0
	Organic ion exchange materials....	0
	Total rubber.....	0
	Halogenated rubber	0
	Non-halogenated rubber.....	0
	Hydrocarbons.....	
	Oil or grease	
	Fuel.....	
	Asphalt/Tarmac (cont.coal tar)...	
	Asphalt/Tarmac (no coal tar)....	
	Bitumen.....	
	Others.....	
	Other organics.....	0
Other materials (%wt):	-	
	Inorganic ion exchange materials.	0
	Inorganic sludges and flocs.....	0
	Soil.....	0
	Brick/Stone/Rubble.....	0
	Cementitious material.....	33.0
	Sand.....	0
	Glass/Ceramics.....	0
	Graphite.....	0
	Desiccants/Catalysts.....	
	Asbestos.....	0
	Non/low friable.....	

As concrete sheathes around the outside of some of the control rods.

No sand, other than that present in the concrete.

WASTE STREAM**2A06****Redundant Activated Control Rods LLW**

	Moderately friable.....	
	Highly friable.....	
	Free aqueous liquids.....	0
	Free non-aqueous liquids.....	0
	Powder/Ash.....	0
Inorganic anions (%wt):	No inorganic anions are present.	
	Fluoride.....	0
	Chloride.....	0
	Iodide.....	0
	Cyanide.....	0
	Carbonate.....	0
	Nitrate.....	0
	Nitrite.....	0
	Phosphate.....	0
	Sulphate.....	0
	Sulphide.....	0
Materials of interest for waste acceptance criteria:	-	
	Combustible metals.....	0
	Low flash point liquids.....	0
	Explosive materials.....	0
	Phosphorus.....	0
	Hydrides.....	0
	Biological etc. materials.....	0
	Biodegradable materials.....	0
	Putrescible wastes.....	0
	Non-putrescible wastes.....	
	Corrosive materials.....	0
	Pyrophoric materials.....	0
	Generating toxic gases.....	0
	Reacting with water.....	0
	Active particles.....	
	Soluble solids as bulk chemical compounds.....	
Hazardous substances / non hazardous pollutants:	-	
	Acrylamide.....	
	Benzene.....	
	Chlorinated solvents.....	
	Formaldehyde.....	
	Organometallics.....	
	Phenol.....	
	Styrene.....	

WASTE STREAM

2A06

Redundant Activated Control Rods LLW

Tri-butyl phosphate.....
 Other organophosphates.....
 Vinyl chloride.....
 Arsenic.....
 Barium.....
 Boron.....
 Cadmium.....
 Caesium.....
 Selenium.....
 Chromium.....
 Molybdenum.....
 Thallium.....
 Tin.....
 Vanadium.....
 Mercury compounds.....
 Others.....
 Electronic Electrical Equipment (EEE)
 EEE Type 1.....
 EEE Type 2.....
 EEE Type 3.....
 EEE Type 4.....
 EEE Type 5.....
 Complexing agents (%wt): No
 EDTA.....
 DPTA.....
 NTA.....
 Polycarboxylic acids.....
 Other organic complexants.....
 Total complexing agents..... 0

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)		
Incineration		
Solidification		
Decontamination		
Metal treatment		
Size reduction		
Decay storage		
Recycling / reuse		
Other / various		
None		100.0

Comment on planned treatments:

It has been assumed for the 2019 UK RWI that no further treatment will be carried out prior to disposal and that all the LLW will be non-compactable waste to be consigned to LLWR for disposal.

WASTE STREAM**2A06****Redundant Activated Control Rods LLW****Disposal Routes:**

Disposal Route	Stream volume %
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0

Upcoming (2019/20-2021/22) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %		
	2019/20	2020/21	2021/22
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known			

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	100.0	10	< 1

Other information:

Data have been presented as though the waste will be in dedicated containers. However it is likely that this waste will be placed in containers with other LLW.

Waste Planned for Disposal at the LLW Repository:**Container voidage:**

Inaccessible voidage is not expected. The amount of voidage is dependent on the alternative materials packaged with this waste stream.

Waste Characterisation Form (WCH):

It is not yet determined if the waste meets LLWR's Waste Acceptance Criteria (WAC).

Waste consigned for disposal to LLWR in year of generation:

No. The waste was generated during the 1960s and has been in storage ever since. It is anticipated to be consigned in 2027 - 2029.

Potential for the waste to contain discrete items:

Yes - this is dependent on the segregation step from the LLW component of the control rods which has not been identified at this date

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume:

WASTE STREAM**2A06****Redundant Activated Control Rods LLW**

Inaccessible voidage: -

Other information: -

RADIOACTIVITY

Source: Cobalt-60 is the main source of activity in the waste arising from activation.

Uncertainty: The average specific activity has been calculated using the estimated volume of LLW in the stored waste (7.58 m³).

Definition of total alpha and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities: Activities have been estimated using available information on the process by which the control rods and guide tubes were activated. Following 45 years of decay, no radionuclides are expected other than Co-60 and a trace of Ni-63.

Other information: -

WASTE STREAM

2A06

Redundant Activated Control Rods LLW

Nuclide	Mean radioactivity, TBq/m ³			Nuclide	Mean radioactivity, TBq/m ³		
	Waste at 1.4.2019	Bands and Code	Future arisings		Waste at 1.4.2019	Bands and Code	Future arisings
H 3				Gd 153			
Be 10				Ho 163			
C 14				Ho 166m			
Na 22				Tm 170			
Al 26				Tm 171			
Cl 36				Lu 174			
Ar 39				Lu 176			
Ar 42				Hf 178n			
K 40				Hf 182			
Ca 41				Pt 193			
Mn 53				Tl 204			
Mn 54				Pb 205			
Fe 55				Pb 210			
Co 60	-2.37E-03	A A 2		Bi 208			
Ni 59				Bi 210m			
Ni 63	-8.52E-05	A A 2		Po 210			
Zn 65				Ra 223			
Se 79				Ra 225			
Kr 81				Ra 226			
Kr 85				Ra 228			
Rb 87				Ac 227			
Sr 90				Th 227			
Zr 93				Th 228			
Nb 91				Th 229			
Nb 92				Th 230			
Nb 93m				Th 232			
Nb 94				Th 234			
Mo 93				Pa 231			
Tc 97				Pa 233			
Tc 99				U 232			
Ru 106				U 233			
Pd 107				U 234			
Ag 108m				U 235			
Ag 110m				U 236			
Cd 109				U 238			
Cd 113m				Np 237			
Sn 119m				Pu 236			
Sn 121m				Pu 238			
Sn 123				Pu 239			
Sn 126				Pu 240			
Sb 125				Pu 241			
Sb 126				Pu 242			
Te 125m				Am 241			
Te 127m				Am 242m			
I 129				Am 243			
Cs 134				Cm 242			
Cs 135				Cm 243			
Cs 137				Cm 244			
Ba 133				Cm 245			
La 137				Cm 246			
La 138				Cm 248			
Ce 144				Cf 249			
Pm 145				Cf 250			
Pm 147				Cf 251			
Sm 147				Cf 252			
Sm 151				Other a			
Eu 152				Other b/g			
Eu 154				Total a	0		0
Eu 155				Total b/g	2.46E-03	A A 2	0

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity