

<b>WASTE STREAM</b>	<b>2A303</b>	<b>Final Dismantling &amp; Site Clearance : Graphite LLW</b>
---------------------	--------------	--

**SITE** Calder Hall  
**SITE OWNER** Nuclear Decommissioning Authority  
**WASTE CUSTODIAN** Sellafield Limited  
**WASTE TYPE** LLW

**WASTE VOLUMES**

		Reported
Stocks:	At 1.4.2019.....	0 m <sup>3</sup>
Future arisings -	1.4.2019 - 31.3.2106.....	0 m <sup>3</sup>
	1.4.2106 - 31.3.2115.....	6.3 m <sup>3</sup>
Total future arisings:		6.3 m <sup>3</sup>
Total waste volume:		6.3 m <sup>3</sup>

Comment on volumes: For inventory purposes the arisings are assumed to arise at a uniform rate over seven years. Final Dismantling & Site Clearance is assumed to commence in 2105, with reactor dismantling commencing in 2107, and lasting for ten years. Volumes and radioactivity have been calculated for 100 years after reactor shutdown, i.e. 2103, but the volume in this stream would not change for decommissioning in 2106.

Uncertainty factors on volumes: Stock (upper): x Arisings (upper) x 1.2  
 Stock (lower): x Arisings (lower) x 0.8

**WASTE SOURCE** Reflector graphite from reactor dismantling.

**PHYSICAL CHARACTERISTICS**

General description: Graphite blocks and other graphite components.  
 Physical components (%vol): Graphite (100%).  
 Sealed sources: The waste does not contain sealed sources.  
 Bulk density (t/m<sup>3</sup>): 1.25  
 Comment on density: -

**CHEMICAL COMPOSITION**

General description and components (%wt): Graphite and possibly traces of ferrous metals.

Chemical state: Neutral

Chemical form of radionuclides: H-3: Tritium may be chemically bound with the graphite.  
 C-14: The carbon 14 will be present as graphite.  
 Se-79: The selenium content is insignificant.  
 Tc-99: The technetium content is insignificant.  
 I-129: The iodine content is insignificant  
 Ra: The radium content is insignificant.  
 Th: The thorium content is insignificant.  
 U: There may be traces of uranium as metal or oxide.  
 Np: The neptunium content is insignificant.  
 Pu: There may be traces of plutonium as metal or oxide.

Metals and alloys (%wt): There are no metallic items present.  
 Stainless steel..... TR  
 Other ferrous metals..... TR  
 Iron.....  
 Aluminium..... 0  
 Beryllium..... 0  
 Cobalt..... 0  
 Copper..... 0  
 Lead..... 0  
 Magnox/Magnesium..... 0

**WASTE STREAM****2A303****Final Dismantling & Site Clearance : Graphite LLW**

	Nickel.....	0
	Titanium.....	
	Uranium.....	0
	Zinc.....	0
	Zircaloy/Zirconium.....	0
	Other metals.....	0
Organics (%wt):	None expected. No halogenated plastics or rubbers will be present.	
	Total cellulose.....	0
	Paper, cotton.....	0
	Wood.....	0
	Halogenated plastics .....	0
	Total non-halogenated plastics.....	0
	Condensation polymers.....	0
	Others.....	0
	Organic ion exchange materials....	0
	Total rubber.....	0
	Halogenated rubber .....	0
	Non-halogenated rubber.....	0
	Hydrocarbons.....	
	Oil or grease .....	
	Fuel.....	
	Asphalt/Tarmac (cont.coal tar)...	
	Asphalt/Tarmac (no coal tar)....	
	Bitumen.....	
	Others.....	
	Other organics.....	0
Other materials (%wt):	-	
	Inorganic ion exchange materials.	0
	Inorganic sludges and flocs.....	0
	Soil.....	0
	Brick/Stone/Rubble.....	0
	Cementitious material.....	0
	Sand.....	
	Glass/Ceramics.....	0
	Graphite.....	100.0
	Desiccants/Catalysts.....	
	Asbestos.....	0
	Non/low friable.....	
	Moderately friable.....	
	Highly friable.....	
	Free aqueous liquids.....	0
	Free non-aqueous liquids.....	0
	Powder/Ash.....	0

**WASTE STREAM****2A303****Final Dismantling & Site Clearance : Graphite LLW**

Inorganic anions (%wt):

None of the inorganic anions listed in the table is expected to be present at greater than trace concentrations.

Fluoride.....	TR
Chloride.....	TR
Iodide.....	0
Cyanide.....	0
Carbonate.....	TR
Nitrate.....	TR
Nitrite.....	TR
Phosphate.....	TR
Sulphate.....	TR
Sulphide.....	0

Materials of interest for waste acceptance criteria:

No materials likely to pose a fire or other non-radiological hazard have been identified. Graphite presents a low fire risk: It is difficult but not impossible to ignite.

Combustible metals.....	0
Low flash point liquids.....	0
Explosive materials.....	0
Phosphorus.....	0
Hydrides.....	0
Biological etc. materials.....	0
Biodegradable materials.....	0
Putrescible wastes.....	0
Non-putrescible wastes.....	
Corrosive materials.....	0
Pyrophoric materials.....	0
Generating toxic gases.....	0
Reacting with water.....	0
Active particles.....	
Soluble solids as bulk chemical compounds.....	

Hazardous substances / non hazardous pollutants:

-
Acrylamide.....
Benzene.....
Chlorinated solvents.....
Formaldehyde.....
Organometallics.....
Phenol.....
Styrene.....
Tri-butyl phosphate.....
Other organophosphates.....
Vinyl chloride.....
Arsenic.....
Barium.....

**WASTE STREAM****2A303****Final Dismantling & Site Clearance : Graphite LLW**

Boron.....  
 Cadmium.....  
 Caesium.....  
 Selenium.....  
 Chromium.....  
 Molybdenum.....  
 Thallium.....  
 Tin.....  
 Vanadium.....  
 Mercury compounds.....  
 Others.....  
 Electronic Electrical Equipment (EEE)  
     EEE Type 1.....  
     EEE Type 2.....  
     EEE Type 3.....  
     EEE Type 4.....  
     EEE Type 5.....  
 Complexing agents (%wt): Not yet determined  
     EDTA.....  
     DPTA.....  
     NTA.....  
     Polycarboxylic acids.....  
     Other organic complexants.....  
     Total complexing agents..... NE

**TREATMENT, PACKAGING AND DISPOSAL**

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction Supercompaction (HFC) Incineration Solidification Decontamination Metal treatment Size reduction Decay storage Recycling / reuse Other / various None	Off-site	100.0

Comment on planned treatments:

Treatment and disposal routes are yet to be determined. The waste may be required to be disposed as HAW.

**WASTE STREAM****2A303****Final Dismantling & Site Clearance : Graphite LLW****Disposal Routes:**

Disposal Route	Stream volume %
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0

**Upcoming (2019/20-2021/22) Waste Routing (if expected to change from above):**

Disposal Route	Stream volume %		
	2019/20	2020/21	2021/22
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known			

**Waste Packaging for Disposal:** (Not applicable to this waste stream)

Container	Stream volume %	Waste loading m <sup>3</sup>	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other			

Other information: -

**Waste Planned for Disposal at the LLW Repository:** (Not applicable to this waste stream)

Container voidage: -

Waste Characterisation Form (WCH): -

Waste consigned for disposal to LLWR in year of generation: -

Potential for the waste to contain discrete items: -

**Non-Containerised Waste for In-Vault Grouting:** (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

**RADIOACTIVITY**

**WASTE STREAM****2A303****Final Dismantling & Site Clearance : Graphite LLW**

Source:	Activation of the graphite and impurities.
Uncertainty:	The values quoted were derived by calculation from available material specification and are indicative of the activities that are expected. The major source of uncertainty is the impurity levels.
Definition of total alpha and total beta/gamma:	Total beta/gamma is defined as the sum of the listed activities of all nuclides other than alpha emitters. Activity estimates for individual alpha emitting nuclides have not been provided but an estimate of total alpha activity is given.
Measurement of radioactivities:	The specific activities have been estimated using a neutron activation calculation.
Other information:	Other beta/gamma represents Sm146 activity. There may also be some contamination by Cs137. The activities quoted are those at 100 years after reactor shutdown, i.e. in 2103. Fission of trace uranium impurity in the graphite may result in some fission product and actinide activity.

**WASTE STREAM**

**2A303**

**Final Dismantling & Site Clearance : Graphite LLW**

Nuclide	Mean radioactivity, TBq/m <sup>3</sup>				Nuclide	Mean radioactivity, TBq/m <sup>3</sup>			
	Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code
H 3			1.70E-06	CC 2	Gd 153				8
Be 10				8	Ho 163				8
C 14			7.01E-06	CC 2	Ho 166m		8.36E-10	CC	2
Na 22					Tm 170				8
Al 26					Tm 171				8
Cl 36			2.46E-08	CC 2	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41			1.63E-08	CC 2	Pt 193				8
Mn 53				8	Tl 204				8
Mn 54				8	Pb 205				8
Fe 55			1.99E-16	CC 2	Pb 210				8
Co 60			3.56E-11	CC 2	Bi 208				8
Ni 59			3.55E-09	CC 2	Bi 210m				8
Ni 63			1.78E-07	CC 2	Po 210				8
Zn 65				8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90				8	Th 227				8
Zr 93				8	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m				8	Th 232				8
Nb 94			9.28E-10	CC 2	Th 234				8
Mo 93				8	Pa 231				8
Tc 97				8	Pa 233				8
Tc 99				8	U 232				8
Ru 106				8	U 233				8
Pd 107				8	U 234				8
Ag 108m			4.07E-11	CC 2	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m			5.36E-10	CC 2	Pu 238				8
Sn 123				8	Pu 239				8
Sn 126				8	Pu 240				8
Sb 125				8	Pu 241				8
Sb 126				8	Pu 242				8
Te 125m				8	Am 241				8
Te 127m				8	Am 242m				8
I 129				8	Am 243				8
Cs 134			3.39E-23	CC 2	Cm 242				8
Cs 135				8	Cm 243				8
Cs 137				8	Cm 244				8
Ba 133			1.38E-11	CC 2	Cm 245				8
La 137				8	Cm 246				8
La 138				8	Cm 248				8
Ce 144				8	Cf 249				8
Pm 145			2.22E-12	CC 2	Cf 250				8
Pm 147				8	Cf 251				8
Sm 147				8	Cf 252				8
Sm 151			6.40E-09	CC 2	Other a				8
Eu 152			1.82E-07	CC 2	Other b/g		1.94E-18	CC	2
Eu 154			4.98E-10	CC 2	<b>Total a</b>	<b>0</b>	<b>0</b>		<b>8</b>
Eu 155			1.44E-12	CC 2	<b>Total b/g</b>	<b>0</b>	<b>9.12E-06</b>	<b>CC</b>	<b>2</b>

**Bands (Upper and Lower)**

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

**Code**

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity