

WASTE STREAM	2A305	Final Dismantling & Site Clearance : Stainless Steel (Reactor) LLW
---------------------	--------------	---

SITE Calder Hall
SITE OWNER Nuclear Decommissioning Authority
WASTE CUSTODIAN Sellafield Limited
WASTE TYPE LLW

WASTE VOLUMES

		Reported
Stocks:	At 1.4.2019.....	0 m ³
Future arisings -	1.4.2019 - 31.3.2106.....	0 m ³
	1.4.2106 - 31.3.2115.....	6.0 m ³
Total future arisings:		6.0 m ³
Total waste volume:		6.0 m ³

Comment on volumes: For inventory purposes the arisings are assumed to arise at a uniform rate over seven years. Final Dismantling & Site Clearance is assumed to commence in 2105, with reactor dismantling commencing in 2107, and lasting for ten years. Volumes and radioactivity have been calculated for 100 years after reactor shutdown, i.e. 2103, but the volume in this stream would not change for decommissioning in 2106.

Uncertainty factors on volumes: Stock (upper): x Arisings (upper) x 2.0
 Stock (lower): x Arisings (lower) x 0.5

WASTE SOURCE Stainless steel items from reactor dismantling.

PHYSICAL CHARACTERISTICS

General description: A variety of stainless steel items.
 Physical components (%vol): Stainless steel items (100%).
 Sealed sources: The waste does not contain sealed sources.
 Bulk density (t/m³): 1.4
 Comment on density: The density is of the waste as cut for packaging.

CHEMICAL COMPOSITION

General description and components (%wt): Stainless steel items (100%).
 Chemical state: Neutral
 Chemical form of radionuclides: H-3: The tritium content is insignificant.
 C-14: The carbon 14 is incorporated in the steel. There may also be some contamination as graphite.
 Cl-36: The chlorine content is insignificant.
 Se-79: The selenium content is insignificant.
 Tc-99: The chemical form of technetium has not been determined.
 I-129: The iodine content is insignificant.
 Ra: The radium content is insignificant.
 Th: The thorium content is insignificant.
 U: The uranium content is insignificant.
 Np: The neptunium content is insignificant.
 Pu: The plutonium content is insignificant.

Metals and alloys (%wt): All of the waste will be bulk metal items which will be cut for packaging. Metal thicknesses will probably range from a few mm to about 100 mm.

Stainless steel.....	100.0	Grade BS970-EN58B.
Other ferrous metals.....	0	
Iron.....		
Aluminium.....	0	
Beryllium.....	0	
Cobalt.....	0	
Copper.....	0	

WASTE STREAM**2A305****Final Dismantling & Site Clearance : Stainless Steel
(Reactor) LLW**

	Lead.....	0
	Magnox/Magnesium.....	0
	Nickel.....	0
	Titanium.....	
	Uranium.....	0
	Zinc.....	0
	Zircaloy/Zirconium.....	0
	Other metals.....	0
Organics (%wt):	None expected. No halogenated plastics or rubbers will be present.	
	Total cellulose.....	0
	Paper, cotton.....	0
	Wood.....	0
	Halogenated plastics	0
	Total non-halogenated plastics.....	0
	Condensation polymers.....	0
	Others.....	0
	Organic ion exchange materials....	0
	Total rubber.....	0
	Halogenated rubber	0
	Non-halogenated rubber.....	0
	Hydrocarbons.....	
	Oil or grease	
	Fuel.....	
	Asphalt/Tarmac (cont.coal tar)...	
	Asphalt/Tarmac (no coal tar)....	
	Bitumen.....	
	Others.....	
	Other organics.....	0
Other materials (%wt):	Some graphite dust may be associated with reactor materials.	
	Inorganic ion exchange materials.	0
	Inorganic sludges and flocs.....	0
	Soil.....	0
	Brick/Stone/Rubble.....	0
	Cementitious material.....	0
	Sand.....	
	Glass/Ceramics.....	0
	Graphite.....	TR
	Desiccants/Catalysts.....	
	Asbestos.....	0
	Non/low friable.....	
	Moderately friable.....	
	Highly friable.....	
	Free aqueous liquids.....	0

WASTE STREAM**2A305 Final Dismantling & Site Clearance : Stainless Steel (Reactor) LLW**

	Free non-aqueous liquids.....	0
	Powder/Ash.....	0
Inorganic anions (%wt):	There may be trace amounts of chloride present.	
	Fluoride.....	0
	Chloride.....	TR
	Iodide.....	0
	Cyanide.....	0
	Carbonate.....	0
	Nitrate.....	0
	Nitrite.....	0
	Phosphate.....	0
	Sulphate.....	0
	Sulphide.....	0
Materials of interest for waste acceptance criteria:	No materials likely to pose a fire or other non-radiological hazard have been identified.	
	Combustible metals.....	0
	Low flash point liquids.....	0
	Explosive materials.....	0
	Phosphorus.....	0
	Hydrides.....	0
	Biological etc. materials.....	0
	Biodegradable materials.....	0
	Putrescible wastes.....	0
	Non-putrescible wastes.....	
	Corrosive materials.....	0
	Pyrophoric materials.....	0
	Generating toxic gases.....	0
	Reacting with water.....	0
	Active particles.....	
	Soluble solids as bulk chemical compounds.....	
Hazardous substances / non hazardous pollutants:	-	
	Acrylamide.....	
	Benzene.....	
	Chlorinated solvents.....	
	Formaldehyde.....	
	Organometallics.....	
	Phenol.....	
	Styrene.....	
	Tri-butyl phosphate.....	
	Other organophosphates.....	
	Vinyl chloride.....	

WASTE STREAM**2A305****Final Dismantling & Site Clearance : Stainless Steel (Reactor) LLW**

Arsenic.....
 Barium.....
 Boron.....
 Cadmium.....
 Caesium.....
 Selenium.....
 Chromium.....
 Molybdenum.....
 Thallium.....
 Tin.....
 Vanadium.....
 Mercury compounds.....
 Others.....
 Electronic Electrical Equipment (EEE)
 EEE Type 1.....
 EEE Type 2.....
 EEE Type 3.....
 EEE Type 4.....
 EEE Type 5.....
 Complexing agents (%wt): Not yet determined
 EDTA.....
 DPTA.....
 NTA.....
 Polycarboxylic acids.....
 Other organic complexants.....
 Total complexing agents..... NE

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction	Off-site	80.0
Supercompaction (HFC)		
Incineration		
Solidification		
Decontamination		
Metal treatment		
Size reduction		
Decay storage		
Recycling / reuse		
Other / various		
None		20.0

Comment on planned treatments:

It has been assumed for the 2019 UK RWI that 80% of the metallic waste will be treated by the supply chain and will subsequently be 'out of scope'. The remaining 20% is assumed to be consigned to LLWR for disposal as non-compactable LLW.

WASTE STREAM**2A305****Final Dismantling & Site Clearance : Stainless Steel (Reactor) LLW****Disposal Routes:**

Disposal Route	Stream volume %	
Expected to be consigned to the LLW Repository	20.0	
Expected to be consigned to a Landfill Facility		
Expected to be consigned to an On-Site Disposal Facility		
Expected to be consigned to an Incineration Facility		
Expected to be consigned to a Metal Treatment Facility		80.0
Expected to be consigned as Out of Scope		
Expected to be recycled / reused		
Disposal route not known		

Upcoming (2019/20-2021/22) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %		
	2019/20	2020/21	2021/22
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known			

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	20.0	10	< 1

Other information: -

Waste Planned for Disposal at the LLW Repository:

Container voidage: -

Waste Characterisation Form (WCH): It is not yet determined if the waste meets LLWR's Waste Acceptance Criteria (WAC).

Waste consigned for disposal to LLWR in year of generation: -

Potential for the waste to contain discrete items: -

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

WASTE STREAM**2A305****Final Dismantling & Site Clearance : Stainless Steel
(Reactor) LLW****RADIOACTIVITY**

Source:	Activation of the stainless steel and impurities.
Uncertainty:	The values quoted were derived by calculation from available material specification and are indicative of the activities that are expected. The major source of uncertainty is the impurity levels.
Definition of total alpha and total beta/gamma:	Total beta/gamma is defined as the sum of the listed activities of all nuclides other than alpha emitters. All alpha emitter activities are insignificant and the total is therefore given as $<1E-9$ TBq/m ³ .
Measurement of radioactivities:	Specific activities have been estimated using a neutron activation calculation.
Other information:	The activities quoted are those at 100 years after reactor shutdown, i.e. in 2103. There may be some contamination by Cs137.

WASTE STREAM

2A305

**Final Dismantling & Site Clearance : Stainless Steel
(Reactor) LLW**

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code
H 3				8	Gd 153				8
Be 10				8	Ho 163				8
C 14			1.00E-06	C C 2	Ho 166m				8
Na 22					Tm 170				8
Al 26					Tm 171				8
Cl 36				8	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41				8	Pt 193				8
Mn 53				8	Tl 204				8
Mn 54				8	Pb 205				8
Fe 55				8	Pb 210				8
Co 60			4.00E-09	C C 2	Bi 208				8
Ni 59			3.00E-06	C C 2	Bi 210m				8
Ni 63			1.00E-04	C C 2	Po 210				8
Zn 65				8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90				8	Th 227				8
Zr 93				8	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m				8	Th 232				8
Nb 94			8.00E-09	C C 2	Th 234				8
Mo 93			1.00E-07	C C 2	Pa 231				8
Tc 97				8	Pa 233				8
Tc 99			1.00E-09	C C 2	U 232				8
Ru 106				8	U 233				8
Pd 107				8	U 234				8
Ag 108m			4.00E-08	C C 2	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m				8	Pu 238				8
Sn 123				8	Pu 239				8
Sn 126				8	Pu 240				8
Sb 125				8	Pu 241				8
Sb 126				8	Pu 242				8
Te 125m				8	Am 241				8
Te 127m				8	Am 242m				8
I 129				8	Am 243				8
Cs 134				8	Cm 242				8
Cs 135				8	Cm 243				8
Cs 137				6	Cm 244				8
Ba 133				8	Cm 245				8
La 137				8	Cm 246				8
La 138				8	Cm 248				8
Ce 144				8	Cf 249				8
Pm 145				8	Cf 250				8
Pm 147				8	Cf 251				8
Sm 147				8	Cf 252				8
Sm 151				8	Other a				8
Eu 152				8	Other b/g				8
Eu 154				8	Total a	0	<1.00E-09	C 3	
Eu 155				8	Total b/g	0	1.00E-04	C C 2	

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity