

WASTE STREAM**2C04****Waste Oil****SITE**

Chapelcross

SITE OWNER

Nuclear Decommissioning Authority

WASTE CUSTODIAN

Magnox Limited

WASTE TYPE

LLW

WASTE VOLUMES

		Reported
Stocks:	At 1.4.2019.....	13.0 m ³
Total future arisings:		0 m ³
Total waste volume:		13.0 m ³

Comment on volumes:

Volume updated in line with Smart Inventory. The four reactors at Chapelcross ceased generating in the period from August 2001 (R1) to February 2004 (R2). The original volume related to oil from the reactor boiler circuit. The site carried out sampling and characterisation of all circuits and 15 of the 16 circuits were designated as exempt and subsequently sent for recycling. The remaining volume represents 1 circuit volume plus a volume of historic LLW oil currently in storage.

Uncertainty factors on volumes:

Stock (upper):	x 1.2	Arisings (upper)	x
Stock (lower):	x 0.8	Arisings (lower)	x

WASTE SOURCE

Waste oil arising from various site machinery e.g. pond machines, reactor blowers.

PHYSICAL CHARACTERISTICS**General description:**

The wastes are lubricating and hydraulic oils from various site machinery e.g. pond machines and reactor blowers.

Physical components (%vol):

Oils (100%).

Sealed sources:

-

Bulk density (t/m³):

0.9

Comment on density:The density of the oils is 0.9 t/m³.**CHEMICAL COMPOSITION****General description and components (%wt):**

Lubricating and hydraulic oils (100%).

Chemical state:

Acid

Chemical form of radionuclides:

H-3: Not determined.
 C-14: Not determined.
 Se-79: Not present.
 Tc-99: Not present.
 Ra: Not present.
 Th: Not present.
 U: Not present.
 Np: Not present.
 Pu: Not present.

Metals and alloys (%wt):

Metal swarf will be present in the waste (<1%).

Stainless steel..... NE

Other ferrous metals..... NE

Iron.....

Aluminium..... NE

Beryllium..... TR

Cobalt.....

Copper..... NE

Lead..... NE

Magnox/Magnesium..... NE

Nickel.....

WASTE STREAM

2C04

Waste Oil

	Titanium.....		
	Uranium.....		
	Zinc.....	NE	
	Zircaloy/Zirconium.....	0	
	Other metals.....	NE	
Organics (%wt):	The waste consists of oils.		
	Total cellulose.....	0	
	Paper, cotton.....	0	
	Wood.....	0	
	Halogenated plastics	0	
	Total non-halogenated plastics.....	0	
	Condensation polymers.....	0	
	Others.....	0	
	Organic ion exchange materials....	0	
	Total rubber.....	0	
	Halogenated rubber	0	
	Non-halogenated rubber.....	0	
	Hydrocarbons.....	100.0	
	Oil or grease	100.0	Oil
	Fuel.....		
	Asphalt/Tarmac (cont.coal tar)...		
	Asphalt/Tarmac (no coal tar)....		
	Bitumen.....		
	Others.....		
	Other organics.....	0	
Other materials (%wt):	-		
	Inorganic ion exchange materials.	0	
	Inorganic sludges and flocs.....	0	
	Soil.....	0	
	Brick/Stone/Rubble.....	0	
	Cementitious material.....	0	
	Sand.....		
	Glass/Ceramics.....	0	
	Graphite.....	0	
	Desiccants/Catalysts.....		
	Asbestos.....	0	
	Non/low friable.....		
	Moderately friable.....		
	Highly friable.....		
	Free aqueous liquids.....	0	
	Free non-aqueous liquids.....	0	
	Powder/Ash.....	0	
Inorganic anions (%wt):	Chlorides, sulphates, phosphates and sulphides will be present at trace levels. Others may		

WASTE STREAM**2C04****Waste Oil**

be present in trace amounts.

Fluoride..... NE

Chloride..... TR

Iodide..... NE

Cyanide..... NE

Carbonate..... NE

Nitrate..... NE

Nitrite..... NE

Phosphate..... TR

Sulphate..... TR

Sulphide..... TR

Materials of interest for
waste acceptance criteria:

Oils are flammable materials.

Combustible metals..... 0

Low flash point liquids..... 0

Explosive materials..... 0

Phosphorus..... 0

Hydrides..... 0

Biological etc. materials..... 0

Biodegradable materials.....

Putrescible wastes..... 0

Non-putrescible wastes.....

Corrosive materials..... 0

Pyrophoric materials..... 0

Generating toxic gases..... 0

Reacting with water..... 0

Active particles.....

Soluble solids as bulk chemical
compounds.....Hazardous substances /
non hazardous pollutants:

Oils (100%). Toxic metals will be present at low concentrations in swarf and as additives.

Acrylamide.....

Benzene.....

Chlorinated solvents.....

Formaldehyde.....

Organometallics.....

Phenol.....

Styrene.....

Tri-butyl phosphate.....

Other organophosphates.....

Vinyl chloride.....

Arsenic.....

Barium.....

WASTE STREAM**2C04****Waste Oil**

Boron.....
 Cadmium.....
 Caesium.....
 Selenium.....
 Chromium.....
 Molybdenum.....
 Thallium.....
 Tin.....
 Vanadium.....
 Mercury compounds.....
 Others.....
 Electronic Electrical Equipment (EEE)
 EEE Type 1.....
 EEE Type 2.....
 EEE Type 3.....
 EEE Type 4.....
 EEE Type 5.....
 Complexing agents (%wt): Yes
 EDTA.....
 DPTA.....
 NTA.....
 Polycarboxylic acids.....
 Other organic complexants.....
 Total complexing agents..... TR

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction Supercompaction (HFC) Incineration Solidification Decontamination Metal treatment Size reduction Decay storage Recycling / reuse Other / various None	Off-site	100.0

Comment on planned treatments:

-

WASTE STREAM**2C04****Waste Oil****Disposal Routes:**

Disposal Route	Stream volume %
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0

Upcoming (2019/20-2021/22) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %		
	2019/20	2020/21	2021/22
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known			

Waste Packaging for Disposal: (Not applicable to this waste stream)

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other			

Other information: -

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage: -

Waste Characterisation Form (WCH): -

Waste consigned for disposal to LLWR in year of generation: -

Potential for the waste to contain discrete items: -

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

RADIOACTIVITY

WASTE STREAM**2C04****Waste Oil**

Source:	The main source of activity is activated steel in the oil, containing Co-60 and Cs-137.
Uncertainty:	The activity data is based on sampling and the accuracy is good.
Definition of total alpha and total beta/gamma:	The total beta/gamma activity is the sum of the listed beta/gamma emitting radionuclides. There is no significant alpha activity.
Measurement of radioactivities:	-
Other information:	-

WASTE STREAM

2C04

Waste Oil

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code
H 3	2.14E-07	A B 1			Gd 153		8		
Be 10		8			Ho 163		8		
C 14	1E-06	A B 1			Ho 166m		8		
Na 22		8			Tm 170		8		
Al 26		8			Tm 171		8		
Cl 36		8			Lu 174		8		
Ar 39		8			Lu 176		8		
Ar 42		8			Hf 178n		8		
K 40		8			Hf 182		8		
Ca 41		8			Pt 193		8		
Mn 53		8			Tl 204		8		
Mn 54		8			Pb 205		8		
Fe 55		8			Pb 210		8		
Co 60	2.72E-08	A B 1			Bi 208		8		
Ni 59		8			Bi 210m		8		
Ni 63		8			Po 210		8		
Zn 65		8			Ra 223		8		
Se 79		8			Ra 225		8		
Kr 81		8			Ra 226		8		
Kr 85		8			Ra 228		8		
Rb 87		8			Ac 227		8		
Sr 90		8			Th 227		8		
Zr 93		8			Th 228		8		
Nb 91		8			Th 229		8		
Nb 92		8			Th 230		8		
Nb 93m		8			Th 232		8		
Nb 94		8			Th 234		8		
Mo 93		8			Pa 231		8		
Tc 97		8			Pa 233		8		
Tc 99		8			U 232		8		
Ru 106		8			U 233		8		
Pd 107		8			U 234		8		
Ag 108m		8			U 235		8		
Ag 110m		8			U 236		8		
Cd 109		8			U 238		8		
Cd 113m		8			Np 237		8		
Sn 119m		8			Pu 236		8		
Sn 121m		8			Pu 238		8		
Sn 123		8			Pu 239		8		
Sn 126		8			Pu 240		8		
Sb 125		8			Pu 241		8		
Sb 126		8			Pu 242		8		
Te 125m		8			Am 241		8		
Te 127m		8			Am 242m		8		
I 129		8			Am 243		8		
Cs 134		8			Cm 242		8		
Cs 135		8			Cm 243		8		
Cs 137	6.1E-08	A B 1			Cm 244		8		
Ba 133		8			Cm 245		8		
La 137		8			Cm 246		8		
La 138		8			Cm 248		8		
Ce 144		8			Cf 249		8		
Pm 145		8			Cf 250		8		
Pm 147		8			Cf 251		8		
Sm 147		8			Cf 252		8		
Sm 151		8			Other a				
Eu 152		8			Other b/g				
Eu 154		8			Total a	0			0
Eu 155		8			Total b/g	1.30E-06	A B 1		0

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity