

WASTE STREAM	2C15 Rotary Pump Oil
---------------------	-----------------------------

SITE Chapelcross
SITE OWNER Nuclear Decommissioning Authority
WASTE CUSTODIAN Magnox Limited
WASTE TYPE ILW

WASTE VOLUMES

		Reported
Stocks:	At 1.4.2019.....	0.3 m ³
Total future arisings:		0 m ³
Total waste volume:		0.3 m ³
Comment on volumes:	No further arisings are expected. The four reactors at Chapelcross ceased generating in the period from August 2001 (R1) to February 2004 (R2).	
Uncertainty factors on volumes:	Stock (upper): x 1.2	Arisings (upper) x
	Stock (lower): x 0.8	Arisings (lower) x

WASTE SOURCE Rotary pump lubricant from Chapelcross Process Plant operations.

PHYSICAL CHARACTERISTICS

General description: Lubricant absorbed into vermiculite in '304 type' stainless steel bottles. There are no large items which require special treatment.
Physical components (%vol): Oil (30%), vermiculite (30%) SS can (40%).
Sealed sources: -
Bulk density (t/m³): 0.5
Comment on density: The density of the waste as stored (i.e. absorbed on vermiculite) is 0.5 t/m³. The density of the oil is about 1.0 t/m³.

CHEMICAL COMPOSITION

General description and components (%wt): Oil (30%), vermiculite (30%) SS can (40%). Molybdenum may be present as an additive to the oil.
Chemical state: Neutral
Chemical form of radionuclides: H-3: Not determined.
C-14: Not present.
Cl-36: Not present.
Se-79: Not present.
Tc-99: Not present.
Ra: Not present.
Th: Not present.
U: Not present.
Np: Not present.
Pu: Not present.

Metals and alloys (%wt): -
Stainless steel..... ~40.0
Other ferrous metals..... 0
Iron.....
Aluminium..... 0
Beryllium..... 0
Cobalt.....
Copper..... 0
Lead..... 0
Magnox/Magnesium..... 0
Nickel.....
Titanium.....

WASTE STREAM**2C15 Rotary Pump Oil**

	Uranium.....	0
	Zinc.....	0
	Zircaloy/Zirconium.....	0
	Other metals.....	0
Organics (%wt):	The waste comprises lubricating oil mixed with vermiculite.	
	Total cellulosics.....	0
	Paper, cotton.....	0
	Wood.....	0
	Halogenated plastics	0
	Total non-halogenated plastics.....	0
	Condensation polymers.....	0
	Others.....	0
	Organic ion exchange materials....	0
	Total rubber.....	0
	Halogenated rubber	0
	Non-halogenated rubber.....	0
	Hydrocarbons.....	30.0
	Oil or grease	30.0
	Fuel.....	
	Asphalt/Tarmac (cont.coal tar)...	
	Asphalt/Tarmac (no coal tar)....	
	Bitumen.....	
	Others.....	
	Other organics.....	
Other materials (%wt):	-	
	Inorganic ion exchange materials.	0
	Inorganic sludges and flocs.....	0
	Soil.....	0
	Brick/Stone/Rubble.....	0
	Cementitious material.....	0
	Sand.....	
	Glass/Ceramics.....	0
	Graphite.....	0
	Desiccants/Catalysts.....	
	Asbestos.....	0
	Non/low friable.....	
	Moderately friable.....	
	Highly friable.....	
	Free aqueous liquids.....	0
	Free non-aqueous liquids.....	30.0
	Powder/Ash.....	0
Inorganic anions (%wt):	Vermiculite is magnesium-aluminium-iron silicate in a hydrated laminar form.	

WASTE STREAM**2C15 Rotary Pump Oil**

Fluoride.....	0
Chloride.....	0
Iodide.....	0
Cyanide.....	0
Carbonate.....	0
Nitrate.....	0
Nitrite.....	0
Phosphate.....	0
Sulphate.....	0
Sulphide.....	0

Materials of interest for
waste acceptance criteria:

Pump oil is not readily flammable.

Combustible metals.....	0
Low flash point liquids.....	0
Explosive materials.....	0
Phosphorus.....	0
Hydrides.....	0
Biological etc. materials.....	0
Biodegradable materials.....	
Putrescible wastes.....	0
Non-putrescible wastes.....	
Corrosive materials.....	0
Pyrophoric materials.....	0
Generating toxic gases.....	0
Reacting with water.....	0
Active particles.....	
Soluble solids as bulk chemical compounds.....	

Hazardous substances /
non hazardous pollutants:

Oil (30%).

Acrylamide.....	
Benzene.....	
Chlorinated solvents.....	
Formaldehyde.....	
Organometallics.....	
Phenol.....	
Styrene.....	
Tri-butyl phosphate.....	
Other organophosphates.....	
Vinyl chloride.....	
Arsenic.....	
Barium.....	
Boron.....	

WASTE STREAM**2C15 Rotary Pump Oil**

Cadmium.....
 Caesium.....
 Selenium.....
 Chromium.....
 Molybdenum.....
 Thallium.....
 Tin.....
 Vanadium.....
 Mercury compounds.....
 Others.....
 Electronic Electrical Equipment (EEE)
 EEE Type 1.....
 EEE Type 2.....
 EEE Type 3.....
 EEE Type 4.....
 EEE Type 5.....

Complexing agents (%wt):

Yes
 EDTA.....
 DPTA.....
 NTA.....
 Polycarboxylic acids.....
 Other organic complexants..... TR

 Total complexing agents..... TR

Trace levels of organic complexing agents may be present as additives and stabilisers or as organic degradation products.

LAW TREATMENT, PACKAGING AND DISPOSAL**Waste that is currently ILW:** Decay storage

Planned on-site / off-site treatments(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction Supercompaction (HFC) Incineration Solidification Decontamination Metal treatment Size reduction Decay storage Recycling / reuse Other / various None	Off-site	100.0

Comment on planned treatments:

-

WASTE STREAM**2C15 Rotary Pump Oil****Disposal Routes:**

Disposal Route	Stream volume %
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0

Upcoming (2019/20-2021/22) waste routing (if expected to change from above)

Disposal Route	Stream volume %		
	2019/20	2020/21	2021/22
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known			

Waste Packaging for Disposal: (Not applicable to this waste stream)

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other			

Other information: -

Waste Consigned to the LLW Repository:

Container voidage: -

Waste Characterisation Form (WCH): -

Waste consigned for disposal to LLWR in year of generation: -

Potential for the waste to contain discrete items: -

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

RADIOACTIVITY

WASTE STREAM**2C15 Rotary Pump Oil**

Source:	Tritium is the only source of activity.
Uncertainty:	The activity accuracy is about 50%.
Definition of total alpha and total beta/gamma:	Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.
Measurement of radioactivities:	-
Other information:	-

WASTE STREAM 2C15 Rotary Pump Oil

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code
H 3	4.22E+02	AA 2			Gd 153		8		
Be 10		8			Ho 163		8		
C 14		8			Ho 166m		8		
Na 22					Tm 170		8		
Al 26					Tm 171		8		
Cl 36		8			Lu 174		8		
Ar 39		8			Lu 176		8		
Ar 42		8			Hf 178n		8		
K 40		8			Hf 182		8		
Ca 41		8			Pt 193		8		
Mn 53		8			Tl 204		8		
Mn 54		8			Pb 205		8		
Fe 55		8			Pb 210		8		
Co 60		8			Bi 208		8		
Ni 59		8			Bi 210m		8		
Ni 63		8			Po 210		8		
Zn 65		8			Ra 223		8		
Se 79		8			Ra 225		8		
Kr 81		8			Ra 226		8		
Kr 85		8			Ra 228		8		
Rb 87		8			Ac 227		8		
Sr 90		8			Th 227		8		
Zr 93		8			Th 228		8		
Nb 91		8			Th 229		8		
Nb 92		8			Th 230		8		
Nb 93m		8			Th 232		8		
Nb 94		8			Th 234		8		
Mo 93		8			Pa 231		8		
Tc 97		8			Pa 233		8		
Tc 99		8			U 232		8		
Ru 106		8			U 233		8		
Pd 107		8			U 234		8		
Ag 108m		8			U 235		8		
Ag 110m		8			U 236		8		
Cd 109		8			U 238		8		
Cd 113m		8			Np 237		8		
Sn 119m		8			Pu 236		8		
Sn 121m		8			Pu 238		8		
Sn 123		8			Pu 239		8		
Sn 126		8			Pu 240		8		
Sb 125		8			Pu 241		8		
Sb 126		8			Pu 242		8		
Te 125m		8			Am 241		8		
Te 127m		8			Am 242m		8		
I 129		8			Am 243		8		
Cs 134		8			Cm 242		8		
Cs 135		8			Cm 243		8		
Cs 137		8			Cm 244		8		
Ba 133		8			Cm 245		8		
La 137		8			Cm 246		8		
La 138		8			Cm 248		8		
Ce 144		8			Cf 249		8		
Pm 145		8			Cf 250		8		
Pm 147		8			Cf 251		8		
Sm 147		8			Cf 252		8		
Sm 151		8			Other a				
Eu 152		8			Other b/g				
Eu 154		8			Total a	0			0
Eu 155		8			Total b/g	4.22E+02	AA 2		0

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity