

| | | |
|---------------------|--------------|--------------------------|
| WASTE STREAM | 2C303 | Contaminated Soil |
|---------------------|--------------|--------------------------|

SITE Chapelcross

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Magnox Limited

WASTE TYPE LLW

WASTE VOLUMES

| | | Reported |
|------------------------|---------------------------|-----------------------|
| Stocks: | At 1.4.2019..... | 0 m ³ |
| Future arisings - | 1.4.2089 - 31.3.2095..... | 1000.0 m ³ |
| Total future arisings: | | 1000.0 m ³ |
| Total waste volume: | | 1000.0 m ³ |

Comment on volumes: Waste arisings are assumed to occur at a uniform rate. Final Dismantling & Site Clearance is assumed to commence in 2085 with reactor dismantling commencing in 2089 and lasting for 6 years. The volumes and radioactivity have been calculated for 85 years after reactor shutdown, i.e. 2089.

Uncertainty factors on volumes: Stock (upper): x Arisings (upper) x 1.2
 Stock (lower): x Arisings (lower) x 0.8

WASTE SOURCE Contaminated soil that has resulted from plant operation and maintenance.

PHYSICAL CHARACTERISTICS

General description: Based on made ground and upper natural material descriptions: A variable mixture of clay, silt, sand and gravel with occasional inclusions of concrete, brick, ash and metal objects. Natural material inclusion comprises grey clays and red-brown sands. Likely encounter with cobble and boulder sized fragments of natural rock. Possible metal bar, concrete fragments and bricks.

Physical components (%vol): Clay 35%, sand 35%, gravel 15%, others 15% (fragments of concrete, brick, ash, metal, natural boulders).

Sealed sources: -

Bulk density (t/m³): ~1.75

Comment on density: The bulk density is an estimate and may be subject to revision. Assumes bulkage factor (physical expansion) of 1.3.

CHEMICAL COMPOSITION

General description and components (%wt): Soil, rubble, organic material and water. Percentages are not estimated.

Chemical state: Neutral

Chemical form of radionuclides: H-3: The tritium content is insignificant.
 C-14: The carbon 14 content is insignificant.
 Cl-36: The chlorine 36 content is insignificant.
 Se-79: The selenium content is insignificant.
 Tc-99: The technetium content is insignificant.
 Ra: The radium isotope content is insignificant.
 Th: The thorium isotope content is insignificant.
 U: The uranium isotope content is insignificant.
 Np: The neptunium content is insignificant.
 Pu: The plutonium isotope content is insignificant.

Metals and alloys (%wt): There are no bulk or sheet metal items present in the waste.

| | |
|---------------------------|----|
| Stainless steel..... | 0 |
| Other ferrous metals..... | 0 |
| Iron..... | |
| Aluminium..... | 0 |
| Beryllium..... | NE |
| Cobalt..... | |
| Copper..... | 0 |

WASTE STREAM

2C303 Contaminated Soil

Lead..... 0
 Magnox/Magnesium..... 0
 Nickel.....
 Titanium.....
 Uranium.....
 Zinc..... 0
 Zircaloy/Zirconium..... 0
 Other metals..... 0

Other metals are not expected
 except in their oxide form.

Organics (%wt):

Organic matter will be associated with the soil. Halogenated plastics or rubbers are not expected.

Total cellulose..... NE
 Paper, cotton..... NE
 Wood..... NE
 Halogenated plastics 0
 Total non-halogenated plastics..... 0
 Condensation polymers..... 0
 Others..... 0
 Organic ion exchange materials.... 0
 Total rubber..... 0
 Halogenated rubber 0
 Non-halogenated rubber..... 0
 Hydrocarbons.....
 Oil or grease
 Fuel.....
 Asphalt/Tarmac (cont.coal tar)...
 Asphalt/Tarmac (no coal tar)....
 Bitumen.....
 Others.....
 Other organics..... NE

Other materials (%wt):

-
 Inorganic ion exchange materials. 0
 Inorganic sludges and flocs..... 0
 Soil..... 100.0
 Brick/Stone/Rubble..... 0
 Cementitious material..... 0
 Sand..... 0
 Glass/Ceramics..... 0
 Graphite..... 0
 Desiccants/Catalysts.....
 Asbestos..... 0
 Non/low friable.....
 Moderately friable.....
 Highly friable.....

WASTE STREAM**2C303 Contaminated Soil**

| | | |
|------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|----|
| | Free aqueous liquids..... | NE |
| | Free non-aqueous liquids..... | 0 |
| | Powder/Ash..... | 0 |
| Inorganic anions (%wt): | Anion content not fully determined. The anion content of the waste is naturally occurring oxides expected in soil. | |
| | Fluoride..... | NE |
| | Chloride..... | NE |
| | Iodide..... | NE |
| | Cyanide..... | NE |
| | Carbonate..... | NE |
| | Nitrate..... | NE |
| | Nitrite..... | NE |
| | Phosphate..... | NE |
| | Sulphate..... | NE |
| | Sulphide..... | NE |
| Materials of interest for waste acceptance criteria: | There will be water associated with the waste. There may be traces of biological material. | |
| | Combustible metals..... | 0 |
| | Low flash point liquids..... | 0 |
| | Explosive materials..... | 0 |
| | Phosphorus..... | 0 |
| | Hydrides..... | 0 |
| | Biological etc. materials..... | TR |
| | Biodegradable materials..... | |
| | Putrescible wastes..... | 0 |
| | Non-putrescible wastes..... | |
| | Corrosive materials..... | 0 |
| | Pyrophoric materials..... | 0 |
| | Generating toxic gases..... | 0 |
| | Reacting with water..... | 0 |
| | Active particles..... | |
| | Soluble solids as bulk chemical compounds..... | |
| Hazardous substances / non hazardous pollutants: | None expected. | |
| | Acrylamide..... | |
| | Benzene..... | |
| | Chlorinated solvents..... | |
| | Formaldehyde..... | |
| | Organometallics..... | |
| | Phenol..... | |
| | Styrene..... | |
| | Tri-butyl phosphate..... | |
| | Other organophosphates..... | |

WASTE STREAM**2C303 Contaminated Soil**

Vinyl chloride.....
 Arsenic.....
 Barium.....
 Boron.....
 Cadmium.....
 Caesium.....
 Selenium.....
 Chromium.....
 Molybdenum.....
 Thallium.....
 Tin.....
 Vanadium.....
 Mercury compounds.....
 Others.....
 Electronic Electrical Equipment (EEE)
 EEE Type 1.....
 EEE Type 2.....
 EEE Type 3.....
 EEE Type 4.....
 EEE Type 5.....

Complexing agents (%wt):

EDTA.....
 DPTA.....
 NTA.....
 Polycarboxylic acids.....
 Other organic complexants.....
 Total complexing agents..... NE

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

| Treatment | On-site / Off site | Stream volume % |
|-----------------------|--------------------|-----------------|
| Low force compaction | | |
| Supercompaction (HFC) | | |
| Incineration | | |
| Solidification | | |
| Decontamination | | |
| Metal treatment | | |
| Size reduction | | |
| Decay storage | | |
| Recycling / reuse | | |
| Other / various | | |
| None | | 100.0 |

Comment on planned treatments:

-

WASTE STREAM 2C303 Contaminated Soil

Disposal Routes:

| Disposal Route | Stream volume % |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known | 100.0 |

Upcoming (2019/20-2021/22) Waste Routing (if expected to change from above):

| Disposal Route | Stream volume % | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------|---------|
| | 2019/20 | 2020/21 | 2021/22 |
| Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known | | | |

Waste Packaging for Disposal: (Not applicable to this waste stream)

| Container | Stream volume % | Waste loading m ³ | Number of packages |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------|--------------------|
| 1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other | | | |

Other information: -

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage: -

Waste Characterisation Form (WCH): -

Waste consigned for disposal to LLWR in year of generation: -

Potential for the waste to contain discrete items: -

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

RADIOACTIVITY

WASTE STREAM**2C303****Contaminated Soil**

| | |
|-------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Source: | Contamination that has resulted from plant maintenance and operation. Cs-137 is expected to dominate. |
| Uncertainty: | Only approximate estimates have been made of the total specific activities. The estimates are typical of measurements at other sites, the activity may vary either way by a factor of 10. The activities quoted are those at the time of final site decommissioning. |
| Definition of total alpha and total beta/gamma: | All beta/gamma activities have not been quantified and the total beta/gamma activity is therefore an estimate. Alpha emitters are expected to be present and the total is likely to be about 1E-8 TBq/m ³ but this is to be confirmed. |
| Measurement of radioactivities: | Provision of detailed data will have to await detailed site characterisation. |
| Other information: | No radionuclides other than those listed are expected to be significant. |

WASTE STREAM

2C303

Contaminated Soil

| Nuclide | Mean radioactivity, TBq/m ³ | | | | Nuclide | Mean radioactivity, TBq/m ³ | | | |
|---------|----------------------------------------|----------------|-----------------|----------------|------------------|----------------------------------------|----------------|-----------------|----------------|
| | Waste at 1.4.2019 | Bands and Code | Future arisings | Bands and Code | | Waste at 1.4.2019 | Bands and Code | Future arisings | Bands and Code |
| H 3 | | | | 8 | Gd 153 | | | | 8 |
| Be 10 | | | | 8 | Ho 163 | | | | 8 |
| C 14 | | | | 8 | Ho 166m | | | | 8 |
| Na 22 | | | | 8 | Tm 170 | | | | 8 |
| Al 26 | | | | 8 | Tm 171 | | | | 8 |
| Cl 36 | | | | 8 | Lu 174 | | | | 8 |
| Ar 39 | | | | 8 | Lu 176 | | | | 8 |
| Ar 42 | | | | 8 | Hf 178n | | | | 8 |
| K 40 | | | | 8 | Hf 182 | | | | 8 |
| Ca 41 | | | | 8 | Pt 193 | | | | 8 |
| Mn 53 | | | | 8 | Tl 204 | | | | 8 |
| Mn 54 | | | | 8 | Pb 205 | | | | 8 |
| Fe 55 | | | | 8 | Pb 210 | | | | 8 |
| Co 60 | | | | 8 | Bi 208 | | | | 8 |
| Ni 59 | | | | 8 | Bi 210m | | | | 8 |
| Ni 63 | | | | 8 | Po 210 | | | | 8 |
| Zn 65 | | | | 8 | Ra 223 | | | | 8 |
| Se 79 | | | | 8 | Ra 225 | | | | 8 |
| Kr 81 | | | | 8 | Ra 226 | | | | 8 |
| Kr 85 | | | | 8 | Ra 228 | | | | 8 |
| Rb 87 | | | | 8 | Ac 227 | | | | 8 |
| Sr 90 | | | | 6 | Th 227 | | | | 8 |
| Zr 93 | | | | 8 | Th 228 | | | | 8 |
| Nb 91 | | | | 8 | Th 229 | | | | 8 |
| Nb 92 | | | | 8 | Th 230 | | | | 8 |
| Nb 93m | | | | 8 | Th 232 | | | | 8 |
| Nb 94 | | | | 8 | Th 234 | | | | 8 |
| Mo 93 | | | | 8 | Pa 231 | | | | 8 |
| Tc 97 | | | | 8 | Pa 233 | | | | 8 |
| Tc 99 | | | | 8 | U 232 | | | | 8 |
| Ru 106 | | | | 8 | U 233 | | | | 8 |
| Pd 107 | | | | 8 | U 234 | | | | 8 |
| Ag 108m | | | | 8 | U 235 | | | | 8 |
| Ag 110m | | | | 8 | U 236 | | | | 8 |
| Cd 109 | | | | 8 | U 238 | | | | 8 |
| Cd 113m | | | | 8 | Np 237 | | | | 8 |
| Sn 119m | | | | 8 | Pu 236 | | | | 8 |
| Sn 121m | | | | 8 | Pu 238 | | | | 6 |
| Sn 123 | | | | 8 | Pu 239 | | | | 6 |
| Sn 126 | | | | 8 | Pu 240 | | | | 6 |
| Sb 125 | | | | 8 | Pu 241 | | | | 8 |
| Sb 126 | | | | 8 | Pu 242 | | | | 8 |
| Te 125m | | | | 8 | Am 241 | | | | 6 |
| Te 127m | | | | 8 | Am 242m | | | | 8 |
| I 129 | | | | 8 | Am 243 | | | | 8 |
| Cs 134 | | | | 8 | Cm 242 | | | | 8 |
| Cs 135 | | | | 8 | Cm 243 | | | | 8 |
| Cs 137 | | | 1E-05 | CC 2 | Cm 244 | | | | 8 |
| Ba 133 | | | | 8 | Cm 245 | | | | 8 |
| La 137 | | | | 8 | Cm 246 | | | | 8 |
| La 138 | | | | 8 | Cm 248 | | | | 8 |
| Ce 144 | | | | 8 | Cf 249 | | | | 8 |
| Pm 145 | | | | 8 | Cf 250 | | | | 8 |
| Pm 147 | | | | 8 | Cf 251 | | | | 8 |
| Sm 147 | | | | 8 | Cf 252 | | | | 8 |
| Sm 151 | | | | 8 | Other a | | | | |
| Eu 152 | | | | 8 | Other b/g | | | | |
| Eu 154 | | | | 8 | Total a | 0 | | 0 | |
| Eu 155 | | | | 8 | Total b/g | 0 | | 1E-05 | CC 2 |

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity