

WASTE STREAM	2C310	Secondary Wastes LLW
---------------------	--------------	-----------------------------

SITE Chapelcross

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Magnox Limited

WASTE TYPE LLW

WASTE VOLUMES

		Reported
Stocks:	At 1.4.2019.....	0 m ³
Future arisings -	1.4.2089 - 31.3.2095.....	1114.0 m ³
Total future arisings:		1114.0 m ³
Total waste volume:		1114.0 m ³

Comment on volumes: Waste arisings are assumed to occur at a uniform rate over 6 years Final Dismantling & Site Clearance is assumed to commence in 2085 with reactor dismantling commencing in 2089 and lasting for 6 years. The volumes and radioactivity have been calculated for 85 years after reactor shutdown, i.e. 2089

Uncertainty factors on volumes: Stock (upper): x Arisings (upper) x 1.2
 Stock (lower): x Arisings (lower) x 0.8

WASTE SOURCE Wastes arising from contamination control procedures during plant dismantling.

PHYSICAL CHARACTERISTICS

General description: A variety of combustible and non combustible materials. No large items are expected.

Physical components (%vol): Metallic pipe and other items (~50% vol), plastic pipework, sheet and other items (~10% vol), rubber gloves and other items (~5% vol), clothing (~5% vol), wood (~5% vol), encapsulated sludge (~5% vol), air filters (~5% vol), combustible material (e.g. paper sheet) (~15-20 % vol). Percentages of constituents are very uncertain.

Sealed sources: -

Bulk density (t/m³): ~1

Comment on density: The density is likely to lie between 0.5 and 1.5 t/m³.

CHEMICAL COMPOSITION

General description and components (%wt): The waste is expected to include cloth (~5%vol), plastics (~15%vol), paper (~15%vol), wood (~5%vol), rubber (~5%vol), encapsulated sludge (~5%vol), metals (~50%vol). Percentages of constituents are very uncertain.

Chemical state: Neutral

Chemical form of radionuclides: H-3: The chemical form of tritium has not been assessed.
 C-14: The chemical form of carbon 14 has not been assessed.
 Cl-36: The chlorine 36 content is insignificant.
 Se-79: The selenium content is insignificant.
 Tc-99: The technetium content is insignificant.
 Ra: The radium isotope content is insignificant.
 Th: The thorium isotope content is insignificant.
 U: The uranium isotope content is insignificant.
 Np: The neptunium content is insignificant.
 Pu: The plutonium isotope content is insignificant.

Metals and alloys (%wt): Metal thicknesses will probably be typically 1-3 mm.

Stainless steel.....	<<1.0
Other ferrous metals.....	<<50.0
Iron.....	
Aluminium.....	<<1.0
Beryllium.....	NE
Cobalt.....	
Copper.....	<<1.0
Lead.....	0

WASTE STREAM

2C310 Secondary Wastes LLW

	Magnox/Magnesium.....	0	
	Nickel.....		
	Titanium.....		
	Uranium.....		
	Zinc.....	0	
	Zircaloy/Zirconium.....	0	
	Other metals.....	<<1.0	There may be "other" metals present (<<1%).
Organics (%wt):	A wide variety of materials may be present. Halogenated plastics and rubbers are expected but the materials have not been determined.		
	Total cellulosics.....	~25.0	
	Paper, cotton.....	~20.0	
	Wood.....	~5.0	
	Halogenated plastics	<7.5	
	Total non-halogenated plastics.....	<7.5	
	Condensation polymers.....	<3.8	
	Others.....	<3.8	
	Organic ion exchange materials....	0	
	Total rubber.....	~5.0	
	Halogenated rubber	<2.5	
	Non-halogenated rubber.....	<2.5	
	Hydrocarbons.....		
	Oil or grease		
	Fuel.....		
	Asphalt/Tarmac (cont.coal tar)...		
	Asphalt/Tarmac (no coal tar)....		
	Bitumen.....		
	Others.....		
	Other organics.....	TR	
Other materials (%wt):	-		
	Inorganic ion exchange materials.	0	
	Inorganic sludges and flocs.....	0	
	Soil.....	TR	
	Brick/Stone/Rubble.....	TR	
	Cementitious material.....	5.0	encapsulated sludge
	Sand.....		
	Glass/Ceramics.....	0	
	Graphite.....	TR	
	Desiccants/Catalysts.....		
	Asbestos.....	0	
	Non/low friable.....		
	Moderately friable.....		
	Highly friable.....		
	Free aqueous liquids.....	0	

WASTE STREAM**2C310****Secondary Wastes LLW**

	Free non-aqueous liquids.....	0
	Powder/Ash.....	0
Inorganic anions (%wt):	Only likely to be present in trace quantities.	
	Fluoride.....	TR
	Chloride.....	TR
	Iodide.....	0
	Cyanide.....	0
	Carbonate.....	TR
	Nitrate.....	TR
	Nitrite.....	TR
	Phosphate.....	TR
	Sulphate.....	TR
	Sulphide.....	TR
Materials of interest for waste acceptance criteria:	No materials likely to pose a fire or other non-radiological hazard have been identified.	
	Combustible metals.....	0
	Low flash point liquids.....	0
	Explosive materials.....	0
	Phosphorus.....	0
	Hydrides.....	0
	Biological etc. materials.....	0
	Biodegradable materials.....	
	Putrescible wastes.....	0
	Non-putrescible wastes.....	
	Corrosive materials.....	0
	Pyrophoric materials.....	0
	Generating toxic gases.....	0
	Reacting with water.....	0
	Active particles.....	
	Soluble solids as bulk chemical compounds.....	
Hazardous substances / non hazardous pollutants:	None expected.	
	Acrylamide.....	
	Benzene.....	
	Chlorinated solvents.....	
	Formaldehyde.....	
	Organometallics.....	
	Phenol.....	
	Styrene.....	
	Tri-butyl phosphate.....	
	Other organophosphates.....	
	Vinyl chloride.....	

WASTE STREAM**2C310****Secondary Wastes LLW**

Arsenic.....
 Barium.....
 Boron.....
 Cadmium.....
 Caesium.....
 Selenium.....
 Chromium.....
 Molybdenum.....
 Thallium.....
 Tin.....
 Vanadium.....
 Mercury compounds.....
 Others.....
 Electronic Electrical Equipment (EEE)
 EEE Type 1.....
 EEE Type 2.....
 EEE Type 3.....
 EEE Type 4.....
 EEE Type 5.....

Complexing agents (%wt):

EDTA.....
 DPTA.....
 NTA.....
 Polycarboxylic acids.....
 Other organic complexants.....
 Total complexing agents..... TR

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction Supercompaction (HFC) Incineration Solidification Decontamination Metal treatment Size reduction Decay storage Recycling / reuse Other / various None		100.0

Comment on planned treatments:

-

WASTE STREAM 2C310 Secondary Wastes LLW

Disposal Routes:

Disposal Route	Stream volume %
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0

Upcoming (2019/20-2021/22) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %		
	2019/20	2020/21	2021/22
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known			

Waste Packaging for Disposal: (Not applicable to this waste stream)

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other			

Other information: -

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage: -

Waste Characterisation Form (WCH): -

Waste consigned for disposal to LLWR in year of generation: -

Potential for the waste to contain discrete items: -

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

RADIOACTIVITY

WASTE STREAM**2C310****Secondary Wastes LLW**

Source:	Contamination by activation products from the reactor structure.
Uncertainty:	The activities quoted are those at the time of Final Dismantling & Site Clearance.
Definition of total alpha and total beta/gamma:	Total beta/gamma is defined as the sum of the listed activities of all nuclides other than alpha emitters. Activity estimates for individual alpha emitting nuclides have not been provided but an estimate of total alpha activity is given.
Measurement of radioactivities:	The specific activity has been calculated from the weighted average of all the other ILW and LLW streams assuming a total specific activity for the beta/gamma component.
Other information:	The activities quoted are those at the time of Final Dismantling & Site Clearance.

WASTE STREAM

2C310

Secondary Wastes LLW

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code
H 3			6.39E-07	CC 2	Gd 153				8
Be 10				8	Ho 163				8
C 14			2.72E-05	CC 2	Ho 166m		4.11E-09	CC	2
Na 22				8	Tm 170				8
Al 26				8	Tm 171				8
Cl 36			6.17E-08	CC 2	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41			8.12E-08	CC 2	Pt 193				8
Mn 53				8	Tl 204				8
Mn 54				8	Pb 205				8
Fe 55				8	Pb 210				8
Co 60			2.28E-08	CC 2	Bi 208				8
Ni 59			1.19E-06	CC 2	Bi 210m				8
Ni 63			7.05E-05	CC 2	Po 210				8
Zn 65				8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90				8	Th 227				8
Zr 93				8	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m				8	Th 232				8
Nb 94			9.19E-09	CC 2	Th 234				8
Mo 93			6.88E-08	CC 2	Pa 231				8
Tc 97				8	Pa 233				8
Tc 99				8	U 232				8
Ru 106				8	U 233				8
Pd 107				8	U 234				8
Ag 108m			1.57E-08	CC 2	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m			3.77E-08	CC 2	Pu 238				8
Sn 123				8	Pu 239				8
Sn 126				8	Pu 240				8
Sb 125				8	Pu 241				8
Sb 126				8	Pu 242				8
Te 125m				8	Am 241				8
Te 127m				8	Am 242m				8
I 129				8	Am 243				8
Cs 134				8	Cm 242				8
Cs 135				8	Cm 243				8
Cs 137				8	Cm 244				8
Ba 133				8	Cm 245				8
La 137				8	Cm 246				8
La 138				8	Cm 248				8
Ce 144				8	Cf 249				8
Pm 145				8	Cf 250				8
Pm 147				8	Cf 251				8
Sm 147				8	Cf 252				8
Sm 151				8	Other a				
Eu 152			3.25E-09	CC 2	Other b/g				
Eu 154				8	Total a	0		0	
Eu 155				8	Total b/g	0		9.98E-05	CC 2

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity