



**WASTE STREAM**

**2D90**

**Plutonium Contaminated Materials; Drums**

	drums and mild steel drum liner.		
Chemical state:	Neutral		
Chemical form of radionuclides:	U: Metal, oxides, nitrates. Pu: Metal, oxides, fluorides, nitrates.		
Metals and alloys (%wt):	Mostly sheet metal, from the 200 litre drum. Some bulk metals present, largest dimensions 1m x 30mm square. May also include cut up scaffold poles and items of plant.		
	Stainless steel.....	5.6	
	Other ferrous metals.....	46.4	
	Iron.....	0	
	Aluminium.....	<0.30	
	Beryllium.....	0	
	Cobalt.....	TR	May be present in hand tool alloys.
	Copper.....	TR	
	Lead.....	0.30	
	Magnox/Magnesium.....	0	
	Nickel.....	TR	May be present in hand tool alloys.
	Titanium.....	TR	May be present in hand tool alloys.
	Uranium.....	0	
	Zinc.....	P	
	Zircaloy/Zirconium.....	0	
	Other metals.....	TR	Trace quantities of gold may be present.
Organics (%wt):	The waste contains cellulose, rubber, halogenated plastics (PVC) and non-halogenated plastics (perspex and polythene). The total organics content is about 45%.		
	Total cellulose.....	2.4	
	Paper, cotton.....	2.0	
	Wood.....	0.40	
	Halogenated plastics .....	28.0	Includes PVC
	Total non-halogenated plastics.....	3.2	
	Condensation polymers.....	0	
	Others.....	3.2	Includes Perspex and Polythene
	Organic ion exchange materials....	TR	
	Total rubber.....	10.0	
	Halogenated rubber .....	10.0	
	Non-halogenated rubber.....	0	
	Hydrocarbons.....	~0.70	
	Oil or grease .....	TR	
	Fuel.....	0	
	Asphalt/Tarmac (cont.coal tar)...	0.70	
	Asphalt/Tarmac (no coal tar)....	0	
	Bitumen.....	TR	
	Others.....	0	
	Other organics.....	0	

**WASTE STREAM****2D90****Plutonium Contaminated Materials; Drums**

Other materials (%wt):

-
Inorganic ion exchange materials. TR
Inorganic sludges and flocs..... 0
Soil..... P
Brick/Stone/Rubble..... 1.3
Cementitious material..... 0.70
Sand..... 0
Glass/Ceramics..... 1.1
Graphite..... 0
Desiccants/Catalysts..... NE
Asbestos..... P
Non/low friable..... NE
Moderately friable..... NE
Highly friable..... NE
Free aqueous liquids..... TR
Free non-aqueous liquids..... 0
Powder/Ash..... 0

Inorganic anions (%wt):

Most of the listed anions may be present in trace quantities (<0.1%).
Fluoride..... <1.0
Chloride..... <0.10
Iodide..... <0.10
Cyanide..... 0
Carbonate..... <0.10
Nitrate..... <0.10
Nitrite..... NE
Phosphate..... <0.10
Sulphate..... <0.10
Sulphide..... <0.10

Materials of interest for waste acceptance criteria:

The waste will include chemical contaminants, acids and alkalis, and small amounts of asbestos.

Combustible metals..... 0
Low flash point liquids..... 0
Explosive materials..... 0
Phosphorus..... 0
Hydrides..... 0
Biological etc. materials..... 0
Biodegradable materials..... NE
Putrescible wastes..... NE
Non-putrescible wastes..... NE
Corrosive materials..... 0
Pyrophoric materials..... 0
Generating toxic gases..... 0
Reacting with water..... 0

**WASTE STREAM**

**2D90**

**Plutonium Contaminated Materials; Drums**

Hazardous substances /  
non hazardous pollutants:

Active particles..... 0  
Soluble solids as bulk chemical  
compounds..... 0

The waste stream specifically excludes toxic materials and therefore they are present in trace quantities only. Asbestos (<1%), laboratory chemicals (<1%).

Acrylamide..... NE  
Benzene..... NE  
Chlorinated solvents..... NE  
Formaldehyde..... NE  
Organometallics..... NE  
Phenol..... NE  
Styrene..... NE  
Tri-butyl phosphate..... NE  
Other organophosphates..... NE  
Vinyl chloride..... NE  
Arsenic..... NE  
Barium..... NE  
Boron..... NE  
Cadmium..... TR  
Caesium..... NE  
Selenium..... NE  
Chromium..... TR  
  
Molybdenum..... NE  
Thallium..... NE  
Tin..... NE  
Vanadium..... TR  
  
Mercury compounds..... TR  
Others..... NE  
Electronic Electrical Equipment (EEE)  
EEE Type 1..... NE  
EEE Type 2..... NE  
EEE Type 3..... <0.10  
EEE Type 4..... NE  
EEE Type 5..... NE

May be present in hand tool alloys.

May be present in hand tool alloys.

Complexing agents (%wt):

Yes  
EDTA.....  
DPTA.....  
NTA.....  
Polycarboxylic acids..... 0  
Other organic complexants..... TR

Trace amounts of organic complexing agents may be present.

Total complexing agents..... TR

**PACKAGING AND CONDITIONING**

Conditioning method: The current conditioning method for 2D90 is processing through the Waste Treatment Complex (WTC) where 200 litre drums of waste are supercompacted and the pucks loaded into a basket within a 500 litre drum (such that there is a cement annulus between the basket and the drum skin). Replacement WTC facilities are currently projected to use a similar treatment method.

Plant Name: Waste Treatment Complex (future capabilities are anticipated to be titled WTC2 & WTC3).

Location: Sellafield.

Plant startup date: 1997 (It is anticipated that WTC2 will become operational in ~2034 and WTC3 in ~2061).

Total capacity (m<sup>3</sup>/y incoming waste): 780.0

Target start date for packaging this stream: -

Throughput for this stream (m<sup>3</sup>/y incoming waste): NE

Other information: Backlog and fresh arisings will be conditioned concurrently. Stream throughput is variable and cannot be estimated, this is due to waste streams 2D03, 2D90, 2F02 and 2F34 being processed concurrently in WTC.

Likely container type:	Container	Waste packaged (%vol)	Waste loading (m <sup>3</sup> )	Payload (m <sup>3</sup> )	Number of packages
	500 l drum (basket for waste)	100.0	~1.12	~0.504	7852

Likely container type comment: -

Range in container waste volume: Typically between 1 and 10 compacted 200 litre drums will be loaded in to a 500 litre drum, with an average of 5.6. The range and variability for WTC2 & WTC3 have yet to be assessed, although it is assumed that the values will be similar to those for the WTC facility.

Other information on containers: Stainless Steel

Likely conditioning matrix: PFA/OPC

Other information: -

Conditioned density (t/m<sup>3</sup>): 2.1

Conditioned density comment: Conditioned density calculated using data from current WTC product drum stock. The density is typically between 1.8 and 2.6 t/m<sup>3</sup>, although values outside of this range are possible.

Other information on conditioning: -

Opportunities for alternative disposal routing: Yes

Treatment	Stream volume (%)	Comment
Disposal as low level waste (LLW)	~10.0	New assay capability will allow for the re-categorisation of some waste as LLW. It is anticipated that 800 drums a year (from streams 2D03, 2D90, 2F02 and 2F34 collectively) will be consigned as LLW between 2019 and 2024 inclusive. Thereafter it is predicted that 10% of the arisings from the four waste streams will be

identified and treated as LLW. This waste will be processed under the 2X40 waste stream.

**RADIOACTIVITY**

Source:	The principal nuclides are Pu-238, Pu-239, Pu-240, Pu241, Pu 242 and Am241.
Uncertainty:	The activity accuracy is based on records of arisings.
Definition of total alpha and total beta/gamma:	Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.
Measurement of radioactivities:	The specific activities were calculated using an average fingerprint for the stream (determined through measurements of several thousand drums through the WTC assay suite) and the total Pu mass of the current stocks.
Other information:	The 500l product drums will be loaded to a maximum of 260g Pu + U235.

**WASTE STREAM**

**2D90**

**Plutonium Contaminated Materials; Drums**

Nuclide	Mean radioactivity, TBq/m <sup>3</sup>				Nuclide	Mean radioactivity, TBq/m <sup>3</sup>			
	Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code
H 3					Gd 153				
Be 10					Ho 163				
C 14					Ho 166m				
Na 22					Tm 170				
Al 26					Tm 171				
Cl 36					Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
Mn 53					Tl 204				
Mn 54					Pb 205				
Fe 55					Pb 210				
Co 60					Bi 208				
Ni 59					Bi 210m				
Ni 63					Po 210				
Zn 65					Ra 223				
Se 79					Ra 225				
Kr 81					Ra 226				
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90					Th 227				
Zr 93					Th 228	5.04E-07	BB 2		
Nb 91					Th 229				
Nb 92					Th 230				
Nb 93m					Th 232	5.42E-07	BB 2	5.13E-08	CC 2
Nb 94					Th 234				
Mo 93					Pa 231				
Tc 97					Pa 233				
Tc 99					U 232				
Ru 106					U 233				
Pd 107					U 234				
Ag 108m					U 235	1.35E-06	BB 2	1.32E-07	CC 2
Ag 110m					U 236				
Cd 109					U 238	6.53E-06	BB 2	9.43E-07	CC 2
Cd 113m					Np 237	1.76E-05	BB 2		
Sn 119m					Pu 236				
Sn 121m					Pu 238	7.07E-03	BB 2	3.17E-02	CC 2
Sn 123					Pu 239	8.24E-02	BB 2	7.68E-02	CC 2
Sn 126					Pu 240	2.69E-02	BB 2	6.97E-02	CC 2
Sb 125					Pu 241	2.82E-01	BB 2	9.62E-01	CC 2
Sb 126					Pu 242	9.44E-06	BB 2	4.44E-05	CC 2
Te 125m					Am 241	3.35E-02	BB 2	5.26E-02	CC 2
Te 127m					Am 242m				
I 129					Am 243				
Cs 134					Cm 242				
Cs 135					Cm 243				
Cs 137					Cm 244				
Ba 133					Cm 245				
La 137					Cm 246				
La 138					Cm 248				
Ce 144					Cf 249				
Pm 145					Cf 250				
Pm 147					Cf 251				
Sm 147					Cf 252				
Sm 151					Other a				
Eu 152					Other b/g				
Eu 154					<b>Total a</b>	<b>1.50E-01</b>	<b>BB 2</b>	<b>2.31E-01</b>	<b>CC 2</b>
Eu 155					<b>Total b/g</b>	<b>2.82E-01</b>	<b>BB 2</b>	<b>9.62E-01</b>	<b>CC 2</b>

**Bands (Upper and Lower)**

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

**Code**

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity