

WASTE STREAM**2X10****Reprocessing Plant: Thermal Denitration Plant Area and
UO3 Rework Facility LLW****SITE**

Sellafield

SITE OWNER

Nuclear Decommissioning Authority

WASTE CUSTODIAN

Sellafield Limited

WASTE TYPE

LLW

WASTE VOLUMES

Reported

Stocks:	At 1.4.2019.....	0 m ³
Future arisings -	1.4.2019 - 31.3.2020.....	43.0 m ³
	1.4.2020 - 31.3.2021.....	43.0 m ³
	1.4.2021 - 31.3.2022.....	43.0 m ³
	1.4.2022 - 31.3.2023.....	43.0 m ³
	1.4.2023 - 31.3.2024.....	43.0 m ³
	1.4.2024 - 31.3.2025.....	43.0 m ³

WASTE STREAM**2X10****Reprocessing Plant: Thermal Denitration Plant Area and
UO3 Rework Facility LLW**Total future arisings: 258.0 m³Total waste volume: 258.0 m³

Comment on volumes: Arisings are sourced from DEC-0828A and are based on the latest five-year forecasts from the Waste Forecasting database. The overall timescale for waste arising are informed by the Sellafield Site Master Timeline. Uncertainty information is notional.

Uncertainty factors on volumes: Stock (upper): x Arisings (upper) x 1.5
Stock (lower): x Arisings (lower) x 0.5**WASTE SOURCE** Waste is generated as a result of routine operations and maintenance at the facility.**PHYSICAL CHARACTERISTICS**

General description: The waste will include secondary wastes (such as PPE) and redundant plant items. The waste has not undergone any change since it was generated. The waste has not undergone any change since it was generated.

Physical components (%wt): Metals (30%), Concrete/Rubble (1%), Soil (2%), Wood (3%), Rubber (1%), Halogenated

WASTE STREAM**2X10****Reprocessing Plant: Thermal Denitration Plant Area and UO3 Rework Facility LLW**

Plastics (16%), Non-Halogenated Plastics (16%), Hydrocarbons (11%), Other Organics (17%), Asbestos (3%).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): 0.224

Comment on density: The total Bulk density is derived from DEC-0828A and is based on lifetime mass and volume

CHEMICAL COMPOSITION

General description and components (%wt): Metals (30%), Concrete/Rubble (1%), Soil (2%), Wood (3%), Rubber (1%), Halogenated Plastics (16%), Non-Halogenated Plastics (16%), Hydrocarbons (11%), Other Organics (17%), Asbestos (3%).

Chemical state: Neutral

Chemical form of radionuclides: U: Likely to be uranyl nitrate and uranium trioxide.

Metals and alloys (%wt): -

Stainless steel.....	6.5	
Other ferrous metals.....	~12.9	Likely to be stainless and mild steel.
Iron.....	6.5	
Aluminium.....	~1.3	
Beryllium.....	0	
Cobalt.....	0	
Copper.....	~0.65	
Lead.....	1.3	
Magnox/Magnesium.....	0	
Nickel.....	0	
Titanium.....	0	
Uranium.....	0	
Zinc.....	0.32	
Zircaloy/Zirconium.....	0	
Other metals.....	~0	

Organics (%wt):

Plastic will include unspecified amounts of PVC.

Total cellulosics.....	3.0
Paper, cotton.....	0
Wood.....	3.0
Halogenated plastics	16.0
Total non-halogenated plastics.....	16.0
Condensation polymers.....	0
Others.....	0
Organic ion exchange materials....	0
Total rubber.....	1.0
Halogenated rubber	0
Non-halogenated rubber.....	0
Hydrocarbons.....	11.3
Oil or grease	6.5
Fuel.....	0
Asphalt/Tarmac (cont.coal tar)...	3.2

WASTE STREAM**2X10****Reprocessing Plant: Thermal Denitration Plant Area and UO3 Rework Facility LLW**

	Asphalt/Tarmac (no coal tar).....	1.3
	Bitumen.....	0.32
	Others.....	0
	Other organics.....	17.0
Other materials (%wt):	-	
	Inorganic ion exchange materials.	0
	Inorganic sludges and flocs.....	0
	Soil.....	2.0
	Brick/Stone/Rubble.....	1.1
	Cementitious material.....	0
	Sand.....	0
	Glass/Ceramics.....	0
	Graphite.....	0
	Desiccants/Catalysts.....	0
	Asbestos.....	3.2
	Non/low friable.....	2.3
	Moderately friable.....	0.65
	Highly friable.....	0.32
	Free aqueous liquids.....	0
	Free non-aqueous liquids.....	0
	Powder/Ash.....	0
Inorganic anions (%wt):	-	
	Fluoride.....	0
	Chloride.....	0
	Iodide.....	0
	Cyanide.....	0
	Carbonate.....	0
	Nitrate.....	0
	Nitrite.....	0
	Phosphate.....	0
	Sulphate.....	0
	Sulphide.....	0
Materials of interest for waste acceptance criteria:	-	
	Combustible metals.....	0
	Low flash point liquids.....	0
	Explosive materials.....	0
	Phosphorus.....	0
	Hydrides.....	0
	Biological etc. materials.....	0
	Biodegradable materials.....	17.0
	Putrescible wastes.....	1.0
	Non-putrescible wastes.....	16.0

WASTE STREAM**2X10****Reprocessing Plant: Thermal Denitration Plant Area and UO3 Rework Facility LLW**

	Corrosive materials.....	0	
	Pyrophoric materials.....	0	
	Generating toxic gases.....	0	
	Reacting with water.....	0	
	Active particles.....	0	
	Soluble solids as bulk chemical compounds.....	0	
Hazardous substances / non hazardous pollutants:	-		
	Acrylamide.....	0	
	Benzene.....	0	
	Chlorinated solvents.....	0	
	Formaldehyde.....	0	
	Organometallics.....	0	
	Phenol.....	0	
	Styrene.....	0	
	Tri-butyl phosphate.....	0	
	Other organophosphates.....	0	
	Vinyl chloride.....	0	
	Arsenic.....	0	
	Barium.....	0	
	Boron.....	0	
	Cadmium.....	0	
	Caesium.....	0	
	Selenium.....	0	
	Chromium.....	0	
	Molybdenum.....	0	
	Thallium.....	0	
	Tin.....	0	
	Vanadium.....	0	
	Mercury compounds.....	0	
	Others.....	0	
	Electronic Electrical Equipment (EEE)		
	EEE Type 1.....	P	200 items.
	EEE Type 2.....	P	200 items.
	EEE Type 3.....	P	250 items.
	EEE Type 4.....	P	200 items.
	EEE Type 5.....	P	200 items.

WASTE STREAM**2X10****Reprocessing Plant: Thermal Denitration Plant Area and UO3 Rework Facility LLW**

Complexing agents (%wt):	No
EDTA.....	<0.01
DPTA.....	0
NTA.....	0
Polycarboxylic acids.....	0
Other organic complexants.....	0
Total complexing agents.....	<0.01

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction Supercompaction (HFC)	On-site	92.9
Incineration Solidification Decontamination Metal treatment Size reduction Decay storage Recycling / reuse Other / various None	Off-site	6.5
		0.57

Comment on planned treatments:

All high force compaction takes place in WAMAC. Metal treatment will take place off-site. Waste not requiring treatment is mostly 'out of scope' metal, VLLW and direct disposal to LLWR.

Disposal Routes:

Disposal Route	Stream volume %
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	93.5 6.5

Upcoming (2019/20-2021/22) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %		
	2019/20	2020/21	2021/22
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known			

Waste Packaging for Disposal:

WASTE STREAM**2X10****Reprocessing Plant: Thermal Denitration Plant Area and UO3 Rework Facility LLW**

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO			
2/3 Height IP-2 ISO			
1/2 Height WAMAC IP-2 ISO	92.9	59.28	5
1/2 Height IP-2 Disposal/Re-usable ISO	0.57	10	< 1
2m box (no shielding)			
4m box (no shielding)			
Other			

Other information: -

Waste Planned for Disposal at the LLW Repository:

Container voidage: -

Waste Characterisation Form (WCH): The waste meets the LLWR's Waste Acceptance Criteria (WAC). The waste has a current WCH. Differences exist between Inventory information and current WCH. Materials and radioactivity data has been taken from the current WCH, but data on waste volumes and waste routes is based on the Waste Forecasting database as this information is more recent.

Waste consigned for disposal to LLWR in year of generation: Yes.

Potential for the waste to contain discrete items: -

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

RADIOACTIVITY

Source: The activity arises from operations to chemically convert uranium into a form for long term storage. The waste has become contaminated as a result of these operations.

Uncertainty: The uncertainty associated with the fingerprinting analysis is likely to be low, however the volumes and total activity information (and possibly some other assumptions) are likely to be more notional and thus more uncertain.

Definition of total alpha and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities: Specific activity data is based on data in the corresponding WCH, which in turn maps an estimated total activity to an analytically derived radionuclide fingerprint.

Other information: The radionuclides have been taken from 2X Activity Dataset for 2019 UKRWI (Ref: DEC-0849A) and are based on the current WCH (LLWR Ref: 1S-1S-0-WCH-0-3619).

WASTE STREAM

2X10

Reprocessing Plant: Thermal Denitration Plant Area and UO3 Rework Facility LLW

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code
H 3					Gd 153				
Be 10					Ho 163				
C 14					Ho 166m				
Na 22					Tm 170				
Al 26					Tm 171				
Cl 36			5.28E-08	CC 2	Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
Mn 53					Tl 204				
Mn 54					Pb 205				
Fe 55					Pb 210				
Co 60					Bi 208				
Ni 59					Bi 210m				
Ni 63			7.75E-08	CC 2	Po 210				
Zn 65					Ra 223				
Se 79					Ra 225				
Kr 81					Ra 226				
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90			2.82E-08	CC 2	Th 227				
Zr 93					Th 228		2.47E-08	CC 2	
Nb 91					Th 229				
Nb 92					Th 230				
Nb 93m					Th 232				
Nb 94					Th 234				
Mo 93					Pa 231				
Tc 97					Pa 233				
Tc 99			2.18E-07	CC 2	U 232		4.23E-08	CC 2	
Ru 106			7.01E-07	CC 2	U 233				
Pd 107					U 234		1.46E-05	CC 2	
Ag 108m					U 235		3.70E-07	CC 2	
Ag 110m					U 236		1.85E-06	CC 2	
Cd 109					U 238		1.64E-05	CC 2	
Cd 113m					Np 237		3.52E-09	CC 2	
Sn 119m					Pu 236				
Sn 121m					Pu 238		1.06E-08	CC 2	
Sn 123					Pu 239		1.76E-08	CC 2	
Sn 126					Pu 240		1.76E-08	CC 2	
Sb 125					Pu 241		8.03E-07	CC 2	
Sb 126					Pu 242				
Te 125m					Am 241		7.05E-09	CC 2	
Te 127m					Am 242m				
I 129					Am 243				
Cs 134					Cm 242				
Cs 135					Cm 243				
Cs 137			2.11E-08	CC 2	Cm 244				
Ba 133					Cm 245				
La 137					Cm 246				
La 138					Cm 248				
Ce 144					Cf 249				
Pm 145					Cf 250				
Pm 147					Cf 251				
Sm 147					Cf 252				
Sm 151					Other a				
Eu 152					Other b/g				
Eu 154					Total a	0	3.33E-05	CC 2	
Eu 155			3.52E-08	CC 2	Total b/g	0	1.94E-06	CC 2	

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity