

WASTE STREAM**2X124/1 LLW from Pile Fuel Cladding Silo General Areas**

SITE Sellafield
SITE OWNER Nuclear Decommissioning Authority
WASTE CUSTODIAN Sellafield Limited
WASTE TYPE LLW

WASTE VOLUMES

| | | Reported |
|-------------------|---------------------------|---------------------|
| Stocks: | At 1.4.2019..... | 0 m ³ |
| Future arisings - | 1.4.2019 - 31.3.2020..... | 33.3 m ³ |
| | 1.4.2020 - 31.3.2021..... | 23.1 m ³ |
| | 1.4.2021 - 31.3.2022..... | 23.1 m ³ |
| | 1.4.2022 - 31.3.2023..... | 23.1 m ³ |
| | 1.4.2023 - 31.3.2024..... | 23.1 m ³ |
| | 1.4.2024 - 31.3.2025..... | 23.1 m ³ |
| | 1.4.2025 - 31.3.2026..... | 23.1 m ³ |
| | 1.4.2026 - 31.3.2027..... | 23.1 m ³ |
| | 1.4.2027 - 31.3.2028..... | 23.1 m ³ |
| | 1.4.2028 - 31.3.2029..... | 23.1 m ³ |
| | 1.4.2029 - 31.3.2030..... | 23.1 m ³ |
| | 1.4.2030 - 31.3.2031..... | 23.1 m ³ |
| | 1.4.2031 - 31.3.2032..... | 23.1 m ³ |
| | 1.4.2032 - 31.3.2033..... | 23.1 m ³ |

WASTE STREAM**2X124/1 LLW from Pile Fuel Cladding Silo General Areas**

Total future arisings: 333.6 m³

Total waste volume: 333.6 m³

Comment on volumes: Arisings are sourced from DEC-0828A and are based on the latest five-year forecasts from the Waste Forecasting database. The overall timescale for waste arising are informed by the Sellafield Site Master Timeline. Uncertainty information is notional.

Uncertainty factors on volumes:

| | | | |
|----------------|---|------------------|-------|
| Stock (upper): | x | Arisings (upper) | x 1.5 |
| Stock (lower): | x | Arisings (lower) | x 0.5 |

WASTE SOURCE Waste arises from operations to prepare the building for retrieval of the waste inventory.

PHYSICAL CHARACTERISTICS

General description: Mostly metallic waste associated with both the building fabric and redundant equipment plus soft waste generated as a result of operations (e.g. PPE). The waste has not undergone any change since it was generated.

Physical components (%wt): Metals (57%), Concrete/Rubble (3%), Soil (3%), Wood (4%), Halogenated Plastics (10%),

WASTE STREAM**2X124/1 LLW from Pile Fuel Cladding Silo General Areas**

Non-Halogenated Plastics (8%), Hydrocarbons (4%), Other Organics (3%), Asbestos (5%) and Other (3%).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): 0.407

Comment on density: The total Bulk density is derived from DEC-0828A and is based on lifetime mass and volume

CHEMICAL COMPOSITION

General description and components (%wt): Metals (57%), Concrete/Rubble (3%), Soil (3%), Wood (4%), Halogenated Plastics (10%), Non-Halogenated Plastics (8%), Hydrocarbons (4%), Other Organics (3%), Asbestos (5%) and Other (3%).

Chemical state: Neutral

Chemical form of radionuclides: -

Metals and alloys (%wt): -

| | |
|---------------------------|-------|
| Stainless steel..... | 11.9 |
| Other ferrous metals..... | ~34.6 |
| Iron..... | 4.8 |
| Aluminium..... | ~0.12 |
| Beryllium..... | 0 |
| Cobalt..... | 0 |
| Copper..... | 3.9 |
| Lead..... | ~1.6 |
| Magnox/Magnesium..... | 0 |
| Nickel..... | 0 |
| Titanium..... | 0 |
| Uranium..... | 0 |
| Zinc..... | 0.16 |
| Zircaloy/Zirconium..... | 0 |
| Other metals..... | 0 |

Organics (%wt): -

| | |
|-------------------------------------|------|
| Total cellulose..... | 4.0 |
| Paper, cotton..... | 0 |
| Wood..... | 4.0 |
| Halogenated plastics | 10.0 |
| Total non-halogenated plastics..... | 8.0 |
| Condensation polymers..... | 0 |
| Others..... | 0 |
| Organic ion exchange materials.... | 0 |
| Total rubber..... | 0 |
| Halogenated rubber | 0 |
| Non-halogenated rubber..... | 0 |
| Hydrocarbons..... | 4.0 |
| Oil or grease | 0 |
| Fuel..... | 0 |
| Asphalt/Tarmac (cont.coal tar)... | 2.0 |

WASTE STREAM**2X124/1 LLW from Pile Fuel Cladding Silo General Areas**

| | | |
|--|-----------------------------------|------|
| | Asphalt/Tarmac (no coal tar)..... | 2.0 |
| | Bitumen..... | 0 |
| | Others..... | 0 |
| | Other organics..... | 2.8 |
| Other materials (%wt): | - | |
| | Inorganic ion exchange materials. | 0 |
| | Inorganic sludges and flocs..... | 0 |
| | Soil..... | 3.0 |
| | Brick/Stone/Rubble..... | 3.0 |
| | Cementitious material..... | 0 |
| | Sand..... | 0 |
| | Glass/Ceramics..... | 2.0 |
| | Graphite..... | 0 |
| | Desiccants/Catalysts..... | 0 |
| | Asbestos..... | 5.0 |
| | Non/low friable..... | 2.3 |
| | Moderately friable..... | 2.3 |
| | Highly friable..... | 0.48 |
| | Free aqueous liquids..... | 0 |
| | Free non-aqueous liquids..... | 0 |
| | Powder/Ash..... | 1.0 |
| Inorganic anions (%wt): | - | |
| | Fluoride..... | 0 |
| | Chloride..... | 0 |
| | Iodide..... | 0 |
| | Cyanide..... | 0 |
| | Carbonate..... | 0 |
| | Nitrate..... | 0 |
| | Nitrite..... | 0 |
| | Phosphate..... | 0 |
| | Sulphate..... | 0 |
| | Sulphide..... | 0 |
| Materials of interest for waste acceptance criteria: | - | |
| | Combustible metals..... | 0 |
| | Low flash point liquids..... | 0 |
| | Explosive materials..... | 0 |
| | Phosphorus..... | 0 |
| | Hydrides..... | 0 |
| | Biological etc. materials..... | 0 |
| | Biodegradable materials..... | 2.0 |
| | Putrescible wastes..... | 1.0 |
| | Non-putrescible wastes..... | 1.0 |

WASTE STREAM**2X124/1 LLW from Pile Fuel Cladding Silo General Areas**

| | | |
|--|--|--------------|
| | Corrosive materials..... | 0 |
| | Pyrophoric materials..... | 0 |
| | Generating toxic gases..... | 0 |
| | Reacting with water..... | 0 |
| | Active particles..... | 0 |
| | Soluble solids as bulk chemical compounds..... | 0 |
| Hazardous substances / non hazardous pollutants: | - | |
| | Acrylamide..... | 0 |
| | Benzene..... | 0 |
| | Chlorinated solvents..... | 0 |
| | Formaldehyde..... | 0 |
| | Organometallics..... | 0 |
| | Phenol..... | 0 |
| | Styrene..... | 0 |
| | Tri-butyl phosphate..... | 0 |
| | Other organophosphates..... | 0 |
| | Vinyl chloride..... | 0 |
| | Arsenic..... | 0 |
| | Barium..... | 0 |
| | Boron..... | 0 |
| | Cadmium..... | 0 |
| | Caesium..... | 0 |
| | Selenium..... | 0 |
| | Chromium..... | 0 |
| | Molybdenum..... | 0 |
| | Thallium..... | 0 |
| | Tin..... | 0 |
| | Vanadium..... | 0 |
| | Mercury compounds..... | 0 |
| | Others..... | 0 |
| | Electronic Electrical Equipment (EEE) | |
| | EEE Type 1..... | P 200 Items. |
| | EEE Type 2..... | P 150 Items. |
| | EEE Type 3..... | P 50 Items. |
| | EEE Type 4..... | |
| | EEE Type 5..... | P 25 Items. |

WASTE STREAM**2X124/1 LLW from Pile Fuel Cladding Silo General Areas**

| | |
|--------------------------|------------------------------------|
| Complexing agents (%wt): | Yes |
| | EDTA..... <0.01 |
| | DPTA..... 0 |
| | NTA..... 0 |
| | Polycarboxylic acids..... 0 |
| | Other organic complexants..... 0 |
| | Total complexing agents..... <0.01 |

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

| Treatment | On-site / Off site | Stream volume % |
|-----------------------|--------------------|-----------------|
| Low force compaction | On-site | 38.8 |
| Supercompaction (HFC) | | |
| Incineration | Off-site | 38.6 |
| Solidification | Off-site | 3.6 |
| Decontamination | | |
| Metal treatment | | |
| Size reduction | | |
| Decay storage | | |
| Recycling / reuse | | |
| Other / various | 19.0 | |
| None | | |

Comment on planned treatments:

All high force compaction takes place in WAMAC. For Inventory purposes, it is assumed that Supercompaction will continue after the closure of WAMAC in 2028. Metal treatment will take place off-site. Waste not requiring treatment is out of scope metal, VLLW or direct disposal to LLWR.

Disposal Routes:

| Disposal Route | Stream volume % |
|--|-----------------|
| Expected to be consigned to the LLW Repository | 47.3 |
| Expected to be consigned to a Landfill Facility | |
| Expected to be consigned to an On-Site Disposal Facility | 3.4 |
| Expected to be consigned to an Incineration Facility | 38.6 |
| Expected to be consigned to a Metal Treatment Facility | 3.6 |
| Expected to be consigned as Out of Scope | 7.2 |
| Expected to be recycled / reused | |
| Disposal route not known | |

Upcoming (2019/20-2021/22) Waste Routing (if expected to change from above):

| Disposal Route | Stream volume % | | |
|--|-----------------|---------|---------|
| | 2019/20 | 2020/21 | 2021/22 |
| Expected to be consigned to the LLW Repository | | | |
| Expected to be consigned to a Landfill Facility | | | |
| Expected to be consigned to an On-Site Disposal Facility | | | |
| Expected to be consigned to an Incineration Facility | | | |
| Expected to be consigned to a Metal Treatment Facility | | | |
| Expected to be consigned as Out of Scope | | | |
| Expected to be recycled / reused | | | |
| Disposal route not known | | | |

Waste Packaging for Disposal:

WASTE STREAM**2X124/1 LLW from Pile Fuel Cladding Silo General Areas**

| Container | Stream volume % | Waste loading m ³ | Number of packages |
|--|-----------------|------------------------------|--------------------|
| 1/3 Height IP-1 ISO | | | |
| 2/3 Height IP-2 ISO | | | |
| 1/2 Height WAMAC IP-2 ISO | 38.8 | 59.28 | 3 |
| 1/2 Height IP-2 Disposal/Re-usable ISO | 8.5 | 10 | 3 |
| 2m box (no shielding) | | | |
| 4m box (no shielding) | | | |
| Other | | | |

Other information: -

Waste Planned for Disposal at the LLW Repository:

Container voidage: -

Waste Characterisation Form (WCH): The waste meets the LLWR's Waste Acceptance Criteria (WAC).
The waste has a current WCH.
Differences exist between Inventory information and current WCH.
Materials and radioactivity data has been taken from the current WCH, but data on waste volumes and waste routes is based on the Waste Forecasting database as this information is more recent.

Waste consigned for disposal to LLWR in year of generation: Yes.

Potential for the waste to contain discrete items: -

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

RADIOACTIVITY

Source: The activity has arisen as a result of contamination from fuel and early reprocessing operations.

Uncertainty: The uncertainty associated with the fingerprinting analysis is likely to be low, however the volumes and total activity information (and possibly some other assumptions) are likely to be more notional and thus more uncertain.

Definition of total alpha and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities: Specific activity data is based on data in the corresponding WCH, which in turn maps an estimated total activity to an analytically derived radionuclide fingerprint.

Other information: The radionuclides have been taken from DEC-0828A and are based on the current WCH

WASTE STREAM

2X124/1 LLW from Pile Fuel Cladding Silo General Areas

| Nuclide | Mean radioactivity, TBq/m ³ | | | | Nuclide | Mean radioactivity, TBq/m ³ | | | |
|---------|--|----------------|-----------------|----------------|------------------|--|-----------------|-----------------|----------------|
| | Waste at 1.4.2019 | Bands and Code | Future arisings | Bands and Code | | Waste at 1.4.2019 | Bands and Code | Future arisings | Bands and Code |
| H 3 | | | 8.97E-09 | CC 2 | Gd 153 | | | | |
| Be 10 | | | | | Ho 163 | | | | |
| C 14 | | | | | Ho 166m | | | | |
| Na 22 | | | | | Tm 170 | | | | |
| Al 26 | | | | | Tm 171 | | | | |
| Cl 36 | | | | | Lu 174 | | | | |
| Ar 39 | | | | | Lu 176 | | | | |
| Ar 42 | | | | | Hf 178n | | | | |
| K 40 | | | | | Hf 182 | | | | |
| Ca 41 | | | | | Pt 193 | | | | |
| Mn 53 | | | | | Tl 204 | | | | |
| Mn 54 | | | | | Pb 205 | | | | |
| Fe 55 | | | | | Pb 210 | | | | |
| Co 60 | | | 5.98E-10 | CC 2 | Bi 208 | | | | |
| Ni 59 | | | | | Bi 210m | | | | |
| Ni 63 | | | | | Po 210 | | | | |
| Zn 65 | | | | | Ra 223 | | | | |
| Se 79 | | | | | Ra 225 | | | | |
| Kr 81 | | | | | Ra 226 | | | | |
| Kr 85 | | | | | Ra 228 | | | | |
| Rb 87 | | | | | Ac 227 | | | | |
| Sr 90 | | | 3.60E-07 | CC 2 | Th 227 | | | | |
| Zr 93 | | | | | Th 228 | | | | |
| Nb 91 | | | | | Th 229 | | | | |
| Nb 92 | | | | | Th 230 | | | | |
| Nb 93m | | | | | Th 232 | | 8.97E-10 | CC 2 | |
| Nb 94 | | | | | Th 234 | | | | |
| Mo 93 | | | | | Pa 231 | | | | |
| Tc 97 | | | | | Pa 233 | | | | |
| Tc 99 | | | | | U 232 | | | | |
| Ru 106 | | | | | U 233 | | | | |
| Pd 107 | | | | | U 234 | | | | |
| Ag 108m | | | | | U 235 | | | | |
| Ag 110m | | | | | U 236 | | | | |
| Cd 109 | | | | | U 238 | | 1.20E-09 | CC 2 | |
| Cd 113m | | | | | Np 237 | | | | |
| Sn 119m | | | | | Pu 236 | | | | |
| Sn 121m | | | | | Pu 238 | | 2.00E-08 | CC 2 | |
| Sn 123 | | | | | Pu 239 | | 3.47E-08 | CC 2 | |
| Sn 126 | | | | | Pu 240 | | 4.33E-08 | CC 2 | |
| Sb 125 | | | | | Pu 241 | | 3.21E-07 | CC 2 | |
| Sb 126 | | | | | Pu 242 | | | | |
| Te 125m | | | | | Am 241 | | 1.38E-07 | CC 2 | |
| Te 127m | | | | | Am 242m | | | | |
| I 129 | | | | | Am 243 | | | | |
| Cs 134 | | | 1.20E-09 | CC 2 | Cm 242 | | | | |
| Cs 135 | | | | | Cm 243 | | | | |
| Cs 137 | | | 2.05E-06 | CC 2 | Cm 244 | | 2.09E-09 | CC 2 | |
| Ba 133 | | | | | Cm 245 | | | | |
| La 137 | | | | | Cm 246 | | | | |
| La 138 | | | | | Cm 248 | | | | |
| Ce 144 | | | | | Cf 249 | | | | |
| Pm 145 | | | | | Cf 250 | | | | |
| Pm 147 | | | 2.99E-10 | CC 2 | Cf 251 | | | | |
| Sm 147 | | | | | Cf 252 | | | | |
| Sm 151 | | | | | Other a | | | | |
| Eu 152 | | | | | Other b/g | | | | |
| Eu 154 | | | 6.28E-09 | CC 2 | Total a | 0 | 2.41E-07 | CC 2 | |
| Eu 155 | | | 1.79E-09 | CC 2 | Total b/g | 0 | 2.75E-06 | CC 2 | |

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity