

WASTE STREAM

3J20 Catalysts ILW

Nickel.....	NE	
Titanium.....	NE	
Uranium.....	NE	
Zinc.....	NE	
Zircaloy/Zirconium.....	0	
Other metals.....	~0.30	Noble metal (platinum) component of catalyst 0.3 % by weight.

Organics (%wt):

To be further assessed. High density polythene bags will be present

Total cellulosics.....	0
Paper, cotton.....	0
Wood.....	0
Halogenated plastics	0
Total non-halogenated plastics.....	P
Condensation polymers.....	0
Others.....	P
Organic ion exchange materials....	0
Total rubber.....	0
Halogenated rubber	0
Non-halogenated rubber.....	0
Hydrocarbons.....	NE
Oil or grease	
Fuel.....	
Asphalt/Tarmac (cont.coal tar)...	
Asphalt/Tarmac (no coal tar)....	
Bitumen.....	
Others.....	
Other organics.....	NE

Other materials (%wt):

Approximately 80wt% alumina base granule.

Inorganic ion exchange materials.	0
Inorganic sludges and flocs.....	0
Soil.....	0
Brick/Stone/Rubble.....	0
Cementitious material.....	0
Sand.....	0
Glass/Ceramics.....	
Graphite.....	0
Desiccants/Catalysts.....	~80.0
Asbestos.....	0
Non/low friable.....	
Moderately friable.....	
Highly friable.....	
Free aqueous liquids.....	0

WASTE STREAM

3J20 Catalysts ILW

	Free non-aqueous liquids.....	0	
	Powder/Ash.....	0	
Inorganic anions (%wt):	None of the listed inorganic anions are expected to be present at greater than 10%.		
	Fluoride.....	<10.0	
	Chloride.....	<10.0	
	Iodide.....	<10.0	
	Cyanide.....	NE	
	Carbonate.....	<10.0	
	Nitrate.....	<10.0	
	Nitrite.....	NE	
	Phosphate.....	<10.0	
	Sulphate.....	<10.0	
	Sulphide.....	<10.0	
Materials of interest for waste acceptance criteria:	There are no materials identified in the waste likely to present a fire or other non-radiological hazard.		
	Combustible metals.....	0	
	Low flash point liquids.....	0	
	Explosive materials.....	0	
	Phosphorus.....	0	
	Hydrides.....	0	
	Biological etc. materials.....	0	
	Biodegradable materials.....	0	
	Putrescible wastes.....	0	
	Non-putrescible wastes.....	0	
	Corrosive materials.....	0	
	Pyrophoric materials.....	0	
	Generating toxic gases.....	0	
	Reacting with water.....	0	
	Active particles.....	0	not expected
	Soluble solids as bulk chemical compounds.....	0	
Hazardous substances / non hazardous pollutants:	-		
	Acrylamide.....	NE	
	Benzene.....	NE	
	Chlorinated solvents.....	NE	
	Formaldehyde.....	NE	
	Organometallics.....	NE	
	Phenol.....	NE	
	Styrene.....	NE	
	Tri-butyl phosphate.....	NE	
	Other organophosphates.....	NE	
	Vinyl chloride.....	NE	

WASTE STREAM

3J20 Catalysts ILW

Arsenic.....	NE
Barium.....	NE
Boron.....	NE
Cadmium.....	NE
Caesium.....	NE
Selenium.....	NE
Chromium.....	NE
Molybdenum.....	NE
Thallium.....	NE
Tin.....	NE
Vanadium.....	NE
Mercury compounds.....	NE
Others.....	NE
Electronic Electrical Equipment (EEE)	
EEE Type 1.....	0
EEE Type 2.....	0
EEE Type 3.....	0
EEE Type 4.....	0
EEE Type 5.....	0
Complexing agents (%wt):	Not yet determined
EDTA.....	NE
DPTA.....	NE
NTA.....	NE
Polycarboxylic acids.....	NE
Other organic complexants.....	NE
Total complexing agents.....	TR

Expect only trace quantities, if any.

LAW TREATMENT, PACKAGING AND DISPOSAL

Waste that is currently ILW: This waste is ILW at the time of arising. The waste is stored temporarily to allow decay of short lived radionuclides, following this, the waste is sent for decontamination to LLW. No date specified.

Planned on-site / off-site treatments(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)		
Incineration		
Solidification	Off-site	100.0
Decontamination	Off-site	100.0
Metal treatment		
Size reduction		
Decay storage	On-site	100.0
Recycling / reuse		
Other / various		
None		

Comment on planned treatments:

Current waste treatment is to decontaminated to LLW and then encapsulated. However, trials are ongoing to consider a change in strategy to wash and incinerate.

WASTE STREAM**3J20****Catalysts ILW****Disposal Routes:**

Disposal Route	Stream volume %
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0

Upcoming (2019/20-2021/22) waste routing (if expected to change from above)

Disposal Route	Stream volume %		
	2019/20	2020/21	2021/22
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known			

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	100.0	~9.1	< 1

Other information: A conditioning factor of 1.62 is assumed.

Waste Consigned to the LLW Repository:

Container voidage: -

Waste Characterisation Form (WCH): The waste does not meet the LLWR's Waste Acceptance Criteria (WAC).

Does not meet WAC until catalyst is decontaminated.

Waste consigned for disposal to LLWR in year of generation: No. Waste is ILW when generated and needs decontaminating to LLW .Waste quantities are small and arisings usually occur at the same time as desiccants are changed.

Potential for the waste to contain discrete items: No

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

WASTE STREAM**3J20****Catalysts ILW**

Other information:

-

RADIOACTIVITY

Source:	Contamination by tritiated water and activation products will be the main sources of activity.
Uncertainty:	Specific activity is a function of operating history. The values given are indicative of the activities that may be expected.
Definition of total alpha and total beta/gamma:	Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.
Measurement of radioactivities:	Theoretical assessments.
Other information:	The degree of contamination of the materials needs further assessment. Other beta/gamma nuclides of arisings and stocks (in TBq/m ³) include Cr51 (1E-7, 1E-31), Co58 (3E-8, 2E-17) and Ta182 (4E-8, 7E-14).

WASTE STREAM

3J20

Catalysts ILW

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code
H 3	2E-02	C C 2	2E-02	C C 2	Gd 153				
Be 10		8		8	Ho 163				
C 14		8		8	Ho 166m				
Na 22		4		4	Tm 170				
Al 26		4		4	Tm 171				
Cl 36		6		6	Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41		8		8	Pt 193				
Mn 53					Tl 204				
Mn 54	4E-09	C C 2	4E-07	C C 2	Pb 205				
Fe 55	1E-07	C C 2	6E-07	C C 2	Pb 210	8			8
Co 60	1E-07	C C 2	3E-07	C C 2	Bi 208				
Ni 59		6		6	Bi 210m				
Ni 63	3E-07	C C 2	3E-07	C C 2	Po 210	8			8
Zn 65		8		8	Ra 223				
Se 79		8		8	Ra 225				
Kr 81					Ra 226	8			8
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90		8		8	Th 227				
Zr 93		8		8	Th 228				
Nb 91					Th 229	8			8
Nb 92					Th 230	8			8
Nb 93m		8		8	Th 232	8			8
Nb 94		8		8	Th 234				
Mo 93		8		8	Pa 231	8			8
Tc 97					Pa 233				
Tc 99		8		8	U 232				
Ru 106		8		8	U 233	8			8
Pd 107		8		8	U 234	8			8
Ag 108m		8		8	U 235	8			8
Ag 110m					U 236	8			8
Cd 109					U 238	8			8
Cd 113m					Np 237	8			8
Sn 119m					Pu 236				
Sn 121m		8		8	Pu 238	8			8
Sn 123					Pu 239	8			8
Sn 126		8		8	Pu 240	8			8
Sb 125					Pu 241	8			8
Sb 126					Pu 242	8			8
Te 125m					Am 241	8			8
Te 127m					Am 242m	8			8
I 129		8		8	Am 243	8			8
Cs 134		8		8	Cm 242	8			8
Cs 135		8		8	Cm 243	8			8
Cs 137		6		6	Cm 244	8			8
Ba 133					Cm 245	8			8
La 137					Cm 246	8			8
La 138					Cm 248				
Ce 144		8		8	Cf 249				
Pm 145					Cf 250				
Pm 147		8		8	Cf 251				
Sm 147					Cf 252				
Sm 151		8		8	Other a	8			8
Eu 152		8		8	Other b/g	7E-14	C C 2	1E-07	C C 2
Eu 154		8		8	Total a	<1E-09	8	<1E-09	8
Eu 155		8		8	Total b/g	2E-02	C C 2	2E-02	C C 2

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity