

WASTE STREAM	3K14	Gas Circulator LLW
---------------------	-------------	---------------------------

SITE Hartlepool

SITE OWNER EDFE NGL

WASTE CUSTODIAN EDFE NGL

WASTE TYPE LLW

WASTE VOLUMES

		Reported
Stocks:	At 1.4.2019.....	25.2 m ³
Future arisings -	1.4.2019 - 31.3.2024.....	84.3 m ³
	1.4.2024 - 31.3.2027.....	50.6 m ³
	1.4.2027 - 31.3.2028.....	7.6 m ³
	1.4.2028 - 31.3.2032.....	0 m ³
	1.4.2032 - 31.3.2033.....	4.3 m ³
Total future arisings:		146.8 m ³
Total waste volume:		172.0 m ³

Comment on volumes: Waste volumes will be variable depending on station operating conditions.

Uncertainty factors on volumes: Stock (upper): x 1.25 Arisings (upper) x 1.5
 Stock (lower): x 0.75 Arisings (lower) x 0.5

WASTE SOURCE General hard and soft trash.

PHYSICAL CHARACTERISTICS

General description: Principally hard trash; some soft trash. Non-drummable items may be transported and disposed at the LLWR in half height ISO containers.

Physical components (%wt): Metal (39%), Soil/Rubble (4%), Soft Organic Material (1%), Plastic/Rubber (35%), Wood (3%) and other material including lagging and ash (18%). A small amount of asbestos may be present in the lagging.

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~0.27

Comment on density: Density as in WCF.

CHEMICAL COMPOSITION

General description and components (%wt): Metal (39%), Soil/Rubble (4%), Soft Organic Material (1%), Plastic/Rubber (35%), Wood (3%) and other material including lagging and ash (18%). A small amount of asbestos may be present in the lagging.

Chemical state: Neutral

Chemical form of radionuclides: H-3: Not Yet Determined
 C-14: Not Yet Determined
 Cl-36: Not Yet Determined
 Se-79: Not Yet Determined
 Tc-99: Not Yet Determined
 I-129: Not Yet Determined
 Ra: Not Yet Determined
 Th: Not Yet Determined
 U: Not Yet Determined
 Np: Not Yet Determined
 Pu: Not Yet Determined

Metals and alloys (%wt): Not yet determined.

Stainless steel.....	NE
Other ferrous metals.....	~36.0
Iron.....	NE
Aluminium.....	~1.0
Beryllium.....	NE
Cobalt.....	NE

WASTE STREAM

3K14

Gas Circulator LLW

	Copper.....	~2.0	
	Lead.....	0	
	Magnox/Magnesium.....	NE	
	Nickel.....	NE	
	Titanium.....	NE	
	Uranium.....	NE	
	Zinc.....	NE	
	Zircaloy/Zirconium.....	NE	
	Other metals.....	NE	
Organics (%wt):	The waste contains cellulose as wood and non-halogenated plastic. Traces of oil may be present. Polyester in the form of 'shellac' is present. Other organics includes incinerator ash.		
	Total cellulosics.....	~4.0	
	Paper, cotton.....	~1.0	
	Wood.....	~3.0	
	Halogenated plastics	NE	
	Total non-halogenated plastics.....	~1.0	
	Condensation polymers.....	NE	
	Others.....	~1.0	Polyester
	Organic ion exchange materials....	NE	
	Total rubber.....	~34.0	
	Halogenated rubber	~~17.0	
	Non-halogenated rubber.....	~~17.0	
	Hydrocarbons.....	NE	
	Oil or grease		
	Fuel.....		
	Asphalt/Tarmac (cont.coal tar)...		
	Asphalt/Tarmac (no coal tar)....		
	Bitumen.....		
	Others.....		
	Other organics.....	~9.0	
Other materials (%wt):	-		
	Inorganic ion exchange materials.	0	
	Inorganic sludges and flocs.....	0	
	Soil.....	0	
	Brick/Stone/Rubble.....	~4.0	
	Cementitious material.....	0	
	Sand.....	0	
	Glass/Ceramics.....	9.0	
	Graphite.....	0	
	Desiccants/Catalysts.....	0	
	Asbestos.....	P	
	Non/low friable.....	NE	

WASTE STREAM**3K14****Gas Circulator LLW**

	Moderately friable.....	NE	
	Highly friable.....	NE	
	Free aqueous liquids.....	0	
	Free non-aqueous liquids.....	0	
	Powder/Ash.....	0	
Inorganic anions (%wt):	Not estimated.		
	Fluoride.....	NE	
	Chloride.....	NE	
	Iodide.....	NE	
	Cyanide.....	NE	
	Carbonate.....	NE	
	Nitrate.....	NE	
	Nitrite.....	NE	
	Phosphate.....	NE	
	Sulphate.....	NE	
	Sulphide.....	NE	
Materials of interest for waste acceptance criteria:	-		
	Combustible metals.....	0	
	Low flash point liquids.....	0	
	Explosive materials.....	0	
	Phosphorus.....	0	
	Hydrides.....	0	
	Biological etc. materials.....	0	
	Biodegradable materials.....	0	
	Putrescible wastes.....	0	
	Non-putrescible wastes.....	0	
	Corrosive materials.....	0	
	Pyrophoric materials.....	0	
	Generating toxic gases.....	0	
	Reacting with water.....	0	
	Active particles.....	0	Not expected
	Soluble solids as bulk chemical compounds.....	0	
Hazardous substances / non hazardous pollutants:	Listed substances are not expected in significant quantity.		
	Acrylamide.....	NE	
	Benzene.....	NE	
	Chlorinated solvents.....	NE	
	Formaldehyde.....	NE	
	Organometallics.....	NE	
	Phenol.....	NE	
	Styrene.....	NE	

WASTE STREAM**3K14****Gas Circulator LLW**

Tri-butyl phosphate.....	NE
Other organophosphates.....	NE
Vinyl chloride.....	NE
Arsenic.....	NE
Barium.....	NE
Boron.....	NE
Cadmium.....	NE
Caesium.....	NE
Selenium.....	NE
Chromium.....	NE
Molybdenum.....	NE
Thallium.....	NE
Tin.....	NE
Vanadium.....	NE
Mercury compounds.....	0
Others.....	NE
Electronic Electrical Equipment (EEE)	
EEE Type 1.....	NE
EEE Type 2.....	NE
EEE Type 3.....	NE
EEE Type 4.....	NE
EEE Type 5.....	NE
Complexing agents (%wt):	Not yet determined
EDTA.....	NE
DPTA.....	NE
NTA.....	NE
Polycarboxylic acids.....	NE
Other organic complexants.....	NE
Total complexing agents.....	TR

Trace quantities may be present.

TREATMENT, PACKAGING AND DISPOSAL

WASTE STREAM**3K14****Gas Circulator LLW**

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)	Off-site	~10.0
Incineration	Off-site	~70.0
Solidification	Off-Site	<5.0
Decontamination		
Metal treatment	Off-Site	~10.0
Size reduction		
Decay storage		
Recycling / reuse		
Other / various		
None		~5.0

Comment on planned treatments:

In line with the waste hierarchy, wastes will be treated preferentially by incineration, metal decontamination/melting, supercompaction, optimal packaging in HHISOs or immobilisation by encapsulation where necessary, prior to ultimate disposal at the LLW Repository. These treatments will be carried out off-site under contract with companies such as LLWR Ltd, EDF Cyclife, Tradebe and Inutec. The percentages are based on the history of consignments across the fleet of EDF Energy Nuclear Generation stations.

Disposal Routes:

Disposal Route	Stream volume %
Expected to be consigned to the LLW Repository	15.0
Expected to be consigned to a Landfill Facility	
Expected to be consigned to an On-Site Disposal Facility	
Expected to be consigned to an Incineration Facility	70.0
Expected to be consigned to a Metal Treatment Facility	10.0
Expected to be consigned as Out of Scope	
Expected to be recycled / reused	5.0
Disposal route not known	

Upcoming (2019/20-2021/22) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %		
	2019/20	2020/21	2021/22
Expected to be consigned to the LLW Repository			
Expected to be consigned to a Landfill Facility			
Expected to be consigned to an On-Site Disposal Facility			
Expected to be consigned to an Incineration Facility			
Expected to be consigned to a Metal Treatment Facility			
Expected to be consigned as Out of Scope			
Expected to be recycled / reused			
Disposal route not known			

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO			
2/3 Height IP-2 ISO			
1/2 Height WAMAC IP-2 ISO			
1/2 Height IP-2 Disposal/Re-usable ISO	~15.0	~13.55	2
2m box (no shielding)			
4m box (no shielding)			
Other			

Other information:

Waste loading is representative of the raw waste following further planned treatments. The waste will be reduced to 50% of its original waste volume after further planned treatments.

WASTE STREAM**3K14****Gas Circulator LLW****Waste Planned for Disposal at the LLW Repository:**

Container voidage:	-
Waste Characterisation Form (WCH):	The waste meets the LLWR's Waste Acceptance Criteria (WAC). The waste has a current WCH. Inventory information is consistent with the current WCH.
Waste consigned for disposal to LLWR in year of generation:	Yes. Routinely sent for LLWR disposal.
Potential for the waste to contain discrete items:	Yes

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):	-
Waste stream variation:	-
Bounding cuboidal volume:	
Inaccessible voidage:	-
Other information:	-

RADIOACTIVITY

Source:	Mainly activation products.
Uncertainty:	Specific activity is a function of station operating history. The values quoted are based on analysis of representative samples.
Definition of total alpha and total beta/gamma:	Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.
Measurement of radioactivities:	-
Other information:	-

WASTE STREAM

3K14

Gas Circulator LLW

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code
H 3	4.96E-06	CC 2	4.96E-06	CC 2	Gd 153				
Be 10					Ho 163				
C 14	2.93E-07	CC 2	2.93E-07	CC 2	Ho 166m				
Na 22		4		4	Tm 170				
Al 26		4		4	Tm 171				
Cl 36	1E-06	CC 2	1E-06	CC 2	Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
Mn 53					Tl 204				
Mn 54	1.14E-06	CC 2	1.14E-06	CC 2	Pb 205				
Fe 55	1.64E-05	CC 2	1.64E-05	CC 2	Pb 210				
Co 60	2.21E-06	CC 2	2.21E-06	CC 2	Bi 208				
Ni 59					Bi 210m				
Ni 63	2.58E-06	CC 2	2.58E-06	CC 2	Po 210				
Zn 65	3.75E-08	CC 2	3.75E-08	CC 2	Ra 223				
Se 79					Ra 225				
Kr 81					Ra 226				
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90	2.26E-09		2.26E-09		Th 227				
Zr 93					Th 228				
Nb 91					Th 229				
Nb 92					Th 230				
Nb 93m					Th 232				
Nb 94	4.15E-09	CC 2	4.15E-09	CC 2	Th 234				
Mo 93					Pa 231				
Tc 97					Pa 233				
Tc 99					U 232				
Ru 106	1.98E-08	CC 2	1.98E-08	CC 2	U 233				
Pd 107					U 233	3.46E-12	CC 2	3.46E-12	CC 2
Ag 108m	4.14E-09	CC 2	4.14E-09	CC 2	U 234	5.48E-14	CC 2	5.48E-14	CC 2
Ag 110m	8.39E-10	CC 2	8.39E-10	CC 2	U 235	8.81E-13	CC 2	8.81E-13	CC 2
Cd 109					U 236	1.03E-12	CC 2	1.03E-12	CC 2
Cd 113m					U 238				
Sn 119m					Np 237				
Sn 121m					Pu 236				
Sn 123					Pu 238	1.74E-09	CC 2	1.74E-09	CC 2
Sn 126					Pu 239	1.54E-09	CC 2	1.54E-09	CC 2
Sb 125	3.70E-08	CC 2	3.70E-08	CC 2	Pu 240	3.65E-09	CC 2	3.65E-09	CC 2
Sb 126					Pu 241	3.05E-06	CC 2	3.05E-06	CC 2
Te 125m					Pu 242				
Te 127m					Am 241	3.97E-09	CC 2	3.97E-09	CC 2
I 129	7.94E-14	CC 2	7.94E-14	CC 2	Am 242m				
Cs 134	7.78E-08	CC 2	7.78E-08	CC 2	Am 243				
Cs 135					Cm 242	3.13E-10	CC 2	3.13E-10	CC 2
Cs 137	2.81E-07	CC 2	2.81E-07	CC 2	Cm 243	3.73E-13	CC 2	3.73E-13	CC 2
Ba 133	5.62E-09	CC 2	5.62E-09	CC 2	Cm 244	2.35E-11	CC 2	2.35E-11	CC 2
La 137					Cm 245				
La 138					Cm 246				
Ce 144	5.92E-09	CC 2	5.92E-09	CC 2	Cm 248				
Pm 145					Cf 249				
Pm 147	4.23E-08	CC 2	4.23E-08	CC 2	Cf 250				
Sm 147					Cf 251				
Sm 151					Cf 252				
Eu 152	8.21E-09	CC 2	8.21E-09	CC 2	Other a		6		6
Eu 154	7.35E-09	CC 2	7.35E-09	CC 2	Other b/g	2.32E-07	CC 2	2.32E-07	CC 2
Eu 155	7.47E-09	CC 2	7.47E-09	CC 2	Total a	1.12E-08	CC 2	1.12E-08	CC 2
					Total b/g	3.22E-05	CC 2	3.22E-05	CC 2

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity