

WASTE STREAM

5B01/C

Cemented PFR Raffinate

Copper.....	0
Lead.....	0
Magnox/Magnesium.....	0
Nickel.....	
Titanium.....	0
Uranium.....	0
Zinc.....	0
Zircaloy/Zirconium.....	0
Other metals.....	3.4

Covers a range of metallic species which are in the immobilised solution including sodium, cadmium and nickel.

Organics (%wt):

The only organic materials present in the waste are trace quantities of complexing agents.

Total cellulosics.....	0
Paper, cotton.....	0
Wood.....	0
Halogenated plastics	0
Total non-halogenated plastics.....	0
Condensation polymers.....	0
Others.....	0
Organic ion exchange materials....	0
Total rubber.....	0
Halogenated rubber	0
Non-halogenated rubber.....	0
Hydrocarbons.....	
Oil or grease	
Fuel.....	
Asphalt/Tarmac (cont.coal tar)...	
Asphalt/Tarmac (no coal tar)....	
Bitumen.....	
Others.....	
Other organics.....	0

Other materials (%wt):

-	
Inorganic ion exchange materials.	0
Inorganic sludges and flocs.....	0
Soil.....	0
Brick/Stone/Rubble.....	0
Cementitious material.....	96.6
Sand.....	0
Glass/Ceramics.....	0
Graphite.....	0
Desiccants/Catalysts.....	
Asbestos.....	0
Non/low friable.....	

WASTE STREAM**5B01/C****Cemented PFR Raffinate**

	Moderately friable.....	
	Highly friable.....	
	Free aqueous liquids.....	0
	Free non-aqueous liquids.....	0
	Powder/Ash.....	0
Inorganic anions (%wt):	The waste contains nitrate and traces of sulphates, phosphates and chlorides.	
	Fluoride.....	0
	Chloride.....	TR
	Iodide.....	0
	Cyanide.....	0
	Carbonate.....	0
	Nitrate.....	30.0
	Nitrite.....	0
	Phosphate.....	TR
	Sulphate.....	TR
	Sulphide.....	0
Materials of interest for waste acceptance criteria:	The waste contains nitric acid.	
	Combustible metals.....	0
	Low flash point liquids.....	0
	Explosive materials.....	0
	Phosphorus.....	0
	Hydrides.....	0
	Biological etc. materials.....	0
	Biodegradable materials.....	0
	Putrescible wastes.....	0
	Non-putrescible wastes.....	0
	Corrosive materials.....	0
	Pyrophoric materials.....	0
	Generating toxic gases.....	0
	Reacting with water.....	0
	Active particles.....	0
	Soluble solids as bulk chemical compounds.....	0
Hazardous substances / non hazardous pollutants:	Cadmium is present in solution in small quantities. Nitric acid (96.6%).	
	Acrylamide.....	
	Benzene.....	
	Chlorinated solvents.....	
	Formaldehyde.....	
	Organometallics.....	
	Phenol.....	
	Styrene.....	

WASTE STREAM	5B01/C	Cemented PFR Raffinate
---------------------	---------------	-------------------------------

Tri-butyl phosphate..... TR
 Other organophosphates.....
 Vinyl chloride.....
 Arsenic.....
 Barium.....
 Boron.....
 Cadmium.....
 Caesium.....
 Selenium.....
 Chromium.....
 Molybdenum.....
 Thallium.....
 Tin.....
 Vanadium.....
 Mercury compounds.....
 Others.....
 Electronic Electrical Equipment (EEE)
 EEE Type 1.....
 EEE Type 2.....
 EEE Type 3.....
 EEE Type 4.....
 EEE Type 5.....
 Complexing agents (%wt): Yes
 EDTA.....
 DPTA.....
 NTA.....
 Polycarboxylic acids.....
 Other organic complexants..... TR
 Total complexing agents..... TR

Traces of organic complexing agents (MDP, DBP, TBP) may be present.

PACKAGING AND CONDITIONING

Container type:	Container	Waste packaged (%vol)	Waste loading (m ³)	Payload (m ³)	Number of packages
	500 l drum	100.0	0.5	0.5	858

Container type comment: The loading will vary slightly , depending upon the chemical composition of the raffinate in that tank.
 Range in container waste volume: The target loading is 0.28 m3 of raw raffinate per drum, but is dependent on composition of the raffinate in the tank. A final volume of 328 l of neutralised liquor will be dispensed to each drum.
 Other information on containers: Stainless Steel. The container will be manufactured from 316 stainless steel.
 Conditioned density (t/m³): ~1.77

WASTE STREAM**5B01/C****Cemented PFR Raffinate**

Conditioned density comment:

The density of the conditioned waste will probably be about 1.8 t/m³.

Other information on conditioning:

-

RADIOACTIVITY

Source:

Activity arises mainly from the fission products separated from the irradiated Prototype Fast Reactor fuel at reprocessing

Uncertainty:

The activity accuracy is within a factor of 3.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

Samples were taken from the tanks and subsequently analysed. These results gave specific activities for the principle radionuclides. Other specific activities were estimated from earlier results and Fispin calculations.

Other information:

Activities are based on a combination of analysis and FISPIN data. The total activities of stocks are for partially evaporated liquor; there will be no further arisings. The range in activity levels are based on samples of the PFR raffinate tanks in November 2003. Alpha 11 - 99 TBq/m³, beta/gamma 150 - 1,300 TBq/m³. The intention is to blend liquors from each of the four tanks to provide a consistent feedstock for processing.

WASTE STREAM 5B01/C Cemented PFR Raffinate

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code
H 3	3.71E-03	BB 1	3.71E-03	BB 1	Gd 153	1.23E-16	BB 2	1.23E-16	BB 2
Be 10	1.06E-09	BB 2	1.06E-09	BB 2	Ho 163	3.14E-10	BB 2	3.14E-10	BB 2
C 14	4.34E-05	BB 2	4.34E-05	BB 2	Ho 166m	3.34E-08	BB 2	3.34E-08	BB 2
Na 22					Tm 170	8.48E-25	BB 2	8.48E-25	BB 2
Al 26					Tm 171	1.23E-08	BB 2	1.23E-08	BB 2
Cl 36	2.16E-09	BB 2	2.16E-09	BB 2	Lu 174	2.66E-09	BB 2	2.66E-09	BB 2
Ar 39					Lu 176	1.46E-14	BB 2	1.46E-14	BB 2
Ar 42					Hf 178n	5.56E-08	BB 2	5.56E-08	BB 2
K 40	1.59E-10	BB 2	1.59E-10	BB 2	Hf 182	2.71E-13	BB 2	2.71E-13	BB 2
Ca 41	1.79E-07	BB 2	1.79E-07	BB 2	Pt 193	2.13E-06	BB 2	2.13E-06	BB 2
Mn 53	1.36E-09	BB 2	1.36E-09	BB 2	Tl 204	1.09E-05	BB 2	1.09E-05	BB 2
Mn 54	9.67E-10	BB 2	9.67E-10	BB 2	Pb 205	7.84E-11	BB 2	7.84E-11	BB 2
Fe 55	1.41E-03	BB 2	1.41E-03	BB 2	Pb 210	7.62E-11	BB 2	7.62E-11	BB 2
Co 60	1.15E-02	BB 1	1.15E-02	BB 1	Bi 208	5.88E-11	BB 2	5.88E-11	BB 2
Ni 59	3.22E-04	BB 2	3.22E-04	BB 2	Bi 210m	1.98E-11	BB 2	1.98E-11	BB 2
Ni 63	1.41E-02	BB 2	1.41E-02	BB 2	Po 210	7.30E-11	BB 2	7.30E-11	BB 2
Zn 65	3.65E-13	BB 2	3.65E-13	BB 2	Ra 223	1.35E-09	BB 2	1.35E-09	BB 2
Se 79	9.85E-05	BB 2	9.85E-05	BB 2	Ra 225	5.79E-11	BB 2	5.79E-11	BB 2
Kr 81					Ra 226	2.64E-10	BB 2	2.64E-10	BB 2
Kr 85					Ra 228	2.58E-12	BB 2	2.58E-12	BB 2
Rb 87	2.00E-08	BB 2	2.00E-08	BB 2	Ac 227	1.35E-09	BB 2	1.35E-09	BB 2
Sr 90	3.26E+01	BB 1	3.26E+01	BB 1	Th 227	1.33E-09	BB 2	1.33E-09	BB 2
Zr 93	2.15E-03	BB 2	2.15E-03	BB 2	Th 228	9.85E-08	BB 2	9.85E-08	BB 2
Nb 91	2.44E-06	BB 2	2.44E-06	BB 2	Th 229	5.79E-11	BB 2	5.79E-11	BB 2
Nb 92	7.89E-11	BB 2	7.89E-11	BB 2	Th 230	3.29E-08	BB 2	3.29E-08	BB 2
Nb 93m	2.50E-03	BB 2	2.50E-03	BB 2	Th 232	2.70E-12	BB 2	2.70E-12	BB 2
Nb 94	2.54E-05	BB 2	2.54E-05	BB 2	Th 234	2.01E-06	BB 2	2.01E-06	BB 2
Mo 93	1.87E-04	BB 2	1.87E-04	BB 2	Pa 231	2.53E-09	BB 2	2.53E-09	BB 2
Tc 97	1.54E-12	BB 2	1.54E-12	BB 2	Pa 233	1.85E-04	BB 2	1.85E-04	BB 2
Tc 99	2.26E-02	BB 2	2.26E-02	BB 2	U 232	8.76E-08	BB 2	8.76E-08	BB 2
Ru 106	4.79E-05	BB 2	4.79E-05	BB 2	U 233	2.69E-08	BB 2	2.69E-08	BB 2
Pd 107	4.93E-04	BB 2	4.93E-04	BB 2	U 234	4.06E-05	BB 1	4.06E-05	BB 1
Ag 108m	1.61E-06	BB 2	1.61E-06	BB 2	U 235	7.80E-08	BB 1	7.80E-08	BB 1
Ag 110m	1.61E-11	BB 2	1.61E-11	BB 2	U 236	2.02E-07	BB 1	2.02E-07	BB 1
Cd 109	2.09E-09	BB 2	2.09E-09	BB 2	U 238	2.01E-06	BB 1	2.01E-06	BB 1
Cd 113m	3.12E-03	BB 2	3.12E-03	BB 2	Np 237	1.85E-04	BB 2	1.85E-04	BB 2
Sn 119m	1.42E-11	BB 2	1.42E-11	BB 2	Pu 236	5.56E-10	BB 2	5.56E-10	BB 2
Sn 121m	7.57E-02	BB 2	7.57E-02	BB 2	Pu 238	5.97E-01	BB 1	5.97E-01	BB 1
Sn 123	1.91E-21	BB 2	1.91E-21	BB 2	Pu 239	6.79E-02	BB 1	6.79E-02	BB 1
Sn 126	8.62E-04	BB 2	8.62E-04	BB 2	Pu 240	7.43E-02	BB 1	7.43E-02	BB 1
Sb 125	4.10E-02	BB 2	4.10E-02	BB 2	Pu 241	9.49E-01	BB 1	9.49E-01	BB 1
Sb 126	1.21E-04	BB 2	1.21E-04	BB 2	Pu 242	5.65E-05	BB 1	5.65E-05	BB 1
Te 125m	1.03E-02	BB 2	1.03E-02	BB 2	Am 241	1.26E+01	BB 1	1.26E+01	BB 1
Te 127m	3.36E-27	BB 2	3.36E-27	BB 2	Am 242m	3.57E-01	BB 2	3.57E-01	BB 2
I 129	5.7E-05	BB 2	5.7E-05	BB 2	Am 243	2.31E-02	BB 2	2.31E-02	BB 2
Cs 134	5.06E-03	BB 1	5.06E-03	BB 1	Cm 242	2.94E-01	BB 2	2.94E-01	BB 2
Cs 135	2.78E-03	BB 2	2.78E-03	BB 2	Cm 243	6.79E-02	BB 2	6.79E-02	BB 2
Cs 137	9.44E+01	BB 1	9.44E+01	BB 1	Cm 244	5.93E-01	BB 2	5.93E-01	BB 2
Ba 133	1.23E-05	BB 2	1.23E-05	BB 2	Cm 245	6.20E-05	BB 2	6.20E-05	BB 2
La 137	2.00E-08	BB 2	2.00E-08	BB 2	Cm 246	2.46E-06	BB 2	2.46E-06	BB 2
La 138	9.58E-14	BB 2	9.58E-14	BB 2	Cm 248	8.71E-12	BB 2	8.71E-12	BB 2
Ce 144	2.50E-07	BB 2	2.50E-07	BB 2	Cf 249	6.66E-11	BB 2	6.66E-11	BB 2
Pm 145	1.74E-07	BB 2	1.74E-07	BB 2	Cf 250	2.45E-11	BB 2	2.45E-11	BB 2
Pm 147	5.02E-01	BB 2	5.02E-01	BB 2	Cf 251	1.23E-14	BB 2	1.23E-14	BB 2
Sm 147	1.48E-08	BB 2	1.48E-08	BB 2	Cf 252	5.02E-17	BB 2	5.02E-17	BB 2
Sm 151	4.97E+00	BB 2	4.97E+00	BB 2	Other a				
Eu 152	3.32E-05	BB 2	3.32E-05	BB 2	Other b/g				
Eu 154	5.29E-01	BB 1	5.29E-01	BB 1	Total a	1.43E+01	BB 2	1.43E+01	BB 2
Eu 155	3.43E-01	BB 1	3.43E-01	BB 1	Total b/g	1.35E+02	BB 2	1.35E+02	BB 2

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity