

WASTE STREAM	5B333	DCP Vault Store and Extension LLW
---------------------	--------------	--

SITE Dounreay
SITE OWNER Nuclear Decommissioning Authority
WASTE CUSTODIAN Dounreay Site Restoration Limited
WASTE TYPE LLW

WASTE VOLUMES

		Reported
Stocks:	At 1.4.2019.....	0 m ³
Future arisings -	1.4.2019 - 31.3.2028.....	300.3 m ³
	1.4.2078 - 31.3.2080.....	1116.9 m ³
Total future arisings:		1417.1 m ³
Total waste volume:		1417.1 m ³

Comment on volumes: It should be noted that the DSRL site programme is currently under review and future arisings dates are subject to change. Arisings have been revised in line with the Predictive Waste Inventory walk round exercise. Stocks have been removed: these will be captured under 5B15 and 5B16. Note that the gap in the arisings dates is due to the main DCP facility being decommissioned early in the programme and the store still being required for long term management of Higher Active Waste as per Scottish Government Policy. These figures do not include future stores.

Uncertainty factors on volumes:

Stock (upper):	x	Arisings (upper)	x 1.2
Stock (lower):	x	Arisings (lower)	x 0.8

WASTE SOURCE Decommissioning of cementation plant and associated store.

PHYSICAL CHARACTERISTICS

General description: -

Physical components (%vol): Aluminium (0.16%), Brick/Rubble (0.50%), Cementitious material (e.g. concrete) (18.48%), Copper (0.07%), Fibreglass (0.60%), Fluorescent Tubes (0.03%), Glass (2.06%), Lead (1.58%), Mild Steel (24.64%), Other (0.75%), Paper (14.94%), Plastic (16.36%), Rubber (2.81%), Stainless steel (15.20%), Wood/ Wood composite (1.82%),

Sealed sources: Not yet determined.

Bulk density (t/m³): 0.23

Comment on density: The bulk density is approximately based on consignor's records.

CHEMICAL COMPOSITION

General description and components (%wt): Aluminium (0.10%), Brick/Rubble (0.24%), Cementitious material (e.g. concrete) (10.62%), Copper (0.16%), Fibreglass (0.38%), Glass (1.24%), Lead (4.28%), Mild Steel (46.38%), Other (0.18%), Paper (2.86%), Plastic (3.60%), Rubber (1.02%), Stainless steel (28.62%), Wood/ Wood composite (0.31%),

Chemical state: Neutral

Chemical form of radionuclides:
H-3: May be present at extremely low concentrations.
C-14: May be present at extremely low concentrations.
Cl-36: May be present at extremely low concentrations.
Se-79: May be present at extremely low concentrations.
Tc-99: May be present at extremely low concentrations.
I-129: May be present at extremely low concentrations.
Ra: May be present at extremely low concentrations.
Th: May be present at extremely low concentrations.
U: Likely to be present as nitrate at low concentrations.
Np: May be present at extremely low concentrations.
Pu: Likely to be present as nitrate at low concentrations.

Metals and alloys (%wt): Both bulk and sheet metals are likely to be present, proportions not specified.

WASTE STREAM

5B333 DCP Vault Store and Extension LLW

	Stainless steel.....	28.6	M316
	Other ferrous metals.....	46.4	mild steel/stainless steel, proportions are unknown
	Iron.....		
	Aluminium.....	0.10	
	Beryllium.....	P	
	Cobalt.....	NE	
	Copper.....	0.16	
	Lead.....	4.3	
	Magnox/Magnesium.....	NE	
	Nickel.....	NE	
	Titanium.....		
	Uranium.....	P	
	Zinc.....	NE	
	Zircaloy/Zirconium.....	NE	
	Other metals.....	0.18	
Organics (%wt):	Total plastics and rubbers are 4.62%, breakdown not specified. PVC and neoprene are likely to be present.		
	Total cellulose.....	3.2	
	Paper, cotton.....	2.9	
	Wood.....	0.31	
	Halogenated plastics	~1.8	
	Total non-halogenated plastics.....	~1.8	
	Condensation polymers.....	NE	
	Others.....	<1.8	
	Organic ion exchange materials....	0	
	Total rubber.....	1.0	
	Halogenated rubber	~0.51	
	Non-halogenated rubber.....	~0.51	
	Hydrocarbons.....		
	Oil or grease		
	Fuel.....		
	Asphalt/Tarmac (cont.coal tar)...		
	Asphalt/Tarmac (no coal tar)....		
	Bitumen.....		
	Others.....		
	Other organics.....	0	
Other materials (%wt):	-		
	Inorganic ion exchange materials.	0	
	Inorganic sludges and flocs.....	0	
	Soil.....	0	
	Brick/Stone/Rubble.....	0.25	
	Cementitious material.....	10.6	
	Sand.....		

WASTE STREAM**5B333****DCP Vault Store and Extension LLW**

Glass/Ceramics.....	1.6
Graphite.....	0
Desiccants/Catalysts.....	0
Asbestos.....	0
Non/low friable.....	
Moderately friable.....	
Highly friable.....	
Free aqueous liquids.....	0
Free non-aqueous liquids.....	0
Powder/Ash.....	0

Inorganic anions (%wt):

Inorganic anions are present at approximately 3%.

Fluoride.....	NE
Chloride.....	NE
Iodide.....	NE
Cyanide.....	NE
Carbonate.....	NE
Nitrate.....	TR
Nitrite.....	NE
Phosphate.....	NE
Sulphate.....	NE
Sulphide.....	NE

Materials of interest for waste acceptance criteria:

-	
Combustible metals.....	0
Low flash point liquids.....	0
Explosive materials.....	0
Phosphorus.....	0
Hydrides.....	0
Biological etc. materials.....	0
Biodegradable materials.....	0
Putrescible wastes.....	0
Non-putrescible wastes.....	0
Corrosive materials.....	0
Pyrophoric materials.....	0
Generating toxic gases.....	0
Reacting with water.....	0
Active particles.....	NE
Soluble solids as bulk chemical compounds.....	0

Hazardous substances / non hazardous pollutants:

-	
Acrylamide.....	
Benzene.....	NE

WASTE STREAM**5B333****DCP Vault Store and Extension LLW**

Chlorinated solvents.....
 Formaldehyde.....
 Organometallics.....
 Phenol..... NE
 Styrene.....
 Tri-butyl phosphate..... NE
 Other organophosphates.....
 Vinyl chloride..... NE
 Arsenic..... NE
 Barium.....
 Boron..... NE
 Cadmium..... NE
 Caesium.....
 Selenium..... NE
 Chromium..... NE
 Molybdenum..... NE
 Thallium.....
 Tin..... NE
 Vanadium..... NE
 Mercury compounds.....
 Others..... NE
 Electronic Electrical Equipment (EEE)
 EEE Type 1.....
 EEE Type 2.....
 EEE Type 3.....
 EEE Type 4.....
 EEE Type 5.....
 Complexing agents (%wt): No
 EDTA.....
 DPTA.....
 NTA.....
 Polycarboxylic acids.....
 Other organic complexants.....
 Total complexing agents..... 0

TREATMENT, PACKAGING AND DISPOSAL

WASTE STREAM
5B333
DCP Vault Store and Extension LLW

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction	On-site	10.0
Supercompaction (HFC)		
Incineration	On-site	21.0
Solidification		
Decontamination		
Metal treatment	Off-site	78.0
Size reduction		
Decay storage		
Recycling / reuse		
Other / various		
None		

Comment on planned treatments:

Uncompacted drums will be supercompacted before being placed in HHISOs. The waste will be encapsulated before final disposal to DSRL Vaults. DSRL is investigating the feasibility of alternative waste treatment routes but no decision has been made on their use yet. No decisions have yet been made regarding treatment of waste to be disposed to the LLWR after the closure of DSRL vaults.

Disposal Routes:

Disposal Route	Stream volume %
Expected to be consigned to the LLW Repository	78.8
Expected to be consigned to a Landfill Facility	
Expected to be consigned to an On-Site Disposal Facility	21.2
Expected to be consigned to an Incineration Facility	
Expected to be consigned to a Metal Treatment Facility	
Expected to be consigned as Out of Scope	
Expected to be recycled / reused	
Disposal route not known	

Upcoming (2019/20-2021/22) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %		
	2019/20	2020/21	2021/22
Expected to be consigned to the LLW Repository			
Expected to be consigned to a Landfill Facility			
Expected to be consigned to an On-Site Disposal Facility			
Expected to be consigned to an Incineration Facility			
Expected to be consigned to a Metal Treatment Facility			
Expected to be consigned as Out of Scope			
Expected to be recycled / reused			
Disposal route not known			

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO	100.0	10	142
2/3 Height IP-2 ISO			
1/2 Height WAMAC IP-2 ISO			
1/2 Height IP-2 Disposal/Re-usable ISO			
2m box (no shielding)			
4m box (no shielding)			
Other			

Other information:

The waste will consist of large uncompactable items and 200 litre drums that have already been compacted. DSRL is investigating the feasibility of alternative LLW Disposal Container. The current assumption is that once the DSRL vaults are closed, any LLW arisings from demolition of future stores will be disposed to the LLWR.

Waste Planned for Disposal at the LLW Repository:

Container voidage: It is expected that there will be little voidage inaccessible to grout.

Waste Characterisation Form (WCH): It is not yet determined if the waste meets LLWR's Waste Acceptance Criteria (WAC).

Waste consigned for disposal to LLWR in year of generation: -

Potential for the waste to contain discrete items: No

Non-Containerised Waste for In-Vault Grouting:

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

RADIOACTIVITY

Source: The radioactivity arises from contamination of cementation plant and associated store.

Uncertainty: Within a factor of ten.

Definition of total alpha and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities: Specific activity derived using consignor's records.

Other information: Radionuclides have been re-evaluated since 2016.

WASTE STREAM

5B333

DCP Vault Store and Extension LLW

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code
H 3					Gd 153				
Be 10					Ho 163				
C 14					Ho 166m				
Na 22					Tm 170				
Al 26					Tm 171				
Cl 36					Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
Mn 53					Tl 204				
Mn 54					Pb 205				
Fe 55					Pb 210				
Co 60					Bi 208				
Ni 59					Bi 210m				
Ni 63			2.54E-09	CC 2	Po 210		1.49E-10	CC 2	
Zn 65					Ra 223				
Se 79					Ra 225				
Kr 81					Ra 226		3.05E-10	CC 2	
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90			1.08E-05	CC 2	Th 227				
Zr 93					Th 228				
Nb 91					Th 229				
Nb 92					Th 230				
Nb 93m			8.44E-07	CC 2	Th 232				
Nb 94					Th 234				
Mo 93			8.44E-07	CC 2	Pa 231				
Tc 97					Pa 233				
Tc 99			7.17E-09	CC 2	U 232				
Ru 106					U 233				
Pd 107					U 234		1.55E-12	CC 2	
Ag 108m					U 235				
Ag 110m					U 236				
Cd 109					U 238				
Cd 113m					Np 237		1.10E-11	CC 2	
Sn 119m					Pu 236				
Sn 121m			7.18E-09	CC 2	Pu 238		1.93E-08	CC 2	
Sn 123					Pu 239		5.22E-09	CC 2	
Sn 126					Pu 240		2.40E-09	CC 2	
Sb 125					Pu 241		1.83E-08	CC 2	
Sb 126					Pu 242				
Te 125m					Am 241		1.42E-07	CC 2	
Te 127m					Am 242m		1.94E-09	CC 2	
I 129					Am 243		1.64E-10	CC 2	
Cs 134					Cm 242		4.41E-09	CC 2	
Cs 135					Cm 243		1.13E-09	CC 2	
Cs 137			1.18E-05	CC 2	Cm 244		3.49E-09	CC 2	
Ba 133					Cm 245				
La 137					Cm 246				
La 138					Cm 248				
Ce 144					Cf 249				
Pm 145					Cf 250				
Pm 147			5.84E-09	CC 2	Cf 251				
Sm 147					Cf 252				
Sm 151			7.96E-08	CC 2	Other a				
Eu 152					Other b/g				
Eu 154			1.00E-08	CC 2	Total a	0	1.78E-07	CC 2	
Eu 155			5.12E-09	CC 2	Total b/g	0	2.45E-05	CC 2	

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity