

WASTE STREAM	9A74	Contaminated Gravel
---------------------	-------------	----------------------------

SITE Berkeley
SITE OWNER Nuclear Decommissioning Authority
WASTE CUSTODIAN Magnox Limited
WASTE TYPE ILW

WASTE VOLUMES

		Reported
Stocks:	At 1.4.2019.....	47.0 m ³
Total future arisings:		0 m ³
Total waste volume:		47.0 m ³
Comment on volumes:	Gravel will be removed from the vault when the wastes accumulated in the vault are retrieved. There will be no further arisings of this waste.	
Uncertainty factors on volumes:	Stock (upper): x 1.2	Arisings (upper) x
	Stock (lower): x 0.8	Arisings (lower) x

WASTE SOURCE Contaminated gravel (stone chippings) on the floor of the vault. The gravel was applied before any waste was discharged to the facility.

PHYSICAL CHARACTERISTICS

General description: The waste comprises the gravel that was placed at the bottom of the vault, along with the associated sludge type material. This material, known as the amalgam, consists of the waste materials which have dropped in from the waste above during the history of filling the vaults, and which will also fall in during the waste retrieval phase. The gravel will therefore contain graphite chunks, springs, dusts, Magnox sludge, made up of magnesium carbonate and magnesium hydroxide, and mild steel corrosion products, from the waste containers and MCI streams. The gravel is coarse in nature, typically 50mm in diameter, but of unknown chemical composition. It may be either silica or limestone based material. There is a range in the volume of the vaults amalgam due to the uncertainties in how much each waste item will contribute to the amalgam. There are no large items that may require special handling.

Physical components (%vol): The vaults amalgam will predominantly consist of coarse gravel, Magnox sludge and fines, and mild steel corrosion products.

Sealed sources: -

Bulk density (t/m³): ~1.5

Comment on density: The gravel is coarse in nature (typically 50mm across) and is assumed to be either limestone or silica based.

CHEMICAL COMPOSITION

General description and components (%wt): The chemical composition of the gravel chippings is not known, although it is likely to be either silica or limestone based material. Magnesium carbonate and magnesium hydroxide will be present. Fission products, actinides and other activation products will be present as contaminants.

Chemical state: Alkali

Chemical form of radionuclides:
H-3: Any tritium is expected to be present as water but some may be in the form of other inorganic compounds or as organic compounds.
C-14: Chemical form of carbon 14 has not been determined but may be graphite.
Cl-36: The chemical form of chlorine 36 in these wastes is not known.
Se-79: The selenium content is insignificant.
Tc-99: The technetium content is insignificant.
Ra: Radium isotope content is expected to be insignificant.
Th: The thorium isotope content is insignificant.
U: Chemical form of U isotopes has not been determined but may be oxides.
Np: The neptunium content is insignificant.
Pu: Chemical form of plutonium isotopes has not been determined but may be plutonium oxides.

Metals and alloys (%wt): Metals will be present as corrosion products or as small item contamination so metal thicknesses are expected to be typically 1 or 2 mm.

WASTE STREAM

9A74

Contaminated Gravel

Stainless steel..... NE

Other ferrous metals..... NE

Only trace metallic content would be expected to be associated with the original gravel, but there may be contamination from the wastes resting on the gravel.

Iron.....

Aluminium..... 0

Beryllium..... TR

Cobalt.....

Copper..... 0

Lead..... 0

Magnox/Magnesium..... NE

Nickel..... NE

Titanium.....

Uranium.....

Zinc..... 0

Zircaloy/Zirconium..... NE

Other metals..... 0

No "other" metals present.

Organics (%wt):

Organic materials may be present, probably only in trace quantities.

Total cellulose..... 0

 Paper, cotton..... 0

 Wood..... 0

Halogenated plastics 0

Total non-halogenated plastics..... 0

 Condensation polymers..... 0

 Others..... 0

Organic ion exchange materials.... 0

Total rubber..... 0

 Halogenated rubber 0

 Non-halogenated rubber..... 0

Hydrocarbons.....

 Oil or grease

 Fuel.....

 Asphalt/Tarmac (cont.coal tar)...

 Asphalt/Tarmac (no coal tar)....

 Bitumen.....

 Others.....

Other organics..... NE

Other materials (%wt):

-

WASTE STREAM**9A74****Contaminated Gravel**

Inorganic ion exchange materials.....	0
Inorganic sludges and flocs.....	0
Soil.....	0
Brick/Stone/Rubble.....	~100.0
Cementitious material.....	0
Sand.....	
Glass/Ceramics.....	0
Graphite.....	NE
Desiccants/Catalysts.....	
Asbestos.....	0
Non/low friable.....	
Moderately friable.....	
Highly friable.....	
Free aqueous liquids.....	NE
Free non-aqueous liquids.....	NE
Powder/Ash.....	NE

Inorganic anions (%wt):

The inorganic anion content of the gravel has not been fully assessed. Carbonates and silicates may be present.

Fluoride.....	NE
Chloride.....	NE
Iodide.....	NE
Cyanide.....	0
Carbonate.....	NE
Nitrate.....	NE
Nitrite.....	NE
Phosphate.....	NE
Sulphate.....	NE
Sulphide.....	NE

Materials of interest for waste acceptance criteria:

Magnox may be present in the gravel. Magnox can form hydrides in a damp environment. These metal hydrides can become pyrophoric causing explosions and fires. However, precise conditions are required to form a hydride, including a damp and oxygen free environment, essentially a sealed void, and this is highly unlikely as the waste has been stored loose in the vault.

Combustible metals.....	NE
Low flash point liquids.....	0
Explosive materials.....	0
Phosphorus.....	0
Hydrides.....	0
Biological etc. materials.....	0
Biodegradable materials.....	
Putrescible wastes.....	0
Non-putrescible wastes.....	
Corrosive materials.....	0
Pyrophoric materials.....	0
Generating toxic gases.....	0

WASTE STREAM**9A74****Contaminated Gravel**

	Reacting with water.....	NE
	Active particles.....	
	Soluble solids as bulk chemical compounds.....	
Hazardous substances / non hazardous pollutants:	None expected.	
	Acrylamide.....	
	Benzene.....	
	Chlorinated solvents.....	
	Formaldehyde.....	
	Organometallics.....	
	Phenol.....	
	Styrene.....	
	Tri-butyl phosphate.....	
	Other organophosphates.....	
	Vinyl chloride.....	
	Arsenic.....	
	Barium.....	
	Boron.....	
	Cadmium.....	
	Caesium.....	
	Selenium.....	
	Chromium.....	
	Molybdenum.....	
	Thallium.....	
	Tin.....	
	Vanadium.....	
	Mercury compounds.....	
	Others.....	
	Electronic Electrical Equipment (EEE)	
	EEE Type 1.....	
	EEE Type 2.....	
	EEE Type 3.....	
	EEE Type 4.....	
	EEE Type 5.....	
Complexing agents (%wt):	Yes	
	EDTA.....	
	DPTA.....	
	NTA.....	
	Polycarboxylic acids.....	
	Other organic complexants.....	
	Total complexing agents.....	TR

WASTE STREAM	9A74	Contaminated Gravel
---------------------	-------------	----------------------------

PACKAGING AND CONDITIONING

Conditioning method: This stream is to be packaged in Type VI DCICs, all other vault 2 waste streams are to be co-packaged (9A63, 9A64, 9A83, 9A84, 9A33, 9A34, 9A35, 9A41, 9A42, 9A43, 9A49, 9A50, 9A51, 9A54, 9A55, 9A56.) Packages for Vault 2 are assigned to 9A33/C, 9A34, 9A74.

Plant Name: -
 Location: Berkeley Site
 Plant startup date: -
 Total capacity (m³/y incoming waste): -
 Target start date for packaging this stream: -
 Throughput for this stream (m³/y incoming waste): -
 Other information: -

Likely container type:	Container	Waste packaged (%vol)	Waste loading (m ³)	Payload (m ³)	Number of packages
	3m ³ RS box	100.0	~2.044	2.5	23

Likely container type comment: -
 Range in container waste volume: -
 Other information on containers: -
 Likely conditioning matrix: -
 Other information: -
 Conditioned density (t/m³): -
 Conditioned density comment: -
 Other information on conditioning: -
 Opportunities for alternative disposal routing:

Treatment	Stream volume (%)	Comment
-	-	-

RADIOACTIVITY

Source: Contamination may have been transferred to the chippings via direct contact with waste materials. The ability of the chippings to absorb soluble active materials depends on the chemical composition of the chippings themselves.

Uncertainty: The waste is assumed to be ILW. This can be confirmed only when the waste is retrieved. The gravel is not expected to be washed to reduce activity.

Definition of total alpha and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

WASTE STREAM**9A74****Contaminated Gravel**Measurement of
radioactivities:

The activity has been derived from the activities of the wastes contained in the vault.

Other information:

-

WASTE STREAM 9A74 Contaminated Gravel

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code
H 3	1.02E-02	DD 2			Gd 153			8	
Be 10	2E-09	DD 2			Ho 163			8	
C 14	4.00E-04	DD 2			Ho 166m			8	
Na 22		8			Tm 170			8	
Al 26		8			Tm 171			8	
Cl 36	9E-06	DD 2			Lu 174			8	
Ar 39		8			Lu 176			8	
Ar 42		8			Hf 178n			8	
K 40		8			Hf 182			8	
Ca 41	2E-06	DD 2			Pt 193			8	
Mn 53		8			Tl 204			8	
Mn 54		8			Pb 205			8	
Fe 55	2.34E-04	DD 2			Pb 210			8	
Co 60	2.06E-03	DD 2			Bi 208			8	
Ni 59	2E-04	DD 2			Bi 210m			8	
Ni 63	1.84E-02	DD 2			Po 210			8	
Zn 65		8			Ra 223			8	
Se 79		8			Ra 225			8	
Kr 81		8			Ra 226			8	
Kr 85		8			Ra 228			8	
Rb 87		8			Ac 227			8	
Sr 90	5.26E-05	DD 2			Th 227			8	
Zr 93	1E-05	DD 2			Th 228			8	
Nb 91		8			Th 229			8	
Nb 92		8			Th 230			8	
Nb 93m	1.86E-04	DD 2			Th 232			8	
Nb 94	1.00E-06	DD 2			Th 234	1E-07	DD 2		
Mo 93	9.96E-06	DD 2			Pa 231			8	
Tc 97		8			Pa 233	7.18E-09	DD 2		
Tc 99	2E-06	DD 2			U 232			8	
Ru 106		8			U 233			8	
Pd 107		8			U 234	1.00E-07	DD 2		
Ag 108m	1.96E-06	DD 2			U 235	4E-09	DD 2		
Ag 110m		8			U 236	9.00E-09	DD 2		
Cd 109		8			U 238	1E-07	DD 2		
Cd 113m		8			Np 237	7.18E-09	DD 2		
Sn 119m		8			Pu 236			8	
Sn 121m	4.27E-05	DD 2			Pu 238	1.82E-05	DD 2		
Sn 123		8			Pu 239	4E-05	DD 2		
Sn 126		8			Pu 240	4.00E-05	DD 2		
Sb 125		8			Pu 241	3.93E-04	DD 2		
Sb 126		8			Pu 242	1E-08	DD 2		
Te 125m		8			Am 241	4.93E-05	DD 2		
Te 127m		8			Am 242m	7.54E-08	DD 2		
I 129		8			Am 243	2.00E-08	DD 2		
Cs 134	1.78E-09	DD 2			Cm 242	6.22E-08	DD 2		
Cs 135		8			Cm 243	1.51E-08	DD 2		
Cs 137	1.51E-04	DD 2			Cm 244	1.27E-07	DD 2		
Ba 133		8			Cm 245			8	
La 137		8			Cm 246			8	
La 138		8			Cm 248			8	
Ce 144		8			Cf 249			8	
Pm 145		8			Cf 250			8	
Pm 147	8.42E-07	DD 2			Cf 251			8	
Sm 147		8			Cf 252			8	
Sm 151	2.73E-05	DD 2			Other a				
Eu 152	1.62E-03	DD 2			Other b/g				
Eu 154	1.52E-03	DD 2			Total a	1.48E-04	DD 2	0	
Eu 155	9.18E-05	DD 2			Total b/g	3.57E-02	DD 2	0	

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity