WASTE STREAM 9B314 Mild Steel (Reactor) LLW

SITE Bradwell

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Magnox Limited

WASTE TYPE LLW

WASTE VOLUMES

		Reported
Stocks:	At 1.4.2019.....	0 m³
Future arisings -	1.4.2087 - 31.3.2090.....	80.0 m³
Total future arisings:		80.0 m³
Total waste volume:		80.0 m³

Comment on volumes: Final Dismantling & Site Clearance is assumed to commence in 2083 with reactor dismantling commencing in 2087 and lasting for three years. Volumes and radioactivity have been calculated for 85 years after reactor shutdown, i.e. 2087.

Uncertainty factors on volumes:

Stock (upper):	x	Arisings (upper)	x 1.2
Stock (lower):	x	Arisings (lower)	x 0.8

WASTE SOURCE Mild steel items from the reactor structure.

PHYSICAL CHARACTERISTICS

General description: A variety of mild steel items. Waste can be packaged in standard LLW packages.

Physical components (%wt): Mild steel items (100%).

Sealed sources: -

Bulk density (t/m³): ~1.4

Comment on density: The density is of the waste as cut for packaging.

CHEMICAL COMPOSITION

General description and components (%wt): Mild steel (100%) of which >98% is iron.

Chemical state: Neutral

Chemical form of radionuclides: H-3: The tritium is incorporated in the steel.
C-14: The carbon 14 is incorporated in the steel. There also may be some contamination as graphite.
Cl-36: The chlorine 36 is incorporated in the steel.
Tc-99: The chemical form of technetium has not been determined.

Metals and alloys (%wt): All of the waste will be bulk metal items which have been cut for packaging. Metal thicknesses will probably range from a few mm to about 100 mm.

Stainless steel.....	0	
Other ferrous metals.....	100.0	Mild steel types are BS1503/1950, BS150E-171, RPV STEEL, BS1501, BS15 and BS 970 EN2/3
Iron.....		
Aluminium.....	0	
Beryllium.....	0	
Cobalt.....	~0.01	Greatest measured value from the various components.
Copper.....	0	
Lead.....	0	
Magnox/Magnesium.....	0	
Nickel.....	~0.07	Greatest measured value from the various components.
Titanium.....		

WASTE STREAM	9B314 Mild Steel (Reactor) LLW		
	Uranium		
	Zinc	0	
	Zircaloy/Zirconium	0	
	Other metals	TR	Silver and niobium.
Organics (%wt):	-		
	Total cellulosics	0	
	Paper, cotton	0	
	Wood	0	
	Halogenated plastics	0	
	Total non-halogenated plastics	0	
	Condensation polymers	0	
	Others	0	
	Organic ion exchange materials	0	
	Total rubber	0	
	Halogenated rubber	0	
	Non-halogenated rubber	0	
	Hydrocarbons		
	Oil or grease		
	Fuel		
	Asphalt/Tarmac (cont.coal tar)		
	Asphalt/Tarmac (no coal tar)		
	Bitumen		
	Others		
	Other organics	0	
Other materials (%wt):	Some graphite dust may be associated with reactor materials.		
	Inorganic ion exchange materials.	0	
	Inorganic sludges and flocs	0	
	Soil	0	
	Brick/Stone/Rubble	0	
	Cementitious material	0	
	Sand		
	Glass/Ceramics	0	
	Graphite	TR	
	Desiccants/Catalysts		
	Asbestos	0	
	Non/low friable		
	Moderately friable		
	Highly friable		
	Free aqueous liquids	0	
	Free non-aqueous liquids	0	
	Powder/Ash	0	
Inorganic anions (%wt):	-		

WASTE STREAM	9B314	Mild Steel (Reactor) LLW

Fluoride	0
Chloride	TR
Iodide	0
Cyanide	0
Carbonate	0
Nitrate	0
Nitrite	0
Phosphate	0
Sulphate	0
Sulphide	0

Materials of interest for waste acceptance criteria: No materials likely to pose a fire or other non-radiological hazard have been identified.

Combustible metals	0
Low flash point liquids	0
Explosive materials	0
Phosphorus	0
Hydrides	0
Biological etc. materials	0
Biodegradable materials	
Putrescible wastes	0
Non-putrescible wastes	
Corrosive materials	0
Pyrophoric materials	0
Generating toxic gases	0
Reacting with water	0
Active particles	
Soluble solids as bulk chemical compounds	

Hazardous substances / non hazardous pollutants: None expected.

Acrylamide	
Benzene	
Chlorinated solvents	
Formaldehyde	
Organometallics	
Phenol	
Styrene	
Tri-butyl phosphate	
Other organophosphates	
Vinyl chloride	
Arsenic	
Barium	
Boron	

Cadmium.....

Caesium.....

Selenium.....

Chromium.....

Molybdenum..... TR

Thallium.....

Tin.....

Vanadium.....

Mercury compounds.....

Others.....

Electronic Electrical Equipment (EEE)

EEE Type 1.....

EEE Type 2.....

EEE Type 3.....

EEE Type 4.....

EEE Type 5.....

Complexing agents (%wt):

EDTA.....

DPTA.....

NTA.....

Polycarboxylic acids……

Other organic complexants.....

Total complexing agents..... TR

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)		
Incineration		
Solidification		
Decontamination		
Metal treatment		
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None		100.0

Comment on planned treatments: -

WASTE STREAM 9B314 Mild Steel (Reactor) LLW

Disposal Routes:

Disposal Route	Stream volume %
Expected to be consigned to the LLW Repository	100.0
Expected to be consigned to a Landfill Facility	
Expected to be consigned to an On-Site Disposal Facility	
Expected to be consigned to an Incineration Facility	
Expected to be consigned to a Metal Treatment Facility	
Expected to be consigned as Out of Scope	
Expected to be recycled / reused	
Disposal route not known	

Upcoming (2019/20-2021/22) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %		
	2019/20	2020/21	2021/22
Expected to be consigned to the LLW Repository			
Expected to be consigned to a Landfill Facility			
Expected to be consigned to an On-Site Disposal Facility			
Expected to be consigned to an Incineration Facility			
Expected to be consigned to a Metal Treatment Facility			
Expected to be consigned as Out of Scope			
Expected to be recycled / reused			
Disposal route not known			

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m³	Number of packages
1/3 Height IP-1 ISO			
2/3 Height IP-2 ISO			
1/2 Height WAMAC IP-2 ISO			
1/2 Height IP-2 Disposal/Re-usable ISO	100.0	10	8
2m box (no shielding)			
4m box (no shielding)			
Other			

Other information: Data have been presented as though the waste will be in dedicated containers. However it is likely that this waste will be placed in containers with other LLW.

Waste Planned for Disposal at the LLW Repository:

Container voidage: Inaccessible voidage is not expected.

Waste Characterisation Form (WCH): The waste meets the LLWR's Waste Acceptance Criteria (WAC). The waste does not have a current WCH.

Waste consigned for disposal to LLWR in year of generation: Yes. The waste will not arise until the reactors are dismantled.

Potential for the waste to contain discrete items: -

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

WASTE STREAM 9B314 Mild Steel (Reactor) LLW

RADIOACTIVITY

Source:	Activation of the mild steel and its impurities.
Uncertainty:	The values quoted were derived by calculation from available material specifications and are indicative of the activities that are to be expected. The major source of uncertainty is the impurity levels.
Definition of total alpha and total beta/gamma:	Total beta/gamma is defined as the sum of the listed activities of all nuclides other than alpha emitters. All alpha emitter activities are insignificant.
Measurement of radioactivities:	The specific activities were estimated from neutron activation calculations of the material and its impurities.
Other information:	The activities quoted are those at 85 years after reactor shutdown, i.e. in 2087. There may be some contamination by Cs137.

WASTE STREAM 9B314 Mild Steel (Reactor) LLW

Nuclide	Mean radioactivity, TBq/m³ Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code	Nuclide	Mean radioactivity, TBq/m³ Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code
H 3				8	Gd 153				8
Be 10				8	Ho 163				8
C 14			8.87E-04	C C 2	Ho 166m				8
Na 22				8	Tm 170				8
Al 26				8	Tm 171				8
Cl 36			1.66E-07	C C 2	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41				8	Pt 193				8
Mn 53				8	Tl 204			2.13E-09	C C 2
Mn 54				8	Pb 205				8
Fe 55			4.94E-09	C C 2	Pb 210				8
Co 60			8.75E-06	C C 2	Bi 208				8
Ni 59			1.62E-04	C C 2	Bi 210m				8
Ni 63			9.29E-03	C C 2	Po 210				8
Zn 65				8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90				8	Th 227				8
Zr 93				8	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m				6	Th 232				8
Nb 94			1.21E-06	C C 2	Th 234				8
Mo 93			6.78E-06	C C 2	Pa 231				8
Tc 97				8	Pa 233				8
Tc 99			1.52E-06	C C 2	U 232				8
Ru 106				8	U 233				8
Pd 107				8	U 234				8
Ag 108m			3.98E-07	C C 2	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m				8	Pu 238				8
Sn 123				8	Pu 239				8
Sn 126				8	Pu 240				8
Sb 125				8	Pu 241				8
Sb 126				8	Pu 242				8
Te 125m				8	Am 241				8
Te 127m				8	Am 242m				8
I 129				8	Am 243				8
Cs 134				8	Cm 242				8
Cs 135				8	Cm 243				8
Cs 137				6	Cm 244				8
Ba 133				8	Cm 245				8
La 137				8	Cm 246				8
La 138				8	Cm 248				8
Ce 144				8	Cf 249				8
Pm 145				8	Cf 250				8
Pm 147				8	Cf 251				8
Sm 147				8	Cf 252				8
Sm 151				8	Other a				
Eu 152				8	Other b/g				
Eu 154				8	**Total a**	**0**		**0**	
Eu 155				8	**Total b/g**	**0**		**1.04E-02**	**C C 2**

Bands (Upper and Lower)

A a factor of 1.5
B a factor of 3
C a factor of 10
D a factor of 100
E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

1 Measured activity
2 Derived activity (best estimate)
3 Derived activity (upper limit)
4 Not present
5 Present but not significant
6 Likely to be present but not assessed
7 Present in significant quantities but not determined
8 Not expected to be present in significant quantity