

<b>WASTE STREAM</b>	<b>9E323</b>	<b>Dry Fuel Route (excluding BCD) LLW</b>
---------------------	--------------	---

**SITE** Oldbury  
**SITE OWNER** Nuclear Decommissioning Authority  
**WASTE CUSTODIAN** Magnox Limited  
**WASTE TYPE** LLW

**WASTE VOLUMES**

		Reported
Stocks:	At 1.4.2019.....	0 m <sup>3</sup>
Future arisings -	1.4.2096 - 31.3.2101.....	3513.2 m <sup>3</sup>
Total future arisings:		3513.2 m <sup>3</sup>
Total waste volume:		3513.2 m <sup>3</sup>
Comment on volumes:	This volume has been deferred from C&M preps Waste stream 9E958 to FSC	
Uncertainty factors on volumes:	Stock (upper): x	Arisings (upper) x 1.2
	Stock (lower): x	Arisings (lower) x 0.8

**WASTE SOURCE** Waste arising from areas associated with pile cap, pressure vessel, maintenance cells, circulators, circulator plant workshop, circulator oil filtration plant, fuel loading well, boiler internals and contaminated plant workshops

**PHYSICAL CHARACTERISTICS**

General description: The waste consists mostly of mixed trash and demolition wastes. Large items do occasionally arise. This happens infrequently and it is therefore difficult to include specific details. Any items will be cut to fit standard packages.

Physical components (%wt): Metal (~56%wt), concrete (~10%wt), wood (~5%wt), plastic (5%wt), soil and rubble (~20% wt), asbestos (~2%) and MMMF (~2%).

Sealed sources: -

Bulk density (t/m<sup>3</sup>): ~1.4

Comment on density: The density is of the waste as cut for packaging.

**CHEMICAL COMPOSITION**

General description and components (%wt): The waste comprises metal, cables (Cu), asbestos insulation, MMMF (Man Made Mineral fibre), concrete and general waste. The metals will include steel, stainless steel, copper cables, switch gear and light iron ductwork.

Chemical state: Neutral

Chemical form of radionuclides: H-3: Tritium present as surface contamination of waste by tritiated water.  
C-14: Carbon 14 may be present as contamination in the form of graphite dust.  
Cl-36: Chlorine 36 may be present as a contaminant of graphite dust.  
Se-79: The selenium content is insignificant.  
Tc-99: The technetium content is insignificant.  
Ra: The radium isotope content is insignificant.  
Th: The thorium content is insignificant.  
U: The chemical form of uranium isotopes has not been determined but may be uranium oxides.  
Np: The neptunium content is insignificant.  
Pu: The chemical form of plutonium isotopes has not been determined but may be plutonium oxides.

Metals and alloys (%wt): Metal thickness may vary from 1 mm to 30 mm.

Stainless steel.....	~4.0
Other ferrous metals.....	~51.0
Iron.....	
Aluminium.....	0
Beryllium.....	0
Cobalt.....	
Copper.....	~1.0
Lead.....	0

**WASTE STREAM**

**9E323**

**Dry Fuel Route (excluding BCD) LLW**

	Magnox/Magnesium.....	TR	
	Nickel.....		
	Titanium.....		
	Uranium.....		
	Zinc.....	0	
	Zircaloy/Zirconium.....	TR	
	Other metals.....	0	"Other" metals have not been identified.
Organics (%wt):	Halogenated plastics and rubbers are present.		
	Total cellulosics.....	~5.0	
	Paper, cotton.....	0	
	Wood.....	~5.0	
	Halogenated plastics .....	~5.0	
	Total non-halogenated plastics.....	0	
	Condensation polymers.....	0	
	Others.....	0	
	Organic ion exchange materials....	0	
	Total rubber.....	TR	
	Halogenated rubber .....	NE	
	Non-halogenated rubber.....	NE	
	Hydrocarbons.....		
	Oil or grease .....		
	Fuel.....		
	Asphalt/Tarmac (cont.coal tar)...		
	Asphalt/Tarmac (no coal tar)....		
	Bitumen.....		
	Others.....		
	Other organics.....	TR	
Other materials (%wt):	-		
	Inorganic ion exchange materials.	0	
	Inorganic sludges and flocs.....	0	
	Soil.....	10.0	
	Brick/Stone/Rubble.....	10.0	
	Cementitious material.....	10.0	
	Sand.....		
	Glass/Ceramics.....	2.0	MMMF (Man Made Mineral Fibre) insulation material
	Graphite.....	TR	
	Desiccants/Catalysts.....		
	Asbestos.....	2.0	
	Non/low friable.....	0	
	Moderately friable.....	0	
	Highly friable.....	0	

**WASTE STREAM****9E323****Dry Fuel Route (excluding BCD) LLW**

	Free aqueous liquids.....	0
	Free non-aqueous liquids.....	0
	Powder/Ash.....	0
Inorganic anions (%wt):	None expected, but possibly present in trace quantities.	
	Fluoride.....	0
	Chloride.....	0
	Iodide.....	0
	Cyanide.....	0
	Carbonate.....	0
	Nitrate.....	0
	Nitrite.....	0
	Phosphate.....	0
	Sulphate.....	0
	Sulphide.....	0
Materials of interest for waste acceptance criteria:	Magnox may be present in trace quantities but will not constitute a hazard. Some Asbestos and MMMF is expected to be present.	
	Combustible metals.....	0
	Low flash point liquids.....	0
	Explosive materials.....	0
	Phosphorus.....	0
	Hydrides.....	0
	Biological etc. materials.....	TR
	Biodegradable materials.....	
	Putrescible wastes.....	0
	Non-putrescible wastes.....	
	Corrosive materials.....	0
	Pyrophoric materials.....	0
	Generating toxic gases.....	0
	Reacting with water.....	0
	Active particles.....	
	Soluble solids as bulk chemical compounds.....	
Hazardous substances / non hazardous pollutants:	-	
	Acrylamide.....	
	Benzene.....	
	Chlorinated solvents.....	
	Formaldehyde.....	
	Organometallics.....	
	Phenol.....	
	Styrene.....	
	Tri-butyl phosphate.....	
	Other organophosphates.....	

**WASTE STREAM**

**9E323 Dry Fuel Route (excluding BCD) LLW**

- Vinyl chloride.....
- Arsenic.....
- Barium.....
- Boron.....
- Cadmium.....
- Caesium.....
- Selenium.....
- Chromium.....
- Molybdenum.....
- Thallium.....
- Tin.....
- Vanadium.....
- Mercury compounds.....
- Others.....
- Electronic Electrical Equipment (EEE)
  - EEE Type 1.....
  - EEE Type 2.....
  - EEE Type 3.....
  - EEE Type 4.....
  - EEE Type 5.....
- Complexing agents (%wt): No
  - EDTA.....
  - DPTA.....
  - NTA.....
  - Polycarboxylic acids.....
  - Other organic complexants.....
  - Total complexing agents..... 0

**TREATMENT, PACKAGING AND DISPOSAL**

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)		
Incineration		
Solidification		
Decontamination		
Metal treatment		
Size reduction		
Decay storage		
Recycling / reuse		
Other / various		49.0
None		51.0

Comment on planned treatments:

49% of this waste stream is expected to be sent for Metal Recycle.

**WASTE STREAM****9E323****Dry Fuel Route (excluding BCD) LLW****Disposal Routes:**

Disposal Route	Stream volume %
Expected to be consigned to the LLW Repository	51.0
Expected to be consigned to a Landfill Facility	
Expected to be consigned to an On-Site Disposal Facility	49.0
Expected to be consigned to an Incineration Facility	
Expected to be consigned to a Metal Treatment Facility	
Expected to be consigned as Out of Scope	
Expected to be recycled / reused	
Disposal route not known	

**Upcoming (2019/20-2021/22) Waste Routing (if expected to change from above):**

Disposal Route	Stream volume %		
	2019/20	2020/21	2021/22
Expected to be consigned to the LLW Repository			
Expected to be consigned to a Landfill Facility			
Expected to be consigned to an On-Site Disposal Facility			
Expected to be consigned to an Incineration Facility			
Expected to be consigned to a Metal Treatment Facility			
Expected to be consigned as Out of Scope			
Expected to be recycled / reused			
Disposal route not known			

**Waste Packaging for Disposal:** (Not applicable to this waste stream)

Container	Stream volume %	Waste loading m <sup>3</sup>	Number of packages
1/3 Height IP-1 ISO			
2/3 Height IP-2 ISO			
1/2 Height WAMAC IP-2 ISO			
1/2 Height IP-2 Disposal/Re-usable ISO			
2m box (no shielding)			
4m box (no shielding)			
Other			

Other information: -

**Waste Planned for Disposal at the LLW Repository:** (Not applicable to this waste stream)

Container voidage: -

Waste Characterisation Form (WCH): -

Waste consigned for disposal to LLWR in year of generation: -

Potential for the waste to contain discrete items: -

**Non-Containerised Waste for In-Vault Grouting:** (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

**RADIOACTIVITY**

**WASTE STREAM****9E323****Dry Fuel Route (excluding BCD) LLW**

Source:	Activation and contamination of materials.
Uncertainty:	Activity values are current best estimates. Specific activity is a function of Station operating history. The values quoted are indicative of the activities that would be expected, although demolition wastes are predicted to be lower in activity than the routine operational wastes and so the values quoted for this stream are expected to be an over estimate.
Definition of total alpha and total beta/gamma:	Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.
Measurement of radioactivities:	The specific activities have been estimated from the equivalent operational waste stream and decayed for 3 years.
Other information:	-

**WASTE STREAM**

**9E323**

**Dry Fuel Route (excluding BCD) LLW**

Nuclide	Mean radioactivity, TBq/m <sup>3</sup>				Nuclide	Mean radioactivity, TBq/m <sup>3</sup>			
	Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code
H 3			1.88E-06	CC 2	Gd 153				8
Be 10				8	Ho 163				8
C 14			4.95E-05	CC 2	Ho 166m				8
Na 22				8	Tm 170				8
Al 26				8	Tm 171				8
Cl 36			5E-06	CC 2	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41				8	Pt 193				8
Mn 53				8	Tl 204				8
Mn 54				8	Pb 205				8
Fe 55				8	Pb 210				8
Co 60			9.11E-10	CC 2	Bi 208				8
Ni 59				8	Bi 210m				8
Ni 63			2.8E-06	CC 2	Po 210				8
Zn 65				8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90			1.36E-07	CC 2	Th 227				8
Zr 93				8	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m				8	Th 232				8
Nb 94			2.99E-07	CC 2	Th 234				8
Mo 93				8	Pa 231				8
Tc 97				8	Pa 233				8
Tc 99				8	U 232				8
Ru 106				8	U 233				8
Pd 107				8	U 234				8
Ag 108m			8.71E-08	CC 2	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m				8	Pu 238		4.67E-09	CC 2	
Sn 123				8	Pu 239		2.99E-09	CC 2	
Sn 126				8	Pu 240		3.98E-09	CC 2	
Sb 125				8	Pu 241		1.47E-08	CC 2	
Sb 126				8	Pu 242			8	
Te 125m				8	Am 241		4.11E-08	CC 2	
Te 127m				8	Am 242m			8	
I 129				8	Am 243			8	
Cs 134				8	Cm 242			8	
Cs 135				8	Cm 243			8	
Cs 137			1.19E-07	CC 2	Cm 244		1.67E-10	CC 2	
Ba 133			8.67E-10	CC 2	Cm 245			8	
La 137				8	Cm 246			8	
La 138				8	Cm 248			8	
Ce 144				8	Cf 249			8	
Pm 145				8	Cf 250			8	
Pm 147				8	Cf 251			8	
Sm 147				8	Cf 252			8	
Sm 151				8	Other a				
Eu 152			4.26E-09	CC 2	Other b/g				
Eu 154			4.95E-10	CC 2	<b>Total a</b>	<b>0</b>	<b>5.29E-08</b>	<b>CC 2</b>	
Eu 155				8	<b>Total b/g</b>	<b>0</b>	<b>5.98E-05</b>	<b>CC 2</b>	

**Bands (Upper and Lower)**

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

**Code**

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity