

<b>WASTE STREAM</b>	<b>9G311</b>	<b>Graphite ILW</b>
---------------------	--------------	---------------------

**SITE** Trawsfynydd  
**SITE OWNER** Nuclear Decommissioning Authority  
**WASTE CUSTODIAN** Magnox Limited  
**WASTE TYPE** ILW

**WASTE VOLUMES**

		Reported
Stocks:	At 1.4.2019.....	0 m <sup>3</sup>
Future arisings -	1.4.2074 - 31.3.2083.....	3432.0 m <sup>3</sup>
Total future arisings:		3432.0 m <sup>3</sup>
Total waste volume:		3432.0 m <sup>3</sup>

Comment on volumes: For inventory purposes the arisings are assumed to arise at a uniform rate over 9 years. Final Dismantling & Site Clearance is assumed to commence in 2074. Volumes and radioactivity have been calculated for 85 years after reactor shutdown.

Uncertainty factors on volumes: Stock (upper): x Arisings (upper) x 1.2  
 Stock (lower): x Arisings (lower) x 0.8

**WASTE SOURCE** Moderator graphite from reactor dismantling.

**PHYSICAL CHARACTERISTICS**

General description: Graphite blocks and other graphite components.  
 Physical components (%wt): Graphite (100%).  
 Sealed sources: -  
 Bulk density (t/m<sup>3</sup>): ~1.25  
 Comment on density: Density estimate based upon the assumed packing efficiency of the waste. The density is the effective density for packaging assuming 90% of the graphite is in blocks and 10% is rubble.

**CHEMICAL COMPOSITION**

General description and components (%wt): Graphite and possibly traces of ferrous metals.

Chemical state: Neutral

Chemical form of radionuclides: H-3: Tritium may be chemically bound with the graphite.  
 C-14: Carbon 14 will be present as graphite.  
 Se-79: The selenium content is insignificant.  
 Tc-99: The technetium content is insignificant.  
 Ra: Radium isotope content is insignificant.  
 Th: The thorium content is insignificant.  
 U: There may be traces of uranium as metal or oxide.  
 Np: The neptunium content is insignificant.  
 Pu: There may be traces of plutonium as metal or oxide.

Metals and alloys (%wt): There are no metallic items present.

Stainless steel.....	TR	There may be trace contamination by ferrous metals.
Other ferrous metals.....	TR	There may be trace contamination by ferrous metals.
Iron.....		
Aluminium.....	0	
Beryllium.....		
Cobalt.....		
Copper.....	0	
Lead.....	0	
Magnox/Magnesium.....	0	

<b>WASTE STREAM</b>	<b>9G311</b>	<b>Graphite ILW</b>
---------------------	--------------	---------------------

	Nickel.....	
	Titanium.....	
	Uranium.....	
	Zinc.....	0
	Zircaloy/Zirconium.....	0
	Other metals.....	0
		There are no "other" metals.
Organics (%wt):	None expected. No halogenated plastics or rubbers will be present.	
	Total cellulosics.....	0
	Paper, cotton.....	0
	Wood.....	0
	Halogenated plastics .....	0
	Total non-halogenated plastics.....	0
	Condensation polymers.....	0
	Others.....	0
	Organic ion exchange materials....	0
	Total rubber.....	0
	Halogenated rubber .....	0
	Non-halogenated rubber.....	0
	Hydrocarbons.....	
	Oil or grease .....	
	Fuel.....	
	Asphalt/Tarmac (cont.coal tar)...	
	Asphalt/Tarmac (no coal tar)....	
	Bitumen.....	
	Others.....	
	Other organics.....	0
Other materials (%wt):	Expect only graphite.	
	Inorganic ion exchange materials.	0
	Inorganic sludges and flocs.....	0
	Soil.....	0
	Brick/Stone/Rubble.....	0
	Cementitious material.....	0
	Sand.....	
	Glass/Ceramics.....	0
	Graphite.....	100.0
	Desiccants/Catalysts.....	
	Asbestos.....	0
	Non/low friable.....	
	Moderately friable.....	
	Highly friable.....	
	Free aqueous liquids.....	0
	Free non-aqueous liquids.....	0
	Powder/Ash.....	0

<b>WASTE STREAM</b>	<b>9G311</b>	<b>Graphite ILW</b>
---------------------	--------------	---------------------

Inorganic anions (%wt):

None of the inorganic anions listed in the table is expected to be present at greater than trace concentration.

Fluoride.....	TR	Detected at trace levels in inactive graphite material.
Chloride.....	TR	
Iodide.....	0	
Cyanide.....	0	
Carbonate.....	TR	
Nitrate.....	TR	
Nitrite.....	TR	
Phosphate.....	TR	Detected at trace levels in inactive graphite material.
Sulphate.....	TR	Detected at trace levels in inactive graphite material.
Sulphide.....	0	

Materials of interest for waste acceptance criteria:

No materials likely to pose a fire or other non-radiological hazard have been identified. Graphite presents a low fire risk; it is difficult but not impossible to ignite.

Combustible metals.....	0	
Low flash point liquids.....	0	
Explosive materials.....	0	
Phosphorus.....	TR	Detected at trace levels in inactive graphite material.
Hydrides.....	0	
Biological etc. materials.....	0	
Biodegradable materials.....		
Putrescible wastes.....	0	
Non-putrescible wastes.....		
Corrosive materials.....	0	
Pyrophoric materials.....	0	
Generating toxic gases.....	0	
Reacting with water.....	0	
Active particles.....		
Soluble solids as bulk chemical compounds.....		

Hazardous substances / non hazardous pollutants:

None expected.

Acrylamide.....	
Benzene.....	
Chlorinated solvents.....	
Formaldehyde.....	
Organometallics.....	
Phenol.....	
Styrene.....	
Tri-butyl phosphate.....	
Other organophosphates.....	
Vinyl chloride.....	

<b>WASTE STREAM</b>	<b>9G311</b>	<b>Graphite ILW</b>
---------------------	--------------	---------------------

Arsenic.....	TR	Detected at trace levels in inactive graphite material.
Barium.....		
Boron.....		
Cadmium.....		
Caesium.....		
Selenium.....		
Chromium.....		
Molybdenum.....		
Thallium.....	TR	Detected at trace levels in inactive graphite material.
Tin.....		
Vanadium.....		
Mercury compounds.....		
Others.....	TR	
Electronic Electrical Equipment (EEE)		
EEE Type 1.....		
EEE Type 2.....		
EEE Type 3.....		
EEE Type 4.....		
EEE Type 5.....		
Complexing agents (%wt):		
EDTA.....		
DPTA.....		
NTA.....		
Polycarboxylic acids.....		
Other organic complexants.....		
Total complexing agents.....	TR	

**PACKAGING AND CONDITIONING**

Conditioning method:	The waste is not expected to be supercompacted. The treatment envisaged is the placement of the waste in baskets followed by encapsulation.
Plant Name:	None
Location:	Trawsfynydd Power Station
Plant startup date:	2074
Total capacity (m <sup>3</sup> /y incoming waste):	-
Target start date for packaging this stream:	2074
Throughput for this stream (m <sup>3</sup> /y incoming waste):	343.2
Other information:	The processing strategy has not yet been determined.

**WASTE STREAM      9G311      Graphite ILW**

Likely container type:	Container	Waste packaged (%vol)	Waste loading (m <sup>3</sup> )	Payload (m <sup>3</sup> )	Number of packages
	4m box (no shielding)	100.0	16.2	18.9	212

Likely container type comment: The waste is assumed to be in baskets in the waste package so the occupied volume in the package is greater than the original waste volume. Container choice may be influenced by Transport Regulations at the time of final site clearance.

Range in container waste volume: Not yet determined. No significant variability is expected.

Other information on containers: The container material is expected to be stainless steel.

Likely conditioning matrix: Blast Furnace Slag / Ordinary Portland Cement

Other information: The waste is assumed to be encapsulated.

Conditioned density (t/m<sup>3</sup>): ~1.7

Conditioned density comment: The conditioned waste density assumes that the waste will be encapsulated.

Other information on conditioning: The waste will be in baskets placed in the waste packages. Baskets of different Final Dismantling & Site Clearance ILW wastes may be in the same waste package. The encapsulation matrix is likely to be BFS/OPC and the density of the conditioned waste product would be about 1.7 t/m<sup>3</sup>. Data have been presented as if the waste will be placed in a container with other ILW.

Opportunities for alternative disposal routing: No

Treatment	Stream volume (%)	Comment
-	-	-

**RADIOACTIVITY**

Source: Activation of the graphite and impurities.

Uncertainty: The values quoted were derived by calculation from available material specification and are indicative of the activities that are expected. The major source of uncertainty is the impurity levels.

Definition of total alpha and total beta/gamma: Total beta/gamma activity is the sum of all listed nuclide activities other than alpha emitters. Activity for alpha emitting nuclides are insignificant.

Measurement of radioactivities: The specific activities were estimated from neutron activation calculations of the material and its impurities.

Other information: The activities quoted are those at 85 years after reactor shutdown. There may be some contamination by Cs137. Fission of uranium impurity in the graphite may result in some fission product and actinide activity.

**WASTE STREAM 9G311 Graphite ILW**

Nuclide	Mean radioactivity, TBq/m <sup>3</sup>				Nuclide	Mean radioactivity, TBq/m <sup>3</sup>			
	Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code
H 3			6E-03	C C 2	Gd 153				8
Be 10					Ho 163				8
C 14			1.12E-01	C C 2	Ho 166m		2.74E-06	C C 2	
Na 22				8	Tm 170				8
Al 26				8	Tm 171				8
Cl 36			2.73E-04	C C 2	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41			2.93E-04	C C 2	Pt 193				8
Mn 53				8	Tl 204				8
Mn 54				8	Pb 205				8
Fe 55				8	Pb 210				8
Co 60			3.9E-07	C C 2	Bi 208				8
Ni 59			3.39E-05	C C 2	Bi 210m				8
Ni 63			2.58E-03	C C 2	Po 210				8
Zn 65				8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90				6	Th 227				8
Zr 93				8	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m				8	Th 232				8
Nb 94			2.96E-07	C C 2	Th 234				8
Mo 93				8	Pa 231				8
Tc 97				8	Pa 233				8
Tc 99				8	U 232				8
Ru 106				8	U 233				8
Pd 107				8	U 234				8
Ag 108m			2.02E-06	C C 2	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m			1.76E-04	C C 2	Pu 238				6
Sn 123				8	Pu 239				6
Sn 126				8	Pu 240				6
Sb 125				8	Pu 241				8
Sb 126				8	Pu 242				8
Te 125m				8	Am 241				6
Te 127m				8	Am 242m				8
I 129				8	Am 243				8
Cs 134				8	Cm 242				8
Cs 135				8	Cm 243				8
Cs 137				6	Cm 244				8
Ba 133			7.93E-07	C C 2	Cm 245				8
La 137				8	Cm 246				8
La 138				8	Cm 248				8
Ce 144				8	Cf 249				8
Pm 145			2.14E-07	C C 2	Cf 250				8
Pm 147				8	Cf 251				8
Sm 147				8	Cf 252				8
Sm 151			1.16E-06	C C 2	Other a				
Eu 152			2.11E-07	C C 2	Other b/g				
Eu 154			4.02E-07	C C 2	<b>Total a</b>	<b>0</b>	<b>0</b>		
Eu 155			2.36E-09	C C 2	<b>Total b/g</b>	<b>0</b>	<b>1.21E-01</b>	<b>C C 2</b>	

**Bands (Upper and Lower)**

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

**Code**

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity