

| | | |
|---------------------|--------------|---------------------------------|
| WASTE STREAM | 9G314 | Mild Steel (Reactor) LLW |
|---------------------|--------------|---------------------------------|

SITE Trawsfynydd
SITE OWNER Nuclear Decommissioning Authority
WASTE CUSTODIAN Magnox Limited
WASTE TYPE LLW

WASTE VOLUMES

| | | Reported |
|------------------------|---------------------------|-----------------------|
| Stocks: | At 1.4.2019..... | 0 m ³ |
| Future arisings - | 1.4.2074 - 31.3.2083..... | 1328.0 m ³ |
| Total future arisings: | | 1328.0 m ³ |
| Total waste volume: | | 1328.0 m ³ |

Comment on volumes: For inventory purposes the arisings are assumed to arise at a uniform rate over 9 years. Final Dismantling & Site Clearance is assumed to commence in 2074. Volumes and radioactivity have been calculated for 85 years after reactor shutdown.

Uncertainty factors on volumes: Stock (upper): x Arisings (upper) x 1.2
 Stock (lower): x Arisings (lower) x 0.8

WASTE SOURCE Mild steel items from the reactor structure.

PHYSICAL CHARACTERISTICS

General description: A variety of mild steel items.
 Physical components (%wt): Mild steel items (100%).
 Sealed sources: -
 Bulk density (t/m³): ~1.4
 Comment on density: The density is of the waste as cut for packaging.

CHEMICAL COMPOSITION

General description and components (%wt): Mild steel (100%).
 Chemical state: Neutral
 Chemical form of radionuclides: H-3: The tritium content is insignificant.
 C-14: The carbon 14 is incorporated in the steel. There also may be some contamination as graphite.
 Cl-36: The chlorine 36 is incorporated in the steel.
 Se-79: The selenium content is insignificant.
 Tc-99: The chemical form of technetium has not been determined.
 Ra: The radium content is insignificant.
 Th: The thorium content is insignificant.
 U: The uranium content is insignificant.
 Np: The neptunium content is insignificant.
 Pu: The plutonium content is insignificant.

Metals and alloys (%wt): All of the waste will be bulk metal items which will be cut for packaging. Metal thicknesses will probably range from a few mm to about 100 mm.

| | | |
|---------------------------|-------|--|
| Stainless steel..... | 0 | |
| Other ferrous metals..... | 100.0 | Grade BW78B(A) and BS970-EN2. Some BS2T6 or BS3T35 |
| Iron..... | | |
| Aluminium..... | 0 | |
| Beryllium..... | 0 | |
| Cobalt..... | <0.03 | Greatest measured value from the various components. |
| Copper..... | 0 | |
| Lead..... | 0 | |
| Magnox/Magnesium..... | 0 | |

WASTE STREAM**9G314 Mild Steel (Reactor) LLW**

| | | | |
|------------------------|--|-------|--|
| | Nickel..... | <0.20 | Greatest measured value from the various components. |
| | Titanium..... | | |
| | Uranium..... | | |
| | Zinc..... | 0 | |
| | Zircaloy/Zirconium..... | 0 | |
| | Other metals..... | TR | Silver and niobium |
| Organics (%wt): | None expected. There are no halogenated plastics or rubbers present. | | |
| | Total cellulose..... | 0 | |
| | Paper, cotton..... | 0 | |
| | Wood..... | 0 | |
| | Halogenated plastics | 0 | |
| | Total non-halogenated plastics..... | 0 | |
| | Condensation polymers..... | 0 | |
| | Others..... | 0 | |
| | Organic ion exchange materials.... | 0 | |
| | Total rubber..... | 0 | |
| | Halogenated rubber | 0 | |
| | Non-halogenated rubber..... | 0 | |
| | Hydrocarbons..... | | |
| | Oil or grease | | |
| | Fuel..... | | |
| | Asphalt/Tarmac (cont.coal tar)... | | |
| | Asphalt/Tarmac (no coal tar).... | | |
| | Bitumen..... | | |
| | Others..... | | |
| | Other organics..... | 0 | |
| Other materials (%wt): | Some graphite dust may be associated with reactor materials. | | |
| | Inorganic ion exchange materials. | 0 | |
| | Inorganic sludges and flocs..... | 0 | |
| | Soil..... | 0 | |
| | Brick/Stone/Rubble..... | 0 | |
| | Cementitious material..... | 0 | |
| | Sand..... | | |
| | Glass/Ceramics..... | 0 | |
| | Graphite..... | TR | |
| | Desiccants/Catalysts..... | | |
| | Asbestos..... | 0 | |
| | Non/low friable..... | | |
| | Moderately friable..... | | |
| | Highly friable..... | | |
| | Free aqueous liquids..... | 0 | |
| | Free non-aqueous liquids..... | 0 | |

WASTE STREAM**9G314 Mild Steel (Reactor) LLW**

| | | |
|--|---|----|
| | Powder/Ash..... | 0 |
| Inorganic anions (%wt): | There may be traces of chloride present. | |
| | Fluoride..... | 0 |
| | Chloride..... | TR |
| | Iodide..... | 0 |
| | Cyanide..... | 0 |
| | Carbonate..... | 0 |
| | Nitrate..... | 0 |
| | Nitrite..... | 0 |
| | Phosphate..... | 0 |
| | Sulphate..... | 0 |
| | Sulphide..... | 0 |
| Materials of interest for waste acceptance criteria: | No materials likely to pose a fire or other non-radiological hazard have been identified. | |
| | Combustible metals..... | 0 |
| | Low flash point liquids..... | 0 |
| | Explosive materials..... | 0 |
| | Phosphorus..... | 0 |
| | Hydrides..... | 0 |
| | Biological etc. materials..... | 0 |
| | Biodegradable materials..... | |
| | Putrescible wastes..... | 0 |
| | Non-putrescible wastes..... | |
| | Corrosive materials..... | 0 |
| | Pyrophoric materials..... | 0 |
| | Generating toxic gases..... | 0 |
| | Reacting with water..... | 0 |
| | Active particles..... | |
| | Soluble solids as bulk chemical compounds..... | |
| Hazardous substances / non hazardous pollutants: | None expected. | |
| | Acrylamide..... | |
| | Benzene..... | |
| | Chlorinated solvents..... | |
| | Formaldehyde..... | |
| | Organometallics..... | |
| | Phenol..... | |
| | Styrene..... | |
| | Tri-butyl phosphate..... | |
| | Other organophosphates..... | |
| | Vinyl chloride..... | |
| | Arsenic..... | |

WASTE STREAM**9G314 Mild Steel (Reactor) LLW**

Barium.....
 Boron.....
 Cadmium.....
 Caesium.....
 Selenium.....
 Chromium.....
 Molybdenum.....
 Thallium.....
 Tin.....
 Vanadium.....
 Mercury compounds.....
 Others.....
 Electronic Electrical Equipment (EEE)
 EEE Type 1.....
 EEE Type 2.....
 EEE Type 3.....
 EEE Type 4.....
 EEE Type 5.....

Complexing agents (%wt):

EDTA.....
 DPTA.....
 NTA.....
 Polycarboxylic acids.....
 Other organic complexants.....
 Total complexing agents..... TR

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

| Treatment | On-site / Off site | Stream volume % |
|-----------------------|--------------------|-----------------|
| Low force compaction | | |
| Supercompaction (HFC) | | |
| Incineration | | |
| Solidification | | |
| Decontamination | | |
| Metal treatment | | |
| Size reduction | | |
| Decay storage | | |
| Recycling / reuse | | |
| Other / various | | |
| None | | 100.0 |

Comment on planned treatments:

-

WASTE STREAM**9G314 Mild Steel (Reactor) LLW****Disposal Routes:**

| Disposal Route | Stream volume % |
|---|-----------------|
| Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known | 100.0 |

Upcoming (2019/20-2021/22) Waste Routing (if expected to change from above):

| Disposal Route | Stream volume % | | |
|---|-----------------|---------|---------|
| | 2019/20 | 2020/21 | 2021/22 |
| Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known | | | |

Waste Packaging for Disposal:

| Container | Stream volume % | Waste loading m ³ | Number of packages |
|--|-----------------|------------------------------|--------------------|
| 1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other | 100.0 | 10 | 133 |

Other information:

Data have been presented as though the waste will be in dedicated containers. However it is likely that this waste will be placed in containers with other LLW.

Waste Planned for Disposal at the LLW Repository:**Container voidage:**

In-accessible voidage is not expected.

Waste Characterisation Form (WCH):

The waste meets the LLWR's Waste Acceptance Criteria (WAC).
The waste does not have a current WCH.

Waste consigned for disposal to LLWR in year of generation:

The timing of consignment of the waste for disposal cannot be determined at present.

Potential for the waste to contain discrete items:

-

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)**Stream volume (%):**

-

Waste stream variation:

-

Bounding cuboidal volume:**Inaccessible voidage:**

-

Other information:

-

WASTE STREAM**9G314****Mild Steel (Reactor) LLW****RADIOACTIVITY**

| | |
|---|--|
| Source: | Activation of the mild steel and its impurities. |
| Uncertainty: | The values quoted were derived by calculation from available material specifications and are indicative of the activities that are to be expected. The major source of uncertainty is the impurity levels. |
| Definition of total alpha and total beta/gamma: | Total beta/gamma is defined as the sum of the listed activities of all nuclides other than alpha emitters. All alpha emitter activities are insignificant. |
| Measurement of radioactivities: | The specific activities were estimated from neutron activation calculations of the material and its impurities. |
| Other information: | The activities quoted are those at 85 years after reactor shutdown, i.e. in 2074. There may be some contamination by Cs137. |

WASTE STREAM

9G314

Mild Steel (Reactor) LLW

| Nuclide | Mean radioactivity, TBq/m ³ | | | | Nuclide | Mean radioactivity, TBq/m ³ | | | |
|---------|--|----------------|-----------------|----------------|------------------|--|-----------------|-----------------|----------------|
| | Waste at 1.4.2019 | Bands and Code | Future arisings | Bands and Code | | Waste at 1.4.2019 | Bands and Code | Future arisings | Bands and Code |
| H 3 | | | | 8 | Gd 153 | | | | 8 |
| Be 10 | | | | 8 | Ho 163 | | | | 8 |
| C 14 | | | 8.14E-04 | C C 2 | Ho 166m | | | | 8 |
| Na 22 | | | | 8 | Tm 170 | | | | 8 |
| Al 26 | | | | 8 | Tm 171 | | | | 8 |
| Cl 36 | | | 1.08E-07 | D C 2 | Lu 174 | | | | 8 |
| Ar 39 | | | | 8 | Lu 176 | | | | 8 |
| Ar 42 | | | | 8 | Hf 178n | | | | 8 |
| K 40 | | | | 8 | Hf 182 | | | | 8 |
| Ca 41 | | | | 8 | Pt 193 | | | | 8 |
| Mn 53 | | | | 8 | Tl 204 | | 3.12E-09 | C C 2 | 8 |
| Mn 54 | | | | 8 | Pb 205 | | | | 8 |
| Fe 55 | | | 5.06E-09 | C C 2 | Pb 210 | | | | 8 |
| Co 60 | | | 1.3E-05 | C C 2 | Bi 208 | | | | 8 |
| Ni 59 | | | 1.78E-04 | C C 2 | Bi 210m | | | | 8 |
| Ni 63 | | | 1.06E-02 | C C 2 | Po 210 | | | | 8 |
| Zn 65 | | | | 8 | Ra 223 | | | | 8 |
| Se 79 | | | | 8 | Ra 225 | | | | 8 |
| Kr 81 | | | | 8 | Ra 226 | | | | 8 |
| Kr 85 | | | | 8 | Ra 228 | | | | 8 |
| Rb 87 | | | | 8 | Ac 227 | | | | 8 |
| Sr 90 | | | | 8 | Th 227 | | | | 8 |
| Zr 93 | | | | 8 | Th 228 | | | | 8 |
| Nb 91 | | | | 8 | Th 229 | | | | 8 |
| Nb 92 | | | | 8 | Th 230 | | | | 8 |
| Nb 93m | | | | 6 | Th 232 | | | | 8 |
| Nb 94 | | | 1.2E-06 | C C 2 | Th 234 | | | | 8 |
| Mo 93 | | | 1.4E-05 | C C 2 | Pa 231 | | | | 8 |
| Tc 97 | | | | 8 | Pa 233 | | | | 8 |
| Tc 99 | | | 3.15E-06 | C C 2 | U 232 | | | | 8 |
| Ru 106 | | | | 8 | U 233 | | | | 8 |
| Pd 107 | | | | 8 | U 234 | | | | 8 |
| Ag 108m | | | 3.44E-07 | C C 2 | U 235 | | | | 8 |
| Ag 110m | | | | 8 | U 236 | | | | 8 |
| Cd 109 | | | | 8 | U 238 | | | | 8 |
| Cd 113m | | | | 8 | Np 237 | | | | 8 |
| Sn 119m | | | | 8 | Pu 236 | | | | 8 |
| Sn 121m | | | | 8 | Pu 238 | | | | 8 |
| Sn 123 | | | | 8 | Pu 239 | | | | 8 |
| Sn 126 | | | | 8 | Pu 240 | | | | 8 |
| Sb 125 | | | | 8 | Pu 241 | | | | 8 |
| Sb 126 | | | | 8 | Pu 242 | | | | 8 |
| Te 125m | | | | 8 | Am 241 | | | | 8 |
| Te 127m | | | | 8 | Am 242m | | | | 8 |
| I 129 | | | | 8 | Am 243 | | | | 8 |
| Cs 134 | | | | 8 | Cm 242 | | | | 8 |
| Cs 135 | | | | 8 | Cm 243 | | | | 8 |
| Cs 137 | | | | 8 | Cm 244 | | | | 8 |
| Ba 133 | | | | 8 | Cm 245 | | | | 8 |
| La 137 | | | | 8 | Cm 246 | | | | 8 |
| La 138 | | | | 8 | Cm 248 | | | | 8 |
| Ce 144 | | | | 8 | Cf 249 | | | | 8 |
| Pm 145 | | | | 8 | Cf 250 | | | | 8 |
| Pm 147 | | | | 8 | Cf 251 | | | | 8 |
| Sm 147 | | | | 8 | Cf 252 | | | | 8 |
| Sm 151 | | | | 8 | Other a | | | | |
| Eu 152 | | | | 8 | Other b/g | | | | |
| Eu 154 | | | | 8 | Total a | 0 | 0 | | |
| Eu 155 | | | | 8 | Total b/g | 0 | 1.16E-02 | C C 2 | |

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity