

<b>WASTE STREAM</b>	<b>9G34/C</b>	<b>FED Magnox</b>
---------------------	---------------	-------------------

**SITE** Trawsfynydd  
**SITE OWNER** Nuclear Decommissioning Authority  
**WASTE CUSTODIAN** Magnox Limited  
**WASTE TYPE** ILW

<b>WASTE VOLUMES</b>		Conditioned	Packaged
Stocks:	At 1.4.2019.....	35.1 m <sup>3</sup>	42.5 m <sup>3</sup>
Total future arisings:		0 m <sup>3</sup>	0 m <sup>3</sup>
Total waste volume:		35.1 m <sup>3</sup>	42.5 m <sup>3</sup>
Number of waste packages in stock:	At 1.4.2019.....	13 package(s)	
Comment on volumes:	-		
Uncertainty factors on volumes:	Stock (upper):	x 1.0	Arisings (upper) x
	Stock (lower):	x 1.0	Arisings (lower) x

**WASTE SOURCE** The source of the waste is the removal of splitters from fuel elements prior to dispatch of the elements to Sellafield.

**PHYSICAL CHARACTERISTICS**

**General description:** The waste mainly consists of Magnox metal which may be contaminated by fission products and actinides. The waste is conditioned and packaged in 3m<sup>3</sup> stainless steel boxes.

**Physical components (%wt):** Magnox (>18.9% wt), zirconium (<0.1% wt), gravel and other materials (~1%). and grout (~80%).

**Sealed sources:** -

**Bulk density (t/m<sup>3</sup>):** 1.9

**Comment on density:** The density of 1.9 t/m<sup>3</sup> is based on the packages containing ~20% FED, ~80% grout.

**CHEMICAL COMPOSITION**

**General description and components (%wt):** Magnox metal constitutes >18.9% by weight, zirconium constitutes <0.1% by weight, gravel and other materials constitute ~1% by weight. the remaining 80% by weight is grout.

**Chemical state:** Alkali

**Chemical form of radionuclides:**  
H-3: Tritium is expected to be present as surface contamination, possibly as water but perhaps in the form of other inorganic or organic compounds.  
Cl-36: Chlorine 36 incorporated in the Magnox may be associated with barium impurity (barium chloride), other chlorine 36 may be associated with surface contamination.  
Se-79: The selenium content is insignificant.  
Tc-99: The chemical form of technetium has not been determined.  
Ra: Radium isotope content is not significant.  
Th: The thorium isotope content is insignificant.  
U: Chemical form of uranium isotopes has not been determined but may be uranium oxides.  
Np: The chemical form of neptunium has not been determined.  
Pu: Chemical form of plutonium isotopes has not been determined but may be plutonium oxides.

**Metals and alloys (%wt):** There are no bulk metal items present in this waste stream.

Stainless steel.....	0
Other ferrous metals.....	0
Iron.....	
Aluminium.....	0
Beryllium.....	TR
Cobalt.....	
Copper.....	0

**WASTE STREAM**

**9G34/C**

**FED Magnox**

Lead..... 0  
 Magnox/Magnesium..... >18.9  
  
 Nickel.....  
 Titanium.....  
 Uranium.....  
 Zinc..... 0  
 Zircaloy/Zirconium..... <0.10  
 Other metals..... <0.02

Will consist predominantly of Magnox alloy ZR55, which contains 0.55 wt% Zr as an alloying constituent.

Very small amounts of nickel-chromium and nickel-aluminium thermocouple material.

**Organics (%wt):**

There may be organics present in trace quantities. There are no halogenated plastics or rubbers present with the waste.

Total cellulose..... 0  
     Paper, cotton..... 0  
     Wood..... 0  
 Halogenated plastics ..... 0  
 Total non-halogenated plastics..... 0  
     Condensation polymers..... 0  
     Others..... 0  
 Organic ion exchange materials.... 0  
 Total rubber..... 0  
     Halogenated rubber ..... 0  
     Non-halogenated rubber..... 0  
 Hydrocarbons.....  
     Oil or grease .....  
     Fuel.....  
     Asphalt/Tarmac (cont.coal tar)...  
     Asphalt/Tarmac (no coal tar)....  
     Bitumen.....  
     Others.....  
 Other organics..... TR

**Other materials (%wt):**

Expect traces of graphite.  
 Inorganic ion exchange materials. 0  
 Inorganic sludges and flocs..... 0  
 Soil..... 0  
 Brick/Stone/Rubble..... ~1.0  
 Cementitious material..... ~80.0  
 Sand.....  
 Glass/Ceramics..... 0  
 Graphite..... TR  
 Desiccants/Catalysts.....  
 Asbestos..... 0

Gravel  
 Grout

	Non/low friable.....	
	Moderately friable.....	
	Highly friable.....	
	Free aqueous liquids.....	0
	Free non-aqueous liquids.....	0
	Powder/Ash.....	TR
Inorganic anions (%wt):	Inorganic anions are not expected to be present at greater than trace concentrations.	
	Fluoride.....	TR
	Chloride.....	TR
	Iodide.....	0
	Cyanide.....	0
	Carbonate.....	TR
	Nitrate.....	TR
	Nitrite.....	TR
	Phosphate.....	TR
	Sulphate.....	TR
	Sulphide.....	0
Materials of interest for waste acceptance criteria:	Magnox will ignite under appropriate conditions.	
	Combustible metals.....	>18.9
	Low flash point liquids.....	0
	Explosive materials.....	0
	Phosphorus.....	0
	Hydrides.....	0
	Biological etc. materials.....	0
	Biodegradable materials.....	
	Putrescible wastes.....	0
	Non-putrescible wastes.....	
	Corrosive materials.....	0
	Pyrophoric materials.....	0
	Generating toxic gases.....	0
	Reacting with water.....	>18.9
	Active particles.....	
	Soluble solids as bulk chemical compounds.....	
Hazardous substances / non hazardous pollutants:	none expected	
	Acrylamide.....	
	Benzene.....	
	Chlorinated solvents.....	
	Formaldehyde.....	
	Organometallics.....	
	Phenol.....	

Styrene.....  
 Tri-butyl phosphate.....  
 Other organophosphates.....  
 Vinyl chloride.....  
 Arsenic.....  
 Barium.....  
 Boron.....  
 Cadmium.....  
 Caesium.....  
 Selenium.....  
 Chromium.....  
 Molybdenum.....  
 Thallium.....  
 Tin.....  
 Vanadium.....  
 Mercury compounds.....  
 Others.....  
 Electronic Electrical Equipment (EEE)  
     EEE Type 1.....  
     EEE Type 2.....  
     EEE Type 3.....  
     EEE Type 4.....  
     EEE Type 5.....  
 Complexing agents (%wt): Yes  
     EDTA.....  
     DPTA.....  
     NTA.....  
     Polycarboxylic acids.....  
     Other organic complexants.....  
     Total complexing agents..... TR

**PACKAGING AND CONDITIONING**

Container type:	Container	Waste packaged (%vol)	Waste loading (m³)	Payload (m³)	Number of packages
	3m³ box (round corners)	100.0	2.7	2.7	13

Container type comment: -  
 Range in container waste volume: Not yet determined. No significant variability is expected.  
 Other information on containers: The container material is stainless steel.  
 Conditioned density (t/m³): 1.9  
 Conditioned density comment: The density is expected to be in the range 1.85 to 1.95 t/m3.

**WASTE STREAM****9G34/C****FED Magnox**

Other information on conditioning:

Waste streams 9G34 and 9G40 will be processed as a single waste for disposal as ILW. Nimonic springs are distributed throughout the waste.

**RADIOACTIVITY**

Source:

The source of the waste is the removal of splitters from fuel elements prior to dispatch of the elements to Sellafield. Activation of trace nuclides in the Magnox and contamination by fission products and actinides will be main sources of activity.

Uncertainty:

The values quoted are indicative of the activities that might be expected.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

Values were derived from measurements, calculations of induced activity and estimates of likely contamination. Allowance has been made for zirconium alloy in top end fittings.

Other information:

-

**WASTE STREAM 9G34/C FED Magnox**

Nuclide	Mean radioactivity, TBq/m <sup>3</sup>				Nuclide	Mean radioactivity, TBq/m <sup>3</sup>			
	Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code
H 3	6.29E-03	CC 2			Gd 153		8		
Be 10		8			Ho 163		8		
C 14	1.76E-04	CC 2			Ho 166m		8		
Na 22		8			Tm 170		8		
Al 26	<4E-07	C 3			Tm 171		8		
Cl 36	2.11E-06	CC 2			Lu 174		8		
Ar 39		8			Lu 176		8		
Ar 42		8			Hf 178n		8		
K 40		8			Hf 182		8		
Ca 41		8			Pt 193		8		
Mn 53		8			Tl 204		8		
Mn 54		8			Pb 205		8		
Fe 55	2.15E-05	CC 2			Pb 210		8		
Co 60	1.99E-02	CC 2			Bi 208		8		
Ni 59		8			Bi 210m		8		
Ni 63	6.00E-01	CC 2			Po 210		8		
Zn 65		8			Ra 223		8		
Se 79	8.66E-08	CC 2			Ra 225		8		
Kr 81		8			Ra 226		8		
Kr 85		8			Ra 228		8		
Rb 87		8			Ac 227		8		
Sr 90	7.04E-03	CC 2			Th 227		8		
Zr 93		8			Th 228		8		
Nb 91		8			Th 229		8		
Nb 92		8			Th 230		8		
Nb 93m		8			Th 232		8		
Nb 94		8			Th 234	2.04E-06	CC 2		
Mo 93		8			Pa 231		8		
Tc 97		8			Pa 233	2.65E-09	CC 2		
Tc 99	2.99E-05	CC 2			U 232		8		
Ru 106	5.16E-09	CC 2			U 233		8		
Pd 107		8			U 234	2.58E-06	CC 2		
Ag 108m	3.30E-06	CC 2			U 235	7.19E-08	CC 2		
Ag 110m		8			U 236		8		
Cd 109		8			U 238	2.04E-06	CC 2		
Cd 113m		8			Np 237	2.70E-09	CC 2		
Sn 119m		8			Pu 236		8		
Sn 121m		8			Pu 238	4.52E-04	CC 2		
Sn 123		8			Pu 239	3.18E-04	CC 2		
Sn 126		8			Pu 240	4.00E-04	CC 2		
Sb 125	1.64E-07	CC 2			Pu 241	4.09E-03	CC 2		
Sb 126		8			Pu 242		8		
Te 125m	4.10E-08	CC 2			Am 241	1.40E-03	CC 2		
Te 127m		8			Am 242m		8		
I 129	5.24E-08	CC 2			Am 243		8		
Cs 134	1.33E-07	CC 2			Cm 242		8		
Cs 135		8			Cm 243	1.47E-06	CC 2		
Cs 137	7.95E-03	CC 2			Cm 244	1.84E-05	CC 2		
Ba 133	1.74E-06	CC 2			Cm 245		8		
La 137		8			Cm 246		8		
La 138		8			Cm 248		8		
Ce 144		8			Cf 249		8		
Pm 145		8			Cf 250		8		
Pm 147	9.50E-06	CC 2			Cf 251		8		
Sm 147		8			Cf 252		8		
Sm 151		8			Other a				
Eu 152	5.16E-06	CC 2			Other b/g				
Eu 154	1.96E-05	CC 2			<b>Total a</b>	<b>2.60E-03</b>	<b>CC 2</b>	<b>0</b>	
Eu 155	1.27E-06	CC 2			<b>Total b/g</b>	<b>6.46E-01</b>	<b>CC 2</b>	<b>0</b>	

**Bands (Upper and Lower)**

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

**Code**

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity