

WASTE STREAM	9J100	General Reactor LLW
---------------------	--------------	----------------------------

SITE Hunterston A

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Magnox Limited

WASTE TYPE LLW

WASTE VOLUMES

		Reported
Stocks:	At 1.4.2019.....	0 m ³
Future arisings -	1.4.2024 - 31.3.2075.....	102.0 m ³
Total future arisings:		102.0 m ³
Total waste volume:		102.0 m ³

Comment on volumes: Care & Maintenance is assumed to start in 2024 after Care & Maintenance Preparation has been completed. Arisings are assumed to be approximately 2m³ per year for each of the 51 years of Care & Maintenance.

Uncertainty factors on volumes: Stock (upper): x Arisings (upper) x 1.2
 Stock (lower): x Arisings (lower) x 0.8

WASTE SOURCE Wastes arising from the general reactor area during Care & Maintenance.

PHYSICAL CHARACTERISTICS

General description: Principally mixed plastic sheeting and protective clothing all in mild steel drums. No large items are expected, but any will be cut to fit standard packages.

Physical components (%wt): The waste is expected to be various plastics and cloth, all in mild steel drums. The steel drum will be approximately 25%wt; the percentage breakdown of other components has not been assessed.

Sealed sources: -

Bulk density (t/m³): ~0.4

Comment on density: Bulk density is an estimate based on other LLW streams and may be subject to revision.

CHEMICAL COMPOSITION

General description and components (%wt): The waste comprises principally plastic and cloth (~75%wt), all in mild steel drums (~25%wt).

Chemical state: Neutral

Chemical form of radionuclides: H-3: The chemical form of tritium has not been assessed.
 C-14: Carbon 14 will be present as graphite dust contamination.
 Cl-36: The chemical form of chlorine 36 has not been assessed.
 Se-79: The selenium content is insignificant.
 Tc-99: The technetium content is insignificant.
 Ra: The radium isotope content is insignificant.
 Th: The thorium content is insignificant.
 U: The uranium isotope content is insignificant.
 Np: The neptunium content is insignificant.
 Pu: The plutonium isotope content is insignificant.

Metals and alloys (%wt): Bulk and sheet metal are not expected to be present in significant quantities and have not been assessed. Mild steel drums containing the waste will arise at about 10 per year.

Stainless steel..... 0

Other ferrous metals..... ~25.0

The only metals expected are the mild steel drums containing the waste.

Iron.....

Aluminium..... 0

Beryllium..... 0

Cobalt.....

Copper..... 0

Lead..... 0

WASTE STREAM

9J100

General Reactor LLW

Magnox/Magnesium..... 0
 Nickel.....
 Titanium.....
 Uranium.....
 Zinc..... 0
 Zircaloy/Zirconium..... 0
 Other metals..... 0

No "other" metals are expected in the waste.

Organics (%wt):

To be determined.
 Total cellulosics..... ~38.0
 Paper, cotton..... ~38.0
 Wood..... NE
 Halogenated plastics ~37.0
 Total non-halogenated plastics..... NE
 Condensation polymers..... NE
 Others..... NE
 Organic ion exchange materials.... 0
 Total rubber..... NE
 Halogenated rubber NE
 Non-halogenated rubber..... NE
 Hydrocarbons.....
 Oil or grease
 Fuel.....
 Asphalt/Tarmac (cont.coal tar)...
 Asphalt/Tarmac (no coal tar)....
 Bitumen.....
 Others.....
 Other organics..... 0

Other materials (%wt):

-
 Inorganic ion exchange materials. 0
 Inorganic sludges and flocs..... 0
 Soil..... 0
 Brick/Stone/Rubble..... 0
 Cementitious material..... 0
 Sand.....
 Glass/Ceramics..... 0
 Graphite..... 0
 Desiccants/Catalysts.....
 Asbestos..... 0
 Non/low friable.....
 Moderately friable.....
 Highly friable.....
 Free aqueous liquids..... 0

WASTE STREAM**9J100****General Reactor LLW**

	Free non-aqueous liquids.....	0
	Powder/Ash.....	0
Inorganic anions (%wt):	None expected.	
	Fluoride.....	0
	Chloride.....	0
	Iodide.....	0
	Cyanide.....	0
	Carbonate.....	0
	Nitrate.....	0
	Nitrite.....	0
	Phosphate.....	0
	Sulphate.....	0
	Sulphide.....	0
Materials of interest for waste acceptance criteria:	-	
	Combustible metals.....	0
	Low flash point liquids.....	0
	Explosive materials.....	0
	Phosphorus.....	0
	Hydrides.....	0
	Biological etc. materials.....	0
	Biodegradable materials.....	
	Putrescible wastes.....	0
	Non-putrescible wastes.....	
	Corrosive materials.....	0
	Pyrophoric materials.....	0
	Generating toxic gases.....	0
	Reacting with water.....	0
	Active particles.....	
	Soluble solids as bulk chemical compounds.....	
Hazardous substances / non hazardous pollutants:	Toxic metals or other hazardous materials are not expected.	
	Acrylamide.....	
	Benzene.....	
	Chlorinated solvents.....	
	Formaldehyde.....	
	Organometallics.....	
	Phenol.....	
	Styrene.....	
	Tri-butyl phosphate.....	
	Other organophosphates.....	
	Vinyl chloride.....	

WASTE STREAM**9J100****General Reactor LLW**

Arsenic.....
 Barium.....
 Boron.....
 Cadmium.....
 Caesium.....
 Selenium.....
 Chromium.....
 Molybdenum.....
 Thallium.....
 Tin.....
 Vanadium.....
 Mercury compounds.....
 Others.....
 Electronic Electrical Equipment (EEE)
 EEE Type 1.....
 EEE Type 2.....
 EEE Type 3.....
 EEE Type 4.....
 EEE Type 5.....

Complexing agents (%wt):

EDTA.....
 DPTA.....
 NTA.....
 Polycarboxylic acids.....
 Other organic complexants.....
 Total complexing agents..... NE

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction Supercompaction (HFC) Incineration Solidification Decontamination Metal treatment Size reduction Decay storage Recycling / reuse Other / various None	Off-site	100.0

Comment on planned treatments:

-

WASTE STREAM**9J100****General Reactor LLW****Disposal Routes:**

Disposal Route	Stream volume %
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0

Upcoming (2019/20-2021/22) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %		
	2019/20	2020/21	2021/22
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known			

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	100.0	21.6	5

Other information:

21.6m³ loading volume is calculated based on the fact that you can fit 36 off (200 litre/0.2m³) drums (7.2m³) into a ½ height ISO, each drum can be super-compacted to a 1/3 of its original volume so therefore we can get 3 x the amount of un-compacted drums into the final disposal container (21.6m³)

Waste Planned for Disposal at the LLW Repository:

Container voidage: -

Waste Characterisation Form (WCH):

The waste meets the LLWR's Waste Acceptance Criteria (WAC).
The waste does not have a current WCH.

Waste consigned for disposal to LLWR in year of generation:

No. The timing of consignment of waste for disposal is not known. Disposal to the LLWR at the start of Care & Maintenance is expected, later disposal route to be established.

Potential for the waste to contain discrete items:

-

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume:

WASTE STREAM**9J100****General Reactor LLW**

Inaccessible voidage: -

Other information: -

RADIOACTIVITY

Source: Activation and contamination of materials.

Uncertainty: The specific activities quoted are indicative of the activities that may be expected.

Definition of total alpha and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities: The specific activities have been estimated from the Care & Maintenance Preparation Reactor and Auxiliary Building LLW waste stream (9J948) using a suitable decay period of 16 years.

Other information: None.

WASTE STREAM

9J100

General Reactor LLW

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code
H 3			2E-07	C C 2	Gd 153				8
Be 10				8	Ho 163				8
C 14			3E-08	C C 2	Ho 166m				8
Na 22				8	Tm 170				8
Al 26				8	Tm 171				8
Cl 36			5E-08	C C 2	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41				8	Pt 193				8
Mn 53				8	Tl 204				8
Mn 54				8	Pb 205				8
Fe 55			3E-08	C C 2	Pb 210				8
Co 60			4E-08	C C 2	Bi 208				8
Ni 59				8	Bi 210m				8
Ni 63			3E-08	C C 2	Po 210				8
Zn 65				8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90			6E-09	C C 2	Th 227				8
Zr 93				8	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m				8	Th 232				8
Nb 94				8	Th 234				8
Mo 93				8	Pa 231				8
Tc 97				8	Pa 233				8
Tc 99				8	U 232				8
Ru 106				8	U 233				8
Pd 107				8	U 234				8
Ag 108m				8	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m				8	Pu 238				8
Sn 123				8	Pu 239				8
Sn 126				8	Pu 240				8
Sb 125				8	Pu 241				8
Sb 126				8	Pu 242				8
Te 125m				8	Am 241				8
Te 127m				8	Am 242m				8
I 129				8	Am 243				8
Cs 134				6	Cm 242				8
Cs 135				8	Cm 243				8
Cs 137			1E-08	C C 2	Cm 244				8
Ba 133				8	Cm 245				8
La 137				8	Cm 246				8
La 138				8	Cm 248				8
Ce 144				8	Cf 249				8
Pm 145				8	Cf 250				8
Pm 147				8	Cf 251				8
Sm 147				8	Cf 252				8
Sm 151				8	Other a				
Eu 152				8	Other b/g				
Eu 154				8	Total a	0		0	
Eu 155				8	Total b/g	0		3.96E-07	C C 2

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity