

WASTE STREAM	9J301	Graphite ILW
---------------------	--------------	---------------------

SITE Hunterston A
SITE OWNER Nuclear Decommissioning Authority
WASTE CUSTODIAN Magnox Limited
WASTE TYPE ILW

WASTE VOLUMES

		Reported
Stocks:	At 1.4.2019.....	0 m ³
Future arisings -	1.4.2072 - 31.3.2080.....	3434.0 m ³
Total future arisings:		3434.0 m ³
Total waste volume:		3434.0 m ³

Comment on volumes: Waste arisings are assumed to occur at a uniform rate over 8 years. Reactor decommissioning is assumed to commence in 2072 and is expected to last for eight years. Volumes and radioactivity have been calculated for 85 years after reactor shutdown.

Uncertainty factors on volumes: Stock (upper): x Arisings (upper) x 1.2
 Stock (lower): x Arisings (lower) x 0.8

WASTE SOURCE Moderator graphite from reactor dismantling.

PHYSICAL CHARACTERISTICS

General description: Graphite blocks and other graphite components.
 Physical components (%wt): Graphite (100%).
 Sealed sources: -
 Bulk density (t/m³): ~1.25
 Comment on density: Density estimate based upon assumed packing efficiency of the waste.

CHEMICAL COMPOSITION

General description and components (%wt): Graphite and possibly traces of ferrous metals.
 Chemical state: Neutral
 Chemical form of radionuclides: H-3: Tritium may be chemically bound with the graphite.
 C-14: Carbon 14 will be present as graphite.
 Cl-36: Chlorine 36 will probably be chemically bound to the graphite. Some may be linked chemically with impurities in the graphite.
 Se-79: The selenium content is insignificant.
 Tc-99: The technetium content is insignificant.
 Ra: Radium isotope content is insignificant.
 Th: The thorium content is insignificant.
 U: There may be traces of uranium as metal or oxide.
 Np: The neptunium content is insignificant.
 Pu: There may be traces of plutonium as metal or oxide.

Metals and alloys (%wt): There are no metallic items present.

Stainless steel.....	TR	There may be trace contamination by ferrous metals.
Other ferrous metals.....	TR	There may be trace contamination by ferrous metals.
Iron.....		
Aluminium.....	0	
Beryllium.....	TR	
Cobalt.....		
Copper.....	0	
Lead.....	0	
Magnox/Magnesium.....	0	

WASTE STREAM**9J301****Graphite ILW**

	Nickel.....	
	Titanium.....	
	Uranium.....	
	Zinc.....	0
	Zircaloy/Zirconium.....	0
	Other metals.....	0
		There are no "other" metals present.
Organics (%wt):	None expected. Halogenated plastics or rubbers will not be present.	
	Total cellulose.....	0
	Paper, cotton.....	0
	Wood.....	0
	Halogenated plastics	0
	Total non-halogenated plastics.....	0
	Condensation polymers.....	0
	Others.....	0
	Organic ion exchange materials....	0
	Total rubber.....	0
	Halogenated rubber	0
	Non-halogenated rubber.....	0
	Hydrocarbons.....	
	Oil or grease	
	Fuel.....	
	Asphalt/Tarmac (cont.coal tar)...	
	Asphalt/Tarmac (no coal tar)....	
	Bitumen.....	
	Others.....	
	Other organics.....	0
Other materials (%wt):	Expect only graphite.	
	Inorganic ion exchange materials.	0
	Inorganic sludges and flocs.....	0
	Soil.....	0
	Brick/Stone/Rubble.....	0
	Cementitious material.....	0
	Sand.....	
	Glass/Ceramics.....	0
	Graphite.....	100.0
	Desiccants/Catalysts.....	
	Asbestos.....	0
	Non/low friable.....	
	Moderately friable.....	
	Highly friable.....	
	Free aqueous liquids.....	0
	Free non-aqueous liquids.....	0

WASTE STREAM**9J301****Graphite ILW**

	Powder/Ash.....	0	
Inorganic anions (%wt):	None of the inorganic anions listed in the table are expected to be present at greater than trace concentration.		
	Fluoride.....	TR	Detected at trace levels in inactive graphite material.
	Chloride.....	TR	
	Iodide.....	0	
	Cyanide.....	0	
	Carbonate.....	TR	
	Nitrate.....	TR	
	Nitrite.....	TR	
	Phosphate.....	TR	Detected at trace levels in inactive graphite material.
	Sulphate.....	TR	Detected at trace levels in inactive graphite material.
	Sulphide.....	0	
Materials of interest for waste acceptance criteria:	No materials likely to pose a fire or other non-radiological hazard have been identified. Graphite presents a low fire risk; it is difficult but not impossible to ignite.		
	Combustible metals.....	0	
	Low flash point liquids.....	0	
	Explosive materials.....	0	
	Phosphorus.....	TR	Detected at trace levels in inactive graphite material.
	Hydrides.....	0	
	Biological etc. materials.....	0	
	Biodegradable materials.....		
	Putrescible wastes.....	0	
	Non-putrescible wastes.....		
	Corrosive materials.....	0	
	Pyrophoric materials.....	0	
	Generating toxic gases.....	0	
	Reacting with water.....	0	
	Active particles.....		
	Soluble solids as bulk chemical compounds.....		
Hazardous substances / non hazardous pollutants:	None expected.		
	Acrylamide.....		
	Benzene.....		
	Chlorinated solvents.....		
	Formaldehyde.....		
	Organometallics.....		
	Phenol.....		
	Styrene.....		
	Tri-butyl phosphate.....		
	Other organophosphates.....		

WASTE STREAM**9J301****Graphite ILW**

Vinyl chloride.....		
Arsenic.....	TR	Detected at trace levels in inactive graphite material.
Barium.....		
Boron.....		
Cadmium.....		
Caesium.....		
Selenium.....		
Chromium.....		
Molybdenum.....		
Thallium.....	TR	Detected at trace levels in inactive graphite material.
Tin.....		
Vanadium.....		
Mercury compounds.....		
Others.....	TR	
Electronic Electrical Equipment (EEE)		
EEE Type 1.....		
EEE Type 2.....		
EEE Type 3.....		
EEE Type 4.....		
EEE Type 5.....		
Complexing agents (%wt):		
EDTA.....		
DPTA.....		
NTA.....		
Polycarboxylic acids.....		
Other organic complexants.....		
Total complexing agents.....	TR	

PACKAGING AND CONDITIONING

Conditioning method:	The waste is not expected to be supercompacted. It will be placed in baskets in the waste packages to be encapsulated.
Plant Name:	None
Location:	Hunterston A Decommissioning Site.
Plant startup date:	2072
Total capacity (m ³ /y incoming waste):	~5000.0
Target start date for packaging this stream:	2072
Throughput for this stream (m ³ /y incoming waste):	~382.0
Other information:	The waste will be packaged immediately after the reactors are dismantled. It will be placed in basket and encapsulated. Basket of different ILW waste may be in the same package.

WASTE STREAM 9J301 Graphite ILW

Likely container type:	Container	Waste packaged (%vol)	Waste loading (m ³)	Payload (m ³)	Number of packages
	4m box (no shielding)	100.0	~16.2	18.9	212

Likely container type comment: The waste is assumed to be in baskets in the waste package so the occupied volume in the package is greater than the original waste volume.

Range in container waste volume: Not yet determined. No significant variability is expected.

Other information on containers: Stainless Steel. Container choice may be influenced by Transport Regulations at the time of final site clearance.

Likely conditioning matrix: BFS/OPC and None

Other information: -

Conditioned density (t/m³): ~1.7

Conditioned density comment: The conditioned waste density assumes that the waste will be encapsulated. Should the waste not be encapsulated, the density is estimated at 1.1 te/m3.

Other information on conditioning: The waste will be in baskets placed in the waste packages. Baskets of different Final Dismantling & Site Clearance ILW wastes may be in the same waste package. If encapsulation is not required the density of the waste product would be about 1.1 t/m3.

Opportunities for alternative disposal routing: No

Treatment	Stream volume (%)	Comment
-	-	-

RADIOACTIVITY

Source: Activation of the graphite and impurities.

Uncertainty: The values quoted were derived by calculation from available material specification and are indicative of the activities that are expected. The major source of uncertainty is of the impurity levels.

Definition of total alpha and total beta/gamma: Total beta/gamma activity is the sum of all listed nuclide activities other than alpha emitters. Activity for alpha emitting nuclides are insignificant.

Measurement of radioactivities: The specific activities were estimated from neutron activation calculations of the material and its impurities.

Other information: The activities quoted are those at 85 years after reactor shutdown. Fission of uranium impurity in the graphite may result in some fission product and actinide activity. There may be some contamination by Cs137.

WASTE STREAM 9J301 Graphite ILW

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code
H 3			6.45E-03	C C 2	Gd 153				8
Be 10				8	Ho 163				8
C 14			7.5E-02	C C 2	Ho 166m		1.17E-06	C C 2	
Na 22				8	Tm 170				8
Al 26				8	Tm 171				8
Cl 36			1.98E-04	C C 2	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41			1.98E-04	C C 2	Pt 193				8
Mn 53				8	Tl 204				8
Mn 54				8	Pb 205				8
Fe 55				8	Pb 210				8
Co 60			5.07E-07	C C 2	Bi 208				8
Ni 59			2.57E-05	C C 2	Bi 210m				8
Ni 63			1.83E-03	C C 2	Po 210				8
Zn 65				8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90				6	Th 227				8
Zr 93				8	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m				8	Th 232				8
Nb 94			1.5E-07	C C 2	Th 234				8
Mo 93				8	Pa 231				8
Tc 97				8	Pa 233				8
Tc 99				8	U 232				8
Ru 106				8	U 233				8
Pd 107				8	U 234				8
Ag 108m			1.37E-06	C C 2	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m			1.1E-04	C C 2	Pu 238				6
Sn 123				8	Pu 239				6
Sn 126				8	Pu 240				6
Sb 125				8	Pu 241				8
Sb 126				8	Pu 242				8
Te 125m				8	Am 241				6
Te 127m				8	Am 242m				8
I 129				8	Am 243				8
Cs 134				8	Cm 242				8
Cs 135				8	Cm 243				8
Cs 137				6	Cm 244				8
Ba 133			5.46E-07	C C 2	Cm 245				8
La 137				8	Cm 246				8
La 138				8	Cm 248				8
Ce 144				8	Cf 249				8
Pm 145			9.74E-08	C C 2	Cf 250				8
Pm 147				8	Cf 251				8
Sm 147				8	Cf 252				8
Sm 151			1.02E-06	C C 2	Other a				
Eu 152			2.38E-07	C C 2	Other b/g				
Eu 154			5.41E-07	C C 2	Total a	0	0		
Eu 155			2.87E-09	C C 2	Total b/g	0	8.38E-02	C C 2	

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity