

WASTE STREAM	9J60	Ion Siv Unit Post Filters
---------------------	-------------	----------------------------------

SITE Hunterston A

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Magnox Limited

WASTE TYPE ILW

WASTE VOLUMES

		Reported
Stocks:	At 1.4.2019.....	0.1 m ³
Total future arisings:		0 m ³
Total waste volume:		0.1 m ³

Comment on volumes: The MAETP plant was commissioned in 2009. The volume of each post filter is 0.044 m3.

Uncertainty factors on volumes:	Stock (upper):	x 1.2	Arisings (upper)	x
	Stock (lower):	x 0.8	Arisings (lower)	x

WASTE SOURCE Filtration of cartridge cooling pond water.

PHYSICAL CHARACTERISTICS

General description: Spent post filters that form part of the Modular Active Effluent Treatment Plant. The size of the post filters will not influence the choice of treatment process or disposal container.

Physical components (%wt): Post filter (100%).

Sealed sources: -

Bulk density (t/m³): ~0.53

Comment on density: The density of 0.53 t/m3 assumes that each post filter will have trapped 20g of IONSIV material, giving a total mass of 28.1kg for each post filter.

CHEMICAL COMPOSITION

General description and components (%wt): The waste is a spent post filter, which is composed principally of stainless steel supports with some organic material. A post filter will typically hold a maximum of 20g of IONSIV material. Stainless steel (~100%), IONSIV material (<1%) and EPDM seal material (<1%). (EPDM is ethylene diene terpolymer).

Chemical state: Neutral

Chemical form of radionuclides:

H-3: Any tritium is likely to be present as water.
 C-14: The carbon 14 content is insignificant.
 Cl-36: The chlorine 36 content is insignificant.
 Se-79: The selenium content is insignificant.
 Tc-99: The technetium content is insignificant.
 Ra: The radium isotope content is insignificant.
 Th: The thorium isotope content is insignificant.
 U: The uranium isotope content is insignificant.
 Np: The neptunium content is insignificant.
 Pu: The chemical form of plutonium isotopes may be plutonium oxides.

Metals and alloys (%wt): -

Stainless steel..... ~100.0

The stainless steel is SS316L; nickel and chromium will be major constituents of the stainless steel post filter construction material.

Other ferrous metals..... NE

Iron.....

Aluminium..... NE

Beryllium..... TR

Cobalt.....

Copper..... NE

Lead..... NE

WASTE STREAM

9J60

Ion Siv Unit Post Filters

	Magnox/Magnesium.....	NE	
	Nickel.....		
	Titanium.....		
	Uranium.....		
	Zinc.....	NE	
	Zircaloy/Zirconium.....	NE	
	Other metals.....	NE	Only the stainless steel content of the waste has been assessed.
Organics (%wt):	EPDM seal material (<1%wt) is present. Halogenated plastics and rubbers are not expected in the waste.		
	Total cellulose.....	0	
	Paper, cotton.....	0	
	Wood.....	0	
	Halogenated plastics	0	
	Total non-halogenated plastics.....	0	
	Condensation polymers.....	0	
	Others.....	0	
	Organic ion exchange materials....	0	
	Total rubber.....	<1.0	
	Halogenated rubber	0	
	Non-halogenated rubber.....	<1.0	EPDM (ethylene diene terpolymer) seal material
	Hydrocarbons.....		
	Oil or grease		
	Fuel.....		
	Asphalt/Tarmac (cont.coal tar)...		
	Asphalt/Tarmac (no coal tar)....		
	Bitumen.....		
	Others.....		
	Other organics.....	NE	
Other materials (%wt):	-		
	Inorganic ion exchange materials.	<1.0	IONSIV Material
	Inorganic sludges and flocs.....	0	
	Soil.....	0	
	Brick/Stone/Rubble.....	0	
	Cementitious material.....	0	
	Sand.....		
	Glass/Ceramics.....	0	
	Graphite.....	0	
	Desiccants/Catalysts.....		
	Asbestos.....	0	
	Non/low friable.....		
	Moderately friable.....		
	Highly friable.....		

WASTE STREAM**9J60****Ion Siv Unit Post Filters**

	Free aqueous liquids.....	TR
	Free non-aqueous liquids.....	0
	Powder/Ash.....	0
Inorganic anions (%wt):	The inorganic anion content of the waste has not been assessed.	
	Fluoride.....	NE
	Chloride.....	NE
	Iodide.....	NE
	Cyanide.....	NE
	Carbonate.....	NE
	Nitrate.....	NE
	Nitrite.....	NE
	Phosphate.....	NE
	Sulphate.....	NE
	Sulphide.....	NE
Materials of interest for waste acceptance criteria:	-	
	Combustible metals.....	0
	Low flash point liquids.....	0
	Explosive materials.....	0
	Phosphorus.....	0
	Hydrides.....	0
	Biological etc. materials.....	0
	Biodegradable materials.....	
	Putrescible wastes.....	0
	Non-putrescible wastes.....	
	Corrosive materials.....	0
	Pyrophoric materials.....	0
	Generating toxic gases.....	0
	Reacting with water.....	0
	Active particles.....	
	Soluble solids as bulk chemical compounds.....	
Hazardous substances / non hazardous pollutants:	If any, present in trace quantities only.	
	Acrylamide.....	
	Benzene.....	
	Chlorinated solvents.....	
	Formaldehyde.....	
	Organometallics.....	
	Phenol.....	
	Styrene.....	
	Tri-butyl phosphate.....	
	Other organophosphates.....	

WASTE STREAM**9J60****Ion Siv Unit Post Filters**

Vinyl chloride.....
 Arsenic.....
 Barium.....
 Boron.....
 Cadmium.....
 Caesium.....
 Selenium.....
 Chromium.....
 Molybdenum.....
 Thallium.....
 Tin.....
 Vanadium.....
 Mercury compounds.....
 Others.....
 Electronic Electrical Equipment (EEE)
 EEE Type 1.....
 EEE Type 2.....
 EEE Type 3.....
 EEE Type 4.....
 EEE Type 5.....

Complexing agents (%wt):

EDTA.....
 DPTA.....
 NTA.....
 Polycarboxylic acids.....
 Other organic complexants.....
 Total complexing agents..... 0

PACKAGING AND CONDITIONING

Conditioning method: The waste is expected to be conditioned in a cast iron drum. The drummed waste will be over packed in a 3m3 box. a strategy decision needs to be taken as to whether the 3m3 box will be grouted.
 Plant Name: Unknown
 Location: Hunterston A Power Station
 Plant startup date: -
 Total capacity (m³/y incoming waste): -
 Target start date for packaging this stream: -
 Throughput for this stream (m³/y incoming waste): <1.0
 Other information: It is assumed that one post filter will be packaged into one drum, each drum will then be placed into a 3m3 box.

WASTE STREAM 9J60 Ion Siv Unit Post Filters

Likely container type:	Container	Waste packaged (%vol)	Waste loading (m³)	Payload (m³)	Number of packages
	3m³ box (round corners)	100.0	0.044	2.7	2

Likely container type comment: -

Range in container waste volume: no significant variability is expected

Other information on containers: The drum is cast iron and the 3m box is stainless steel.

Likely conditioning matrix: Polymer

Other information: Work is in progress to determine the most appropriate matrix. Currently the matrix is anticipated to be 3:1 PFA/OPC.

Conditioned density (t/m³): NE

Conditioned density comment: Conditioned density is not estimated.

Other information on conditioning: It is expected that a purpose-built cast iron drum with a 205 mm wall thickness will be used. One filter will be packaged into one drum.

Opportunities for alternative disposal routing:

Treatment	Stream volume (%)	Comment
-	-	-

RADIOACTIVITY

Source: Spent post filters from the Modular Active Effluent Treatment Plant, used for the removal of caesium isotopes from Cartridge Cooling Pond water. Contamination by fission products, actinides and activation products.

Uncertainty: Specific activity is a function of Station operating history. The values quoted are indicative of the activities that might be expected.

Definition of total alpha and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities: The activities were estimated from the fingerprint for the Cartridge Cooling Pond water sludge from waste stream 9J951 with a total activity of 0.06 TBq for the Cartridge Cooling Pond water.

Other information: -

WASTE STREAM

9J60

Ion Siv Unit Post Filters

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2019	Bands and Code	Future arisings	Bands and Code
H 3		8			Gd 153		8		
Be 10		8			Ho 163		8		
C 14		8			Ho 166m		8		
Na 22		8			Tm 170		8		
Al 26		8			Tm 171		8		
Cl 36		8			Lu 174		8		
Ar 39		8			Lu 176		8		
Ar 42		8			Hf 178n		8		
K 40		8			Hf 182		8		
Ca 41		8			Pt 193		8		
Mn 53		8			Tl 204		8		
Mn 54		8			Pb 205		8		
Fe 55	4.37E-03	CC 2			Pb 210		8		
Co 60	3.18E-04	CC 2			Bi 208		8		
Ni 59		8			Bi 210m		8		
Ni 63		8			Po 210		8		
Zn 65		8			Ra 223		8		
Se 79		8			Ra 225		8		
Kr 81		8			Ra 226		8		
Kr 85		8			Ra 228		8		
Rb 87		8			Ac 227		8		
Sr 90	8.66E-03	CC 2			Th 227		8		
Zr 93		8			Th 228		8		
Nb 91		8			Th 229		8		
Nb 92		8			Th 230		8		
Nb 93m		8			Th 232		8		
Nb 94		8			Th 234		8		
Mo 93		8			Pa 231		8		
Tc 97		8			Pa 233	4.21E-09	CC 2		
Tc 99		8			U 232		8		
Ru 106		8			U 233		8		
Pd 107		8			U 234	1.65E-08	CC 2		
Ag 108m		8			U 235		8		
Ag 110m		8			U 236		8		
Cd 109		8			U 238		8		
Cd 113m		8			Np 237	4.29E-09	CC 2		
Sn 119m		8			Pu 236		8		
Sn 121m		8			Pu 238	9.54E-04	CC 2		
Sn 123		8			Pu 239	2E-03	CC 2		
Sn 126		8			Pu 240	2.00E-03	CC 2		
Sb 125	4.43E-06	CC 2			Pu 241	3.75E-02	CC 2		
Sb 126		8			Pu 242		8		
Te 125m	<1.11E-06	C 3			Am 241	2.39E-03	CC 2		
Te 127m		8			Am 242m		8		
I 129		6			Am 243		8		
Cs 134	6.69E-06	CC 2			Cm 242		8		
Cs 135		8			Cm 243	8.71E-05	CC 2		
Cs 137	1.75E-01	CC 2			Cm 244	7.94E-05	CC 2		
Ba 133		8			Cm 245		8		
La 137		8			Cm 246		8		
La 138		8			Cm 248		8		
Ce 144		8			Cf 249		8		
Pm 145		8			Cf 250		8		
Pm 147		8			Cf 251		8		
Sm 147		8			Cf 252		8		
Sm 151		8			Other a				
Eu 152		8			Other b/g				
Eu 154	3.09E-04	CC 2			Total a	7.51E-03	CC 2	0	
Eu 155	8.46E-05	CC 2			Total b/g	2.26E-01	CC 2	0	

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity