

WASTE STREAM	2A306	Final Dismantling & Site Clearance : Mild Steel (Non-Reactor) LLW
---------------------	--------------	--

SITE Calder Hall
SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Sellafield Limited

WASTE TYPE LLW

Is the waste subject to Scottish Policy: No

WASTE VOLUMES

		Reported
Stocks:	At 1.4.2022.....	0 m ³
Future arisings -	1.4.2022 - 31.3.2023.....	0 m ³
	1.4.2023 - 31.3.2024.....	0 m ³
	1.4.2024 - 31.3.2025.....	0 m ³
	1.4.2025 - 31.3.2107.....	0 m ³
	1.4.2107 - 31.3.2111.....	~4235.0 m ³
Total future arisings:		4235.0 m ³
Total waste volume:		4235.0 m ³

Comment on volumes: For inventory purposes the arisings are assumed to arise at a uniform rate. Final dismantling & site clearance is assumed to commence in 2104, with dismantling of the plant associated with this waste stream commencing in 2107, and lasting for ten years. Volumes and radioactivity have been calculated for 100 years after reactor shutdown, i.e. 2103, but the volume in this stream would not change for decommissioning in 2107. Reactor boilers are expected to be relocated for surface storage up to 2045 but not dismantled until Final site clearance commences

Uncertainty factors on volumes: Stock (upper): x Arisings (upper) x 5.0
 Stock (lower): x Arisings (lower) x 0.5

WASTE SOURCE Mild steel from active plant dismantling of the boilers, gas ducts and other plant.

PHYSICAL CHARACTERISTICS

General description: A variety of mild steel items.
 Physical components (%vol): Mild steel from dismantling of boilers (~93% vol), gas ducts (~7% vol).
 Sealed sources: The waste does not contain sealed sources.
 Bulk density (t/m³): 1.4
 Comment on density: The density is of the waste as cut for packaging.

CHEMICAL COMPOSITION

General description and components (%wt): Mild steel (100%).
 Chemical state: Neutral
 Chemical form of radionuclides: H-3: The tritium is incorporated in the steel.
 C-14: The carbon 14 is incorporated in the steel. There also may be some contamination as graphite.
 Cl-36: The chemical form of chlorine present has not been determined.
 Se-79: The selenium content is insignificant.
 Tc-99: The technetium content is insignificant.
 I-129: The iodine content is insignificant.
 Ra: The radium content is insignificant.
 Th: The thorium content is insignificant.
 U: The uranium content is insignificant.
 Np: The neptunium content is insignificant.
 Pu: The chemical form of plutonium isotopes has not been determined, but may be present as oxides.
 Metals and alloys (%wt): All of the waste will be bulk metal items which will be cut for packaging. Metal thicknesses will probably range from a few mm to about 100 mm.

WASTE STREAM**2A306****Final Dismantling & Site Clearance : Mild Steel (Non-
Reactor) LLW**

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....	0		
Other ferrous metals.....	100.0	Mild steel.	
Iron.....			
Aluminium.....	0		
Beryllium.....	0		
Cobalt.....	0		
Copper.....	0		
Lead.....	0		
Magnox/Magnesium.....	0		
Nickel.....	0		
Titanium.....			
Uranium.....	0		
Zinc.....	0		
Zircaloy/Zirconium.....	0		
Other metals.....	0		
Organics (%wt):	None expected.		
	No halogenated plastics or rubbers are expected to be present.		
	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose.....	0		
Paper, cotton.....	0		
Wood.....	0		
Halogenated plastics	0		
Total non-halogenated plastics.....	0		
Condensation polymers.....	0		
Others.....	0		
Organic ion exchange materials....	0		
Total rubber.....	0		
Halogenated rubber	0		
Non-halogenated rubber.....	0		
Hydrocarbons.....			
Oil or grease			
Fuel.....			
Asphalt/Tarmac (cont.coal tar)...			
Asphalt/Tarmac (no coal tar)....			
Bitumen.....			
Others.....			
Other organics.....	0		
Other materials (%wt):	-		

WASTE STREAM

2A306

**Final Dismantling & Site Clearance : Mild Steel (Non-
Reactor) LLW**

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..	0		
Inorganic sludges and flocs.....	0		
Soil.....	0		
Brick/Stone/Rubble.....	0		
Cementitious material.....	0		
Sand.....			
Glass/Ceramics.....	0		
Graphite.....	TR		
Desiccants/Catalysts.....			
Asbestos.....	0		
Non/low friable.....			
Moderately friable.....			
Highly friable.....			
Free aqueous liquids.....	0		
Free non-aqueous liquids.....	0		
Powder/Ash.....	0		

Inorganic anions (%wt): There may be trace amounts of chloride present.

	(%wt)	Type(s) and comment
Fluoride.....	0	
Chloride.....	TR	
Iodide.....	0	
Cyanide.....	0	
Carbonate.....	0	
Nitrate.....	0	
Nitrite.....	0	
Phosphate.....	0	
Sulphate.....	0	
Sulphide.....	0	

Materials of interest for waste acceptance criteria: No materials likely to pose a fire or other non-radiological hazard have been identified.

	(%wt)	Type(s) and comment
Combustible metals.....	0	
Low flash point liquids.....	0	
Explosive materials.....	0	
Phosphorus.....	0	
Hydrides.....	0	
Biological etc. materials.....	0	
Biodegradable materials.....	0	
Putrescible wastes.....	0	
Non-putrescible wastes.....		

WASTE STREAM	2A306	Final Dismantling & Site Clearance : Mild Steel (Non-Reactor) LLW
---------------------	--------------	--

Corrosive materials.....	0
Pyrophoric materials.....	0
Generating toxic gases.....	0
Reacting with water.....	0
Higher activity particles.....	
Soluble solids as bulk chemical compounds.....	

Hazardous substances /
non hazardous pollutants: -

	(%wt)	Type(s) and comment
Acrylamide.....		
Benzene.....		
Chlorinated solvents.....		
Formaldehyde.....		
Organometallics.....		
Phenol.....		
Styrene.....		
Tri-butyl phosphate.....		
Other organophosphates.....		
Vinyl chloride.....		
Arsenic.....		
Barium.....		
Boron.....		
Boron (in Boral).....		
Boron (non-Boral).....		
Cadmium.....		
Caesium.....		
Selenium.....		
Chromium.....		
Molybdenum.....		
Thallium.....		
Tin.....		
Vanadium.....		
Mercury compounds.....		
Others.....		
Electronic Electrical Equipment (EEE)		
EEE Type 1.....		
EEE Type 2.....		
EEE Type 3.....		
EEE Type 4.....		
EEE Type 5.....		

WASTE STREAM 2A306 Final Dismantling & Site Clearance : Mild Steel (Non-Reactor) LLW

Complexing agents (%wt): Not yet determined

	(%wt)	Type(s) and comment
EDTA.....		
DPTA.....		
NTA.....		
Polycarboxylic acids.....		
Other organic complexants.....		
Total complexing agents.....	NE	

Potential for the waste to contain discrete items: Yes. "Large" steel fabrications.

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction	Off-site	80.0
Supercompaction (HFC)		
Incineration		
Solidification		
Decontamination		
Metal treatment		
Size reduction		
Decay storage		
Recycling / reuse		
Other / various		
None		20.0

Comment on planned treatments:

It has been assumed for the 2022 UK RWI that 80% of the metallic waste will be treated by the supply chain and will subsequently be 'out of scope'. The remaining 20% is assumed to be consigned to LLWR for disposal as non-compactable LLW.

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository	20.0	1.2
Expected to be consigned to a Landfill Facility		
Expected to be consigned to an On-Site Disposal Facility	80.0	1.4
Expected to be consigned to an Incineration Facility		
Expected to be consigned to a Metal Treatment Facility		
Expected to be consigned as Out of Scope		
Expected to be recycled / reused		
Disposal route not known		

Classification codes for waste expected to be consigned to a landfill facility: -

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %		
	2022/23	2023/24	2024/25
Expected to be consigned to the LLW Repository			
Expected to be consigned to a Landfill Facility			
Expected to be consigned to an On-Site Disposal Facility			
Expected to be consigned to an Incineration Facility			
Expected to be consigned to a Metal Treatment Facility			
Expected to be consigned as Out of Scope			
Expected to be recycled / reused			
Disposal route not known			

WASTE STREAM	2A306	Final Dismantling & Site Clearance : Mild Steel (Non-Reactor) LLW
---------------------	--------------	--

Opportunities for alternative disposal routing: Not yet determined

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
-	-	-	-	-	-

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	20.0	10	85

Other information: -

Waste Planned for Disposal at the LLW Repository:

Container voidage: -

Waste Characterisation Form (WCH): It is not yet determined if the waste meets LLWR's Waste Acceptance Criteria (WAC).

Waste consigned for disposal to LLWR in year of generation: Not yet determined.

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

RADIOACTIVITY

Source: Contamination and activation of the mild steel and its impurities.

Uncertainty: The values quoted were derived by calculation from available data and are indicative of the activities that are to be expected.

Definition of total alpha and total beta/gamma: Total Beta/Gamma is defined as the sum of the listed activities of all nuclides other than alpha emitters. Activity estimates for individual alpha emitting nuclides have not been provided but an estimate of total alpha activity has been given.

Measurement of radioactivities: The values used were derived by calculation from available measurements and are indicative of the activities to be expected.

Other information: The activities quoted are those at 100 years after reactor shutdown, i.e. in 2103. There may be some contamination by Cs137.

WASTE STREAM

2A306

Final Dismantling & Site Clearance : Mild Steel (Non-Reactor) LLW

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3				6	Gd 153				8
Be 10				8	Ho 163				8
C 14				6	Ho 166m				6
Na 22					Tm 170				8
Al 26					Tm 171				8
Cl 36				6	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41				8	Pt 193				8
Mn 53				8	Tl 204				8
Mn 54				8	Pb 205				8
Fe 55				8	Pb 210				8
Co 60				8	Bi 208				8
Ni 59				6	Bi 210m				8
Ni 63				6	Po 210				8
Zn 65				8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90				8	Th 227				8
Zr 93				8	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m				8	Th 232				8
Nb 94				6	Th 234				8
Mo 93				8	Pa 231				8
Tc 97				8	Pa 233				8
Tc 99				8	U 232				8
Ru 106				8	U 233				8
Pd 107				8	U 234				8
Ag 108m				6	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m				8	Pu 238				8
Sn 123				8	Pu 239				6
Sn 126				8	Pu 240				8
Sb 125				8	Pu 241				8
Sb 126				8	Pu 242				8
Te 125m				8	Am 241				8
Te 127m				8	Am 242m				8
I 129				8	Am 243				8
Cs 134				8	Cm 242				8
Cs 135				8	Cm 243				8
Cs 137			1.00E-07	CC 2	Cm 244				8
Ba 133				8	Cm 245				8
La 137				8	Cm 246				8
La 138				8	Cm 248				8
Ce 144				8	Cf 249				8
Pm 145				8	Cf 250				8
Pm 147				8	Cf 251				8
Sm 147				8	Cf 252				8
Sm 151				8	Other a				8
Eu 152				8	Other b/g				8
Eu 154				8	Total a	0	<1.00E-09	D 3	
Eu 155				8	Total b/g	0	~1.00E-07	CC 2	

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity